

QV  
O44P  
1892

QV 044f 1892

61740120R




NLM 05062563 4

NATIONAL LIBRARY OF MEDICINE

SURGEON GENERAL'S OFFICE  
LIBRARY.

~~ANNEX~~  
Section, \_\_\_\_\_

No. 164237.



CHICAGO MEDICAL BOOK CO.,  
35-37 Randolph Street,  
1898.

# 1500 PRESCRIPTIONS

OF ALL KINDS


RIGHT AND WRONG

SELECTED FROM  
PRESCRIPTION FILES, JOURNALS,  
FORMULARIES, PHARMACOPŒIAS, AND MEDICAL WORKS,  
ILLUSTRATING CORRECT AND INCORRECT CONSTRUCTION,  
LATINITY, ABBREVIATIONS, DOSES, AND  
PHARMACY, AND COVERING ALL THE PRINCIPAL  
FORMS IN WHICH MEDICINES ARE  
COMMONLY ADMINISTERED.

INTENDED AS AN AID TO  
Pharmaceutical Teachers, Students and Examiners

By OSCAR OLDBERG, Ph.D.

PROFESSOR OF PHARMACY, NORTHWESTERN UNIVERSITY



THE APOTHECARIES' COMPANY  
CHICAGO  
1892



QV

044f

1892

*Film No. 5548, no. 1*

COPYRIGHT, 1892

OSCAR OLDBERG, PH. D.

ALL RIGHTS RESERVED

## PREFACE.

---

The object of this little volume is to present in the most convenient form an adequate variety of illustrations of various phases of the construction of extemporaneous formulas, correct and incorrect, for purposes of study.

The selected examples contained in this book will be found to afford a far more complete and effective assortment than any prescription files, however large, can possibly furnish.

The 1,500 Prescriptions include correct formulas and prescriptions, Latinic and English, in metric terms as well as in the customary weights and measures, unabbreviated and abbreviated, covering all the usual forms of exhibition and numerous kinds of medicinal substances, new and old.

There are prescriptions for species, powders, triturations, confections, electuaries, troches, masses, pills, liquid preparations for internal use, cataplasms, ointments, cerates, plasters, liniments, lotions, injections, and other forms of administration or application of medicines, of the greatest variety of materials, and illustrating numerous phases of the details of manipulation.

There are also many faulty, incomplete, incorrect, dangerous, incompatible, and even impossible prescriptions. Nearly all of these have

been reproduced from prescription files, journals, examination papers, books and formularies, and are *bona fide* prescriptions written by physicians in the regular course of their medical practice. The original authors can not be held responsible for the many errors which have been introduced by compilers and printers, and the large number of incorrect prescriptions in this collection should not cause any apprehension, for they are certainly not common.

In studying and criticizing these prescriptions the student should carefully examine into:—

1. The form, construction, nomenclature, orthography and abbreviations.

2. The intent of the prescriber; any ambiguities, uncertainties, omissions, accidental transposition of quantities, "slips of the pen," etc.

3. Physical compatibility of the ingredients; kind and quantity of excipients, solvents, etc.

4. Chemical compatibility; is any chemical reaction likely to take place? and, if so, is it one that the prescriber had in view? Formation of new compounds, harmful or not, precipitations, gelatinization, generation of gaseous products, explosive mixtures, slow chemical changes, etc.

5. Doses; single and daily; whether safe or not, according to age of the patient, etc.

6. Practicability of the directions as to the mode of dispensing; can the materials and proportions prescribed be made to produce such a preparation as the prescription calls for,



whether pills, powders, ointment, suppositories, mixture, or other specified form.

7. Mode of manipulation; how shall the prescription be dispensed? Order and manner in which the ingredients should be combined; details of manipulation; are any modifications or additions pharmaceutically necessary and therapeutically unobjectionable?

8. Directions for using the medicine. Are they safe and probably correct and in harmony with the character of the medicine?

In order to make the collection as complete as practicable I have constructed and inserted additional prescriptions wherever it seemed necessary for the purpose of supplying good examples of points not illustrated by the formulas and prescriptions accessible to me.

Students using this book, who have not studied latinic pharmaceutical nomenclature, will find what is necessary for that purpose contained in my "Pharmaceutical Problems and Exercises."

OSCAR OLDBERG.

CHICAGO, *September, 1892.*



# CONTENTS.

---

## PART I.

	PAGES.
UNABRIDGED LATINIC PRESCRIPTIONS.....	1-15

## PART II.

PRESCRIPTION WRITING.....	16-18
---------------------------	-------

## PART III.

PRESCRIPTIONS in Customary Weights and Measures to be Transposed into Metric Terms.....	19-27
---	-------

## PART IV.

METRIC PRESCRIPTIONS to be Transposed into Terms of the Customary Apoth- ecaries' Weights and Measures.....	28-39
---	-------

## PART V.

PRESCRIPTIONS for Species, Powders, Cap- sules, Confections, Troches, etc.....	40-61
---	-------

## PART VI.

PILLS, etc.....	62-99
-----------------	-------

## PART VII.

MIXTURES—Ordinary Formulas and Pre- scriptions.....	100-150
--	---------

## PART VIII.

MIXTURES—Faulty Prescriptions.....	151-191
------------------------------------	---------

## PART IX.

LIQUID PREPARATIONS for External Use...192-209

## PART X.

SOLID PREPARATIONS for External Use...210-230

## PART XI.

MISCELLANEOUS-- Faulty Prescriptions for  
External Applications.....231-242

# EXAMPLES OF PRESCRIPTIONS.

## PART I.

### UNABRIDGED LATINIC PRESCRIPTIONS.

These are to be rewritten in proper abbreviated form. Each of them is also to be translated into English, using proper technical terminology, the proper abbreviations or symbols for the respective units of measure, and Arabic numerals for metric quantities, but Roman numerals in connection with the units of apothecaries' weight or measure.

#### 1.

Recipe: Rhei Pulveris. . . . . *grammata quinque;*  
Magnesii Carbonatis. . *grammata quindecim;*  
Sacchari. . . . . *grammata decem;*  
Olei Anisi. . . . . *guttas decem.*

Miscentur ut fiat pulvis. Detur in scatula.  
Signetur. Capiat cochlear parvum ter in die.

#### 2.

Recipe: Sabinæ,  
Zingiberis . . . . . *ana grana sex.*  
Sodii Boratis. . . . . *grana quindecim.*  
Misce. Fiat pulvis.

#### 3.

Recipe: Morphinae Sulphatis . . . . *milligrammata*  
*quinque.*

Sacchari. . . . . *milligrammata decem.*

Miscetur.

Signa: Sumat nocte.

#### 4.

℞ Quininae Sulphatis . . . . *drachmam dimidiam*  
Fiant pulveres numero viginti.

Signa: Pulvis una sumatur quater in die.



These are to be rewritten in proper abbreviated form. Each of them is also to be translated into English, using proper technical terminology, the proper abbreviations or symbols for the respective units of measure, and Arabic numerals for metric quantities, but Roman numerals in connection with the units of apothecaries' weight or measure.

5.

℞ Morphinae Sulphatis.....*milligrammata*  
*quindecim;*

Sacchari .....*milligrammata triginta.*

Misce et divide in chartulas tres.

Signa: Capiat unam nocte.

6.

℞ Calomelanos .....*gramma unum;*

Sacchari Lactis.....*gramma unum*  
*et dimidium.*

Miscentur, fiant pulveres decem.

Capiat unum quaque quarta hora.

7.

℞ Hydrargyri Chloridi Mitis,

Sacchari Lactis.....*ana grana quindecim.*

Misce et divide in partes aequales decem.

Sumat unum bis vel ter in die.

8.

℞ Hydrargyrosi Chloridi,

Sacchari Lactis.....*āā granum unum.*

Miscentur. Da tales doses numero decem.

Signa: Harum pulverum sumatur unam nocte  
maneque.

9.

℞ Chloreti Hydrargyrosi .....*grana quatuor;*

Sacchari Albi .....*grana viginti.*

Fiant pulveres quatuor. Capiat unum more  
dictu.

These are to be rewritten in proper abbreviated form. Each of them is also to be translated into English, using proper technical terminology, the proper abbreviations or symbols for the respective units of measure, and Arabic numerals for metric quantities, but Roman numerals in connection with the units of apothecaries' weight or measure.

10.

℞ Opii Pulveris ..... *granum semisse.*  
Da in quadruplo.  
Sumat unum alternis horis.

11.

℞ Morphinae Acetatis ... *sextam partem grani;*  
Sacchari Albi ..... *grana tres.*  
Dentur tales doses decem. Hora decubitus  
sumatur unum.

12.

℞ Chloralis ..... *gramma unum.*  
Detur statim.

13.

℞ Cantharidis Pulveratæ ..... *grana duo*  
Sabinæ Pulveratæ ..... *drachmam unam.*  
Misce et in pulveres numero quatuor divide.  
Signa. Decubitu pulverem unum sumat.

14.

℞ Hydrargyri cum Creta,  
Pulveris Nucis Myristicæ ... *āā grana tres;*  
Bismuthi Subnitratæ ..... *grana duodecim.*  
Misce bene et divide in chartulas sex.  
Sumat unum quaque tertia hora.

15.

℞ Sodii Salicylatis, *gramma unum et dimidium;*  
Sodii Bicarbonatis ..... *grammata duo.*  
Misce ut fiat pulvis, et divide in chartulas  
duodecim.  
Signa: Capiat unum quater in die.

These are to be rewritten in proper abbreviated form. Each of them is also to be translated into English, using proper technical terminology, the proper abbreviations or symbols for the respective units of measure, and Arabic numerals for metric quantities, but Roman numerals in connection with the units of apothecaries' weight or measure.

## 16.

℞ Sodii Bicarbonatis.....*drachmas tres.*  
In pulveres numero duodecim dividenda.  
Signa: Capiat pulverem unum ex aqua cyatho  
post cibo.

## 17.

℞ Ipecacuanhæ.....*granum semisse;*  
Rhei.....*grana duo;*  
Sodii Bicarbonatis.....*grana duodecim.*  
Misce et in chartulas duodecim divide.  
Signa: Pulvis unus ter in die sumatur.

## 18.

℞ Camphoræ, in pulverem reductæ.....*grana*  
*quinque;*  
Pulveris Ipecacuanhæ Compositi.....*grana*  
*decem.*  
Potassii Nitratis.....*grana viginti.*  
Mixta in charta cerata dentur.  
Signa: Quantum dimidium pro dose sumendum.

## 19.

℞ Quininæ Sulphatis.....*drachmam.*  
Divide in partes aequales triginta ingerendas in  
capsulas gelatinosas.  
Signetur: Harum capsularum una sumatur omni  
trihorio.

## 20.

℞ Caffeinæ Citratis.....*gramma unum;*  
Phenacetini.....*grammata duo;*  
Sacchari Albi.....*gramma unum.*  
Misce. Dispensa in capsulas decem.

These are to be rewritten in proper abbreviated form. Each of them is also to be translated into English, using proper technical terminology, the proper abbreviations or symbols for the respective units of measure, and Arabic numerals for metric quantities, but Roman numerals in connection with the units of apothecaries' weight or measure.

## 21.

℞ Bismuthi Subnitratis . . . . . *scrupuli duo cum dimidio;*

Pepsini Saccharati . . . . *drachmam dimidiam;*

Zinci Oxidi . . . . . *grana sex.*

Tritura et divide in chartulas duodecim.

Signa: Capiat unam ter in die.

## 22.

℞ Sulphuris Loti,

Potassii Bitartratis . . . . *āā unciam dimidiam;*

Confectionis Sennæ . . . . . *uncias duas;*

Syrupi . . . . . *drachmas tres.*

Miscentur ut fiat electuarium. Cochleare medium omnibus noctibus.

## 23.

℞ Potassii Sulphatis . . *grammata duodecim cum dimidio;*

Sulphuris Sublimati . *grammata septem cum dimidio;*

Confectionis Sennæ . . . . . *grammata octo;*

Syrupi . . . . . *grammata duo-et-viginti.*

Fit electuarium.

Signa: Capiat cochlearia duo parva quoties requiritur.

## - 24.

℞ Extracti Colocyntidis Compositi, *grana sex;*

Extracti Hyoscyami . . . . . *grana duo;*

Calomelanos . . . . . *grana duo.*

Misce et fiant pilulæ duæ.

Signa: Sumant hora somni, et cras mane haustus.

These are to be rewritten in proper abbreviated form. Each of them is also to be translated into English, using proper technical terminology, the proper abbreviations or symbols for the respective units of measure, and Arabic numerals for metric quantities, but Roman numerals in connection with the units of apothecaries' weight or measure.

25.

℞ Opii Pulverati.....*milligrammata centum;*  
Tincturæ Tolutanæ.*milligrammata ducenta;*  
Conterendo mixtis adduntur:  
Extracti Glycyrrhizæ,  
Acaciae, singulorum.....*gramma unum et*  
*dimidium;*  
Sacchari Albi.....*grammata tres,*  
quo facto omnia in massam coguntur,  
quæ in trochiscos numero decem æquales  
dividenda est.

Signa: Trochiscum unum subinde capiat.

## 26.

℞ Myrrhæ.....*grammata duo cum dimidio;*  
Crocī.....*grammata duo cum dimidio;*  
Aloes.....*grammata quinque;*  
Syrupi.....*quantum sufficit,*  
ut fiat massa, e qua formentur pilulæ  
numero centum æquales.

Signetur: Pilulæ quatuor pro dose sumantur.

27.

℞ Argenti Nitratis.....*granum unum;*  
Argillæ Albæ.....*grana decem;*  
Tragacanthæ,  
Aquæ.....*āā quantum requiritur,*  
ut fiat massa, in pilulas sex formanda.  
Signa: Capiat pilulam unam horæ tertiam  
partem ante prandium.



These are to be rewritten in proper abbreviated form. Each of them is also to be translated into English, using proper technical terminology, the proper abbreviations or symbols for the respective units of measure, and Arabic numerals for metric quantities, but Roman numerals in connection with the units of apothecaries' weight or measure.

28.

℞ Quininæ Sulphatis . . . . *grana duo-de-viginti*.  
Fiat massa; divide in pilulas sex.  
Signa: Capiat omnes cursu hodie.

29.

℞ Rhei . . . . . *grana sexdecim*;  
Aloes,  
Saponis, singulorum . . . . . *grana octo*.  
Fit massa. Divide in pilulas ponderis gran-  
orum quatuor.  
Signetur: Capiat pilulas duas omni nocte.

30.

℞ Cambogii,  
Acaciæ, singulorum . . . . . *grammata tria*;  
Galbani . . . . . *grammata quatuor*;  
Aloes . . . . . *grammata septem*;  
cum  
Olei Carui . . . . . *grammate uno et dimidio*,  
et Syrupi, quantitate sufficiente subi-  
guntur in massam, e qua formentur  
pilulæ numero centum æquales.  
Signetur: Alvo adstricta harum pilularum tres  
decubitu sumantur.

31.

℞ Acidi Benzoici . . . . . *granum dimidium*;  
Sodii Boratis . . . . . *granum unum et dimidium*;  
Acaciæ,  
Syrupi . . . . . *āā quantum satis*.  
Fit trochiscus unus. Mitte tales quatuor et  
viginti.  
Signa: Ad libitum sumantur.

These are to be rewritten in proper abbreviated form. Each of them is also to be translated into English, using proper technical terminology, the proper abbreviations or symbols for the respective units of measure, and Arabic numerals for metric quantities, but Roman numerals in connection with the units of apothecaries' weight or measure.

## 32.

℞ Extracti Leptandræ.....*semigranum*;  
 Massæ Hydrargyri,  
 Extracti Hyoseyami, singulorum *grana duo*;  
 Extracti Colocyntidis Compositi.....  
*ad grana decem.*

Fiant pilulæ duæ. Pro re nata sumantur nocte. Mitte duodecim.

## 33.

℞ Fellis Bovini Purificati...*drachmam unam*;  
 Magnesii Sulphatis Exsiccati...*scrupuli duo*;  
 Resinæ Podophylli.....*grana quinque.*  
 Miscentur ut fiat massa, e qua formentur pilulæ viginti æquales.

Signa: Capiat unam vel duas hora decubita.

## 34.

℞ Potassii Carbonatis...*drachmam dimidiam*;  
 Myrrhæ.....*drachmam unam*;  
 Tere simul; dein adde—  
 Ferri Sulphatis,  
 Sacchari Albi,  
singulorum .....*drachmam dimidiam*

Fiant pilulæ quadriginta.

Signetur: Unam bis terve die.

## 35.

℞ Tincturæ Opii.....*gramma unum.*  
 Syrupi.....*grammata novem et nonaginta.*  
 Commiscentur.

Signetur: More dictu sumendum.

These are to be rewritten in proper abbreviated form. Each of them is also to be translated into English, using proper technical terminology, the proper abbreviations or symbols for the respective units of measure, and Arabic numerals for metric quantities, but Roman numerals in connection with the units of apothecaries' weight or measure.

## 36.

℞ Sodii Arsenatis.....*grana duo*;  
Aquæ Destillatæ..... *quantum sufficit*.  
**Solve et adde—**  
Pulveris Guaiaci.....*drachmam dimidiam*.  
Antimonii Sulphurati. ....*scrupulum unum*;  
Mucilaginis.....*quantum requiritur*.  
Misce caute ut fiat massa. in pilulas numero  
quatuor et viginti dividenda.  
Signa. Pilulæ duæ vel tres quotidie sumantur.

37.

℞ Ammoniaci.....*grammata quatuor;*  
Aquæ Puræ.....*grammata centum.*  
Fiat emulsum secundum artem.  
Signa: Cochleare minimum alternis horis.

38.

R Camphoræ Pulveris. .... *gramma dimidium*;  
Acaciæ Pulveris. .... *grammata duo cum*  
*dimidio*;  
Misturæ Amygdalæ. .... *grammata centum et*  
*quingenta.*

Fit emulsio.

Signetur: Cochleare minimum alternis horis.

39.

℞ Olei Ricini ..... *unciam dimidiam*;  
Olei Tiglii ..... *guttam*;  
Mucilaginis ..... *unciam*.

Misce. Fiat haustus cum aquæ unciis duabus.

Signa: Capiat dimidiam mane et alteram post  
duas horas.



These are to be rewritten in proper abbreviated form. Each of them is also to be translated into English, using proper technical terminology, the proper abbreviations or symbols for the respective units of measure, and Arabic numerals for metric quantities, but Roman numerals in connection with the units of apothecaries' weight or measure.

## 43.

℞ Potassii Bromidi.....*grana viginti;*  
Chloral Hydratis.....*scrupulum;*  
Morphinæ Hydrochloratis .. *quintam partem*  
*grani;*  
Aquæ Camphoræ.....*quantum sufficit ad*  
*sesquiunciam.*

Misce et fiat haustus.

Signa: Cursu nocte sumendus.

## 44.

℞ Potassii Acetatis . . . . . *drachmas quinque;*  
Tincturæ Digitalis . . . . . *drachmam unam;*  
Syrupi Aurantii . . . . . *unciam unam;*  
Decocti Scoparii . . . . . *ad uncias octo.*  
Fac mistura. Capiat cochlearia duo magna  
quarta quaque hora ex paululo aquæ.

## 45.

℞ Chloral.....*drachmas duas;*  
Syrupi.....*uncias duas;*  
Aquæ.....*ad uncias octo.*

Misce.

Signa: Uncia una si opus sit sumenda.

## 46.

℞ Potassii Chloratis..... *drachmam*;  
Acidi Hydrochlorici  
*drachmam unam et dimidiam*;

Misce et adde—

Tincturæ Ferri Chloridi . . . . drachmas duas  
Aquæ, quantum sufficit ut fiat, \_\_\_\_\_  
uncias quatuor.

Signa: Cochleare parvum ter quaterve in die.



These are to be rewritten in proper abbreviated form. Each of them is also to be translated into English, using proper technical terminology, the proper abbreviations or symbols for the respective units of measure, and Arabic numerals for metric quantities, but Roman numerals in connection with the units of apothecaries' weight or measure.

## 47.

℞ Atropinae Sulphatis.....*semi-granum*;  
 Aconiti-nae.....*granum unum et dimidium*;  
 Olei Tiglii.....*guttas duas*;  
 Petrolati.....*drachmas duas*

Misce accuratissime.

Signetur: Ad partes dolentes applicetur.

## 48.

℞ Digitalis Foliorum.....*gramma unum*;  
 Aquae Fervidae, tantum ut digerendo per  
       horam habeas infusum pondere,  
                                   *grammatum centum.*

Detur.

Signetur: Cochleare minimum ter quaterve in die.

## 49.

℞ Rosae Gallicae Petalorum.....*grammata tres*;  
 Acidi Sulphurici Diluti.....*grammata duo*;  
 Aquae Fervidae, tantum, ut, digestionem in vase  
       vitreo ocluso per horam dimidiam  
       instituta, fiat colatura tanti ponderis,  
       ut, solutis in ea  
 Sacchari Albi.....*grammata octo*  
       infusum habeas.....*grammatum*  
                                   *ducentorum.*

Adde—

Quininae Sulphatis.....*grammata quinque.*

Fit solutio.

Signetur: Cochleare magnum bis vel ter in die sumatur.

These are to be rewritten in proper abbreviated form. Each of them is also to be translated into English, using proper technical terminology, the proper abbreviations or symbols for the respective units of measure, and Arabic numerals for metric quantities, but Roman numerals in connection with the units of apothecaries' weight or measure.

## 50.

℞ Illicii.....*drachmam*;  
Verbasci Florum.....*drachmas duas cum*  
*dimidia*;

Althææ,

Glycyrrhizæ... *singulorum unciam dimidiam*.

Tussilaginis.....*unciam et dimidiam*;

Seorsum contusa et incisa ponderantur et miscentur. Macera in vaso leviter clauso per horas bis quatuor et viginti cum

Aquæ Fervidæ.....*Octarium*,  
et cola. Deinde adde—

Sacchari, uncias sexdecim.

Signa: Quantum vis sumendum.

## 51.

℞ Sodii Boratis Pulveris.....*grammata tres*;  
Mellis Despumati.....*grammata triginta*.

Conteruntur donec sal solutum sit.

Fit linctus, ad libitum utendus.

## 52.

℞ Aquæ Ammoniacæ.....*unciam unam*;  
Linimenti Camphoræ.....*uncias tres*.

Miscentur conquassando.

Signetur: Pars affecta fricetur nocte maneque.

## 53.

℞ Plumbi Acetatis,  
Zinci Sulphatis.....*ana scrupulum*;  
Tincturæ Opii.....*drachmas duas*;  
Aquæ.....*ad uncias sex*.

Fiat lotio, sæpe utenda.

These are to be rewritten in proper abbreviated form. Each of them is also to be translated into English, using proper technical terminology, the proper abbreviations or symbols for the respective units of measure, and Arabic numerals for metric quantities, but Roman numerals in connection with the units of apothecaries' weight or measure.

## 54.

℞ Crimnorum Avenæ *grammata quinquaginta*;  
Paratur inde decoctum ponderis *grammatum*  
*quadringentorum*  
in quo etiamnunc calido solvuntur.

Sodii Chloridi.....*grammata quinquaginta*  
Solutis tandem inter quassandum addenda sunt  
Olei Olivæ.....*grammata quinquaginta*.  
Fiat enema.

Signetur: Injiciatur statim.

## 55.

℞ Lini Farinæ.....*uncias quatuor*;  
Aquæ Ebullientis, quantum satis  
ut fiat cataplasma.

Signa: Admoveatur durante dolore.

## 56.

℞ Acidi Carbolici.....*drachnam dimidiam*;  
Adipis Benzoinati.....*drachmas sex*.  
Misce intime. Fiat unguentum.

Signa: Utendum quaque tertia hora.

## 57.

℞ Acidi Tannici.....*gramma unum*;  
Olei Theobromæ.....*grammata triginta*.  
Misce. Fiant suppositoria numero decem.  
Sæpe utenda more solitu.

## 58.

℞ Tincturæ Krameris.....*unciam*;  
Liquoris Calcis.....*uncias sex*.  
Signetur: Cochleare magnum ter quotidie.

These are to be rewritten in proper abbreviated form. Each of them is also to be translated into English, using proper technical terminology, the proper abbreviations or symbols for the respective units of measure, and Arabic numerals for metric quantities, but Roman numerals in connection with the units of apothecaries' weight or measure.

## 59.

℞ Potassii Iodidi ..... *grammata duo*;  
Aquæ ..... *gramma unum*;  
Contritæ admiscentur inter terendum  
Glyceriti Amyli. .... *grammata septemdecim*.  
Fiat unguentum, more dictu utendum.

## PART II.

### PRESCRIPTION WRITING.

Write complete formulas in the form of prescription for the following, writing the correct latinic titles without abbreviation: —

60.

For 40 Gm. of *species* for a laxative tea consisting of 10 parts elder flowers, 16 parts senna, 5 parts each of fennel and anise, and 4 parts cream of tartar. (Without directions for use.)

61.

One ounce of a compound powder consisting of equal parts of cardamom and ferrous sulphate, twice as much German worm seed as of the iron salt, and as much tansy flowers as of the worm seed.

62.

For two powders, each consisting of  $\frac{1}{6}$  grain of morphine acetate and 3 grains of white sugar.

63.

For a compound powder of 4 grains of calomel and 20 grains of sugar, to be divided into four equal parts and so dispensed.

64.

For 12 pills, each containing one grain of each of jalap, rhubarb, aloes and soap.

65.

For a mass made up of 1 Gm. of ferrous sulphate, 1.50 Gm. of quinine sulphate, and 500 milligrams of extract of nux vomica, to be divided into twelve pills.



Write complete formulas in the form of prescription for the following, writing the correct latinic titles without abbreviation:—

66.

For two ounces of an electuary composed of equal parts of rhubarb, guaiac resin, cream of tartar, and sulphur, with as much syrup of manna as the sum of the quantities of the before-named ingredients, and as much confection of senna as of all the other ingredients together.

67.

For 24 troches to be made of a mass composed of 100 milligrams of ipecac; one-half gram, each, of tincture of tolu, powdered cubeb, and potassium chlorate; one and one-half gram of orris root; three Gm. each of acacia and extract of licorice root; ten Gm. of sugar, and a sufficient quantity of simple syrup.

68.

For six suppositories, each containing 1 grain of each of tannin and opium, 2 grains of lead acetate, 1 grain of extract of henbane, and enough oil of theobroma to make each suppository weigh 20 grains.

69.

For an ounce of an ointment consisting of 12.50 per cent. each of blue ointment and extract of belladonna, 25 per cent. lard, and the remainder of simple ointment.

70.

For a sufficient quantity of belladonna plaster to be spread on an oval-shaped piece of kid-skin  $4\frac{1}{2}$  inches wide and 6 inches long.

71.

For 200 C.c. of an emulsion of cod liver oil containing 40 per cent. of the oil.

Write complete formulas in the form of prescription for the following, writing the correct latinic titles without abbreviation:—

72.

For 100 C.c. of an emulsion of oil of turpentine containing 10 per cent. of the volatile oil.

73.

For a gargle composed of one fluid ounce each of the fluid extracts of sumach berries and golden seal, with two and one-half drachms of potassium chlorate, one fluid ounce of glycerin, and enough water to make the whole measure one-half pint.

74.

An eight-ounce mixture of which each tablespoonful shall contain about 5 grains quinine sulphate, the bitterness of the quinine to be masked by a sufficient quantity of fluid extract of glycyrrhiza, and the rest of the body of the mixture to consist of equal parts of simple syrup and water.

## PART III.

### TRANSPPOSITION OF WEIGHTS.

#### COMMON AND METRIC.

Transpose the following prescriptions into metric terms:—

75.

℞ Digitalis Pulv..... ℥j  
Div. in pulv. No. x.

76.

℞ Potassii Iodidi,  
Potassii Chloratis..... āā ℥j  
Potassii Bicarbonatis..... ℥iij  
M. in chartulas No. xii div.

77.

℞ Hydrarg. Chloridi Mitis. .... gr.xv  
Sacchari Albi. .... ℥iv  
M.

78.

℞ Pulveris Opii  
Pulveris Ipecacuanhæ  
Hydrargyri Chloridi Mitis ..... āā gr.iiij  
Potassii Nitratis ..... gr.xxx  
Misce et divide in chartulas vi.

79.

℞ Morphinae Sulphatis ..... gr.ss  
Quininæ Sulphatis ..... gr.xx  
Misce et fiant chartulæ No. ii.

80.

℞ Bismuthi Subnitratis,  
Pepsini..... āā ℥ij  
M. In pulv. No. xii div.

Transpose the following prescriptions into metric terms:—

81.

℞ Hydrarg. Chloridi Mitis..... gr. j  
 Cretæ Præp..... gr. xxxvj  
 Plumbi Acetatis..... gr. xij  
 Pulv. Ipecac..... gr. iij  
 M. In chart. No. XII div.

82.

℞ Mannæ..... ℥vj  
 Magnesiae,  
 Sulphuris Loti..... āā ℥iss  
 Mellis..... f℥vj  
 M. f. elect.

83.

℞ Sulphuris Loti..... ℥ij  
 Potassii Bitartr..... ℥j  
 Pulv. Rhei..... ℥ij  
 Guaiaci Resinæ..... ℥j  
 Mellis Despum..... lb. j  
 Myristicam Pulv..... j  
 M. fiat electuarium.

[Chelsea Pensioner.]

84.

℞ Rhei,  
 Extr. Gentianæ... āā ℥j  
 M. f. pil. xv.

85.

℞ Olei Terebinth..... ℥. ℥ xv  
 Cerae Albæ..... gr. iij  
 Magnesiae..... gr. viij  
 M. f. pil. x.

86.

℞ Iodoformi..... ℥j  
 Sacch. Lactis..... gr. x  
 Glycer. Tragac..... q. s.  
 M. f. pil. xx.

Transpose the following perscriptions into metric terms:—

87.

℞ Ferri Sulph. Exsicc.....gr.xv  
 Pot. Bicarb.....3j  
 Extr. Stramonii,  
 Extr. Aloes.....āā ʒj  
 M. f. pil xv.

88.

℞ Acidi Benzoici.....gr.xl  
 Tereb. Canad.....gr.x  
 M. f. pil. x.

89.

℞ Calcis Sulphuratæ.....gr.j  
 Sacch. Lactis.....gr.x  
 Glycer. Tragac.....q. s  
 M. f. pil. viii.

90.

℞ Tinct. Ferri Chloridi.....f3j  
 Potassii Chloratis.....3j  
 Glycerini .....f5j  
 Aquæ Cinnamomi .....ad f5iv  
 M.

91.

℞ Tinct. Ferri Chlor. ....f5j  
 Potassii Chloratis.....3j  
 Glycerini .....f5j  
 Aquæ .....ad f5iv  
 M.

92.

℞ Ammonii Bromidi,  
 Potassii Iodidi.....āā ʒviiij  
 Potassii Bromidi.....3vj  
 Sodii Bicarbonatis.....3ij  
 Tincturæ Calumbæ.....f5ij  
 Aquæ Destillatæ.....f5vj  
 M.

Transpose the following prescriptions into metric terms:—

93.

℞ Tinct. Ferri Chlor. .... f̄iv  
 Pot. Chloratis ..... ℥iv  
 Syr. Simplicis ..... f̄℥j  
 Aquæ Menthæ Pip. .... q. s. ad f̄℥iv  
 M.

94.

℞ Tinct. Ferri Chloridi ..... f̄iij  
 Acidi Acet. Dil. .... f̄℥ij  
 Syr. Simplicis ..... f̄℥iss  
 Liqu. Ammonii Acet. .... q. s. ad f̄℥iv  
 M.

95.

℞ Pot. Chloratis ..... ℥ij  
 Tinct. Ferri Chloridi ..... f̄℥j  
 Syr. Simpl. .... f̄℥vj  
 Aquæ Cinnam ..... q. s. ad f̄℥ij  
 M.

96.

℞ Sodii Bromidi ..... ℥iv  
 Chloral Hydratis ..... ℥iiss  
 Syr. Aurantii Cort. .... f̄℥iv  
 Aquæ ..... ad f̄℥iv  
 M.

97.

℞ Sodii Sulphatis,  
 Potassii et Sodii Tartr. .... aa ℥j  
 Infusi Cascarillæ. .... f̄℥viij  
 M.

98.

℞ Sodii Bicarb. .... ℥iv  
 Tinct. Zingiberis ..... f̄℥j  
 Tinct. Gent. Comp. .... f̄℥vj  
 Aquæ Menthæ Pip. .... f̄℥iij  
 M.

Transpose the following prescriptions into metric terms:—

99.

℞ Sodii Bicarb. .... gr. lx.  
 Extr. Rhei Fluidi ..... f̄ij  
 Spir. Menthæ Pip. .... f̄ij  
 Aquæ q.s. ut f. .... f̄iiv

M.

100.

℞ Syrupi Scillæ ..... f̄ij  
 Syrupi Pruni Virg ..... f̄iij  
 Syrupi Tolut. .... ad f̄iiv

M.

101.

℞ Acidi Nitrosi ..... f̄ij  
 Tincturæ Opii ..... gtt. xl  
 Aquæ Camphoræ ..... f̄viiij

M.

102.

℞ Tinct. Ferri Chloridi ..... f̄ij  
 Syrupi Tolutani ..... f̄iiss  
 Liqu. Potassii Citratis ..... ℥iiss

M

103.

℞ Ammonii Carbonatis, ..... gr. xl  
 Infusi Serpentariæ ..... f̄iiv

M.

104.

℞ Potassii Iodidi ..... gr. j  
 Ferri et Ammonii Citratis ..... gr. iij  
 Syrupi Sarsaparillæ Compositi ..... f̄ss  
 Aquæ Destillatæ ..... f̄ij

M.

105.

℞ Santonini ..... gr. viiij  
 Extracti Sennæ et Spigeliæ Fluidi ..... f̄ij

M.



Transpose the following prescriptions into metric terms:—

106.

℞ Copaibæ,  
Spir. Ætheris Nitrosi,  
Spir. Lavandulæ Comp.....āā f̄ss  
Liquoris Potassæ.....f̄j  
Mucil. Acaciæ.....q. s. ad f̄iv

M.

107.

℞ Tincturæ Ferri Chloridi,  
Tincturæ Nucis Vomicae,  
Acidi Phosphorici Diluti,  
Syrupi Simplicis.....āā f̄j

M.

108.

℞ Unguenti Hydrargyri Nitratis.....f̄ss  
Unguenti Picis Liquidæ.....f̄j

M.

109.

℞ Hydrargyri Nitratis.....ʒiiss  
Adipis.....ʒj

M. Fit unguentum.

110.

℞ Olei Cadini,  
Ungu. Hydrarg. ....āā ʒij  
Vaselini. ....f̄j

M.

111.

℞ Ungu. Hydrarg.,  
Ungu. Aquæ Rosæ.....āā ʒij

M.

112.

℞ Extr. Pilocarpi Fluidi.....f̄j  
Tinct. Cantharidis. ....f̄ss  
Linimenti Saponis.....q. s. ad f̄iv

M.

Transpose the following prescriptions into metric terms:—

113.

℞ Tinct. Iodi ..... f̄ij  
 Tinct. Aconiti Rad ..... f̄iij  
 Chloroformi ..... f̄iv  
 Linimenti Saponis Comp. .... ad f̄iij

M.

114.

℞ Chrysarobini  
 Iodoformi ..... āā gr.iss  
 Extracti Belladonnæ ..... gr. ½  
 Butyri Cacao ..... gr. xxx

Make one suppository.

115.

℞ Duboisinæ Sulphatis ..... gr. j  
 Aquæ Destillatæ ..... f̄ij

M. fiat collyrium.

116.

℞ Hydrarg. Chloridi Corrosivi ..... gr. j  
 Aquæ Destillatæ, ..... f̄ij

M. f. collyrium.

117.

℞ Liquoris Ferri Chloridi ..... f̄ij  
 Aquæ ..... f̄ij

M.

118.

℞ Ferri et Potassii Tartr. .... 3ss  
 Aquæ, ..... f̄ij

M. f. lotio.

119.

℞ Hydrarg. Chloridi Corrosivi ..... ʒj  
 Aquæ Rosæ ..... f̄ij

M. f. lotio.

Transpose the following prescriptions into metric terms:—

120.

℞ Pulv. Camphoræ ..... ʒss  
 Spir. Vini Rectificati ..... fʒj  
 Sodii Boratis ..... ʒij  
 Aquæ Rosæ ad ..... fʒviiij  
 M. f. lotio.

121.

℞ Acidi Boracici ..... ʒj  
 Hydrarg. Bichlor. .... gr. 4  
 Zinci Sulphatis ..... gr. xij  
 Morphinae Sulphatis ..... gr. j  
 Aquæ Destillatæ ..... fʒiv  
 M.

122.

℞ Acidi Hydrochlorici Diluti ..... ʒj  
 Potassii Chloratis ..... ʒss  
 Decocti Hordei ..... Oij  
 M.

123.

℞ Bismuthi Subcarb ..... ʒi  
 Extracti Opii Aquosi ..... gr. ij  
 Glycerini et Aquæ ..... āā fʒij  
 M. f. enema.

124.

℞ Olei Terebinthinae ..... fʒj  
 Olei Olivæ ..... fʒiss  
 Camphoræ ..... gr. xx  
 Decocti Avenæ ..... fʒviiij  
 M. f. enema.

125.

℞ Olei Terebinthinae ..... fʒij  
 Lactis Asafœtidæ ..... fʒiiij  
 Aquæ Ferventis ..... fʒiv  
 M.

Transpose the following prescription into metric terms:—

126.

℞ Olei Tereb.....f̄iv  
Olei Olivarum.....f̄jj  
Saponis.....f̄j  
Aquæ Fervidæ.....Oj  
Natrii Chloridi.....f̄iv

M. f. enema.

## PART IV.

### TRANSPOSITION OF WEIGHTS.

#### METRIC TO COMMON.

Metric prescriptions to be transposed into terms of the customary apothecaries' weights and fluid measures.

127.

℞ Morph. Sulph.....100 mGm  
Sacchari .....1.50 Gm  
M. f. pulv. xii.

128.

℞ Pulv. Opii.....0.50 Gm  
Bismuthi Subnitr. ....5 Gm  
M. f. pulv. xvi.

129.

℞ Bismuthi Subnitr.  
Sodii Bicarb. ....āā 5 Gm  
M. f. pulv. xii.

130.

℞ Hydrarg. Chloridi Corros. ....100 mGm  
Sodii Carb. Exsicc. ....600 mGm  
Pulv. Cretæ Comp. ....1300 mGm  
M. f. pulv. vi.

131.

℞ Pot. et Antim. Tartr.....30 mGm  
Ipecacuanhæ.....1 Gm  
M. f. pulvis.

132.

℞ Camphoræ .....150 mGm  
Pulv. Ipecac. Comp.....250 mGm  
Pot. Nitratis.....600 mGm  
M. f. pulv. x.

Metric prescriptions to be transposed into terms of the customary apothecaries' weights and fluid measures.

133.

℞	Magnesii Carb.....	15 Gm
	Sulph. Præcip.....	20 Gm
	Sodii Bicarb.....	8 Gm
	Sacch. Albi.....	5 Gm
	Zingiberis.....	2 Gm

M. f. pulvis.

134.

℞	Rhei.....	2 Gm
	Magnesii Oxidi.....	7 Gm
	Zingiberis.....	1 Gm

M. f. pulvis.

135.

℞	Bismuth Salicylate,	
	Magnesia,	
	Sodium Bicarbonate . . . .	of each, 10 Grams

Divide into thirty powders.

136.

℞	Rhei.....	1 Gm
	Myristicæ,	
	Guaiaci Resinæ.....	500 mGm
	Sulph. Præcip.....	8 Gm
	Pot. Bitartr.....	16 Gm
	Mellis Despum.....	24 Gm

M. f. elect.

137.

℞	Ammonii Chloridi.....	1.50 Gm
	Sacchari.....	7.50 Gm
	Tragacanthæ.....	.0.20 Gm
	Syr. Tolut.....	q.s.

M. f. troch. xii.

138.

℞	Opii.....	500 mGm
	Camphoræ.....	1 Gm

M. f. pil. x.

Metric prescriptions to be transposed into terms of the customary apothecaries' weights and fluid measures.

139.

℞ Ferri Reducti.....700 mGm  
 Quin. Sulph.....800 mGm  
 Arseni Oxidi.....15 mGm  
 M. f. pil. x.

140.

℞ Rhei.....200 mGm  
 Acidi Tannici.....1500 mGm  
 M. f. pil. x.

141.

℞ Asafoetidæ.....500 mGm  
 Camphoræ.....500 mGm  
 Opii.....100 mGm  
 Extr. Bellad.....150 mGm  
 M. f. pil. x.

142.

℞ Acidi Borici.....5 Gm  
 Pot. Bitartr.....1 Gm  
 Glycer. Tragac.....q.s  
 M. f. pil. xxx.

143.

℞ Camphoræ.....3 Gm  
 Saponis.....1 Gm  
 Alcohol.....q.s.  
 M. f. pil. xx.

144.

℞ Zinci Oxidi,  
 Extr. Hyoseyami.....āā 1 Gm  
 M. f. pil. x.

145.

℞ Opii,  
 Ipecac.  
 Camph. ....āā 500 mGm  
 M. f. pil. x.



Metric prescriptions to be transposed into terms of the customary apothecaries' weights and fluid measures.

146.

℞ Plumbi Acet. .... 300 mGm  
 Morph. Acet. .... 150 mGm  
 Extr. Hyoscyami. .... 1500 mGm  
 M. f. pil. x.

147.

℞ Argenti Nitr.,  
 Opii ..... 200 mGm  
 M. f. pil. x.

148.

℞ Quininæ Sulph.,  
 Potassii Iodidi,  
 Acidi Citrici. .... 800 mGm  
 M. f. pil. x.

149.

℞ Ipecac. .... 100 mGm  
 Opii ..... 200 mGm  
 Massæ Hydrarg. .... 200 mGm  
 M. f. pil. x.

150.

℞ Aloës Purific,  
 Ipecac. .... 750 mGm  
 M. f. pil. xii.

151.

℞ Cambogii ..... 1,500 mGm  
 Calomelanos ..... 6,000 mGm  
 Extr. Jalapæ Alo ..... 2,000 mGm  
 Extr. Coloc. Comp ..... 8,000 mGm  
 M. f. pil. o.

152.

℞ Ferri Reducti ..... 1 Gm  
 Quin. Sulph. .... 1 Gm  
 Strychn. Sulph. .... 12 mGm  
 M. f. pil. xii.

Metric prescriptions to be transposed into terms of the customary apothecaries' weights and fluid measures.

153.

℞ Olei Morrhuae.....60 C.c.  
 Liquoris Calcis.....20 C.c.  
 Syr. Pruni Virg.....20 C.c.

M.

154.

℞ Ammonii Chloridi.....10 Gm  
 Extr. Glycyrrh. Fl.....10 Gm  
 Aquæ Fœniculi.....250 C.c.

M.

155.

℞ Quin. Sulph.....2 Gm  
 Extr. Glycyrrh. Fl.....20 C.c.  
 Syrupi Aurantii.....80 C.c.  
 Aquæ.....100 C.c.

M.

156.

℞ Ant. et. Pot. Tartr.,  
 Morph. Sulph.....āā 100 mGm  
 Syr. Tolut.,  
 Aquæ.....āā 100 C.c.

M.

157.

℞ Acidi Phosph. Dil.....10 C.c.  
 Tinct. Ferri Chlor.....20 C.c.  
 Syr. Limonis.....170 C.c.

M.

158.

℞ Ferri Sulph.....1 Gm  
 Pot. Carb.....1,200 mGm  
 Myrrhæ.....3 Gm  
 Sacchari.....3 Gm  
 Spir. Lavand.....10 C.c.  
 Aquæ Cinnam.....q. s. ut fiat 200 C.c.

M.

Metric prescriptions to be transposed into terms of the customary apothecaries' weights and fluid measures.

159.

℞ Quin. Sulph.....5 Gm  
Tinct. Ferri Chlor.....20 C.c.  
Aquæ.....180 C.c.

M.

160.

℞ Hydr. Iodidi Rubri.....100 mGm  
Pot. Iodidi.....10 Gm  
Aquæ.....200 C.c.

Fiat solutio.

161.

℞ Sodii Bicarb.....3 Gm  
Extr. Rhei Fl.....3 C.c.  
Spir. Menthæ Pip.....3 C.c.  
Aquæ.....94 C.c.

M.

162.

℞ Tinct. Ferri Chlor.....2 C.c.  
Acidi Acet. Dil.....3 C.c.  
Liqu. Ammon. Acet.....20 C.c.  
Elix. Aurantii.....10 C.c.  
Syrupi.....12 C.c.  
Aquæ.....50 C.c.

M.

163.

℞ Succī Limonis .....100 C.c.  
Pot. Bicarb., quantum sufficit ad saturan-  
dum.

Fiat solutio.

164.

℞ Pot. Chloratis.....5 Gm  
Tinct. Ferri Chlor.....20 C.c.  
Syr. Zingiberis.....30 C.c.  
Aquæ.....150 C.c.

M.

Metric prescriptions to be transposed into terms of the customary apothecaries' weights and fluid measures.

## 165.

℞	Extr. Glycyrrh. Puri .....	3 Gm
	Sacchari .....	3 Gm
	Acaciæ .....	3 Gm
	Tinct. Opii Camph. ....	12 C.c.
	Vini Antimon. ....	6 C.c.
	Spir. Ætheris Nitrosi .....	3 C.c.
	Aquæ .....	70 C.c.

M.

## 166.

℞	Creasoti .....	1 C.c.
	Acidi Hydrocyan. Dil. ....	1 C.c.
	Acaciæ .....	10 Gm
	Sacchari .....	10 Gm
	Aquæ .....	q. s. ad 60 C.c.

M.

## 167.

℞	Magnesii Carb. ....	5 Gm
	Tinct. Asafoetidæ .....	8 C.c.
	Tinct. Opii .....	1 C.c.
	Sacchari .....	10 Gm
	Aquæ .....	q. s. ut f. 100 C.c.

M.

## 168.

℞	Chloroformi Purif. ....	8 Gm
	Camphoræ .....	2 Gm
	Vitelli Ovi .....	10 Gm
	Aquæ .....	80 C.c.

M.

## 169.

℞	Pot. et Sodii Tartr.,	
	Magnes. Sulph. ....	āā 20 Gm
	Aquæ Menthæ Pip. ....	200 C.c.
M. f. Sol.		

Metric prescriptions to be transposed into terms of the customary apothecaries' weights and fluid measures.

170.

℞ Extr. Bellad. .... 15 Gm  
Empl. Plumbi..... 50 Gm  
Empl. Hydrargyri ..... 35 Gm  
M. f. empl.

171.

℞ Acidi Carbolici..... 1 Gm  
Unguenti ..... 19 Gm  
M. f. ungu.

172.

℞ Bals. Peruv..... 2 Gm  
Ungu. Resinæ ..... 18 Gm  
M. f. ungu.

173.

℞ Acidi Borici..... 3 Gm  
Unguenti..... 17 Gm  
M. f. ungu.

174.

℞ Pot. Iodidi..... 3.60 Gm  
Sodii Hyposulphitis..... 0.30 Gm  
Aquæ Ebullientis..... 2 Gm  
Adipis Benzoinati..... 24 Gm  
M.

175.

℞ Iodi..... 1 Gm  
Pot. Iodidi... .. 0.25 Gm  
Aquæ..... 0.50 Gm  
Adipis Benzoinati..... 25 Gm  
M.

176.

℞ Hydrarg. Ammoniati..... 1 Gm  
Adipis Benzoinati..... 9 Gm  
M.

Metric prescriptions to be transposed into terms of the customary apothecaries' weights and fluid measures.

177.

℞ Sulphuris,  
 Olei Cadini ..... āā 6 Gm  
 Cretæ Præp. .... 4 Gm  
 Saponis Viridis,  
 Petrolati ..... āā 12 Gm  
 M. f. ungu.

178.

℞ Olei Olivæ ..... 70 C.c.  
 Liquoris Calcis ..... 30 C.c.  
 M. f. linim.

179.

℞ Linim. Saponis Camph ..... 200 C.c.  
 Olei Terebinthinæ ..... 50 C.c.  
 M. f. linim.

180.

℞ Extr. Bellad ..... 100 mGm  
 Olei Theobromæ ..... 10 Gm  
 M. f. suppos. vi.

181.

℞ Pot. Bromidi ..... 1 Gm  
 Extr. Bellad ..... 100 mGm  
 Butyri Cacao ..... 10 Gm  
 M. f. supp. vi.

182.

℞ Tinct. Ferri Chlor ..... 20 C.c.  
 Pot. Chloratis ..... 20 Gm  
 Aquæ ..... 300 C.c.  
 M. f. gargarisma.

183.

℞ Extr. Bellad ..... 0.20 Gm  
 Morph. Sulph ..... 0.15 Gm  
 Olei Theobromæ ..... q.s  
 M. f. suppos. No. vi.

Metric prescriptions to be transposed into terms of the customary apothecaries' weights and fluid measures.

184.

℞ Iodoformi.....1 Gm  
Olei Eucalypti.....0.25 Gm  
M. f. suppos. urethrales No. III.

185.

℞ Morph. Sulph.,  
Extr. Bellad.....℥ 100 mGm  
M. f. suppos. rectales No. VI.

186.

℞ Acidi Carbolicī.....400 mGm  
Butyri Cacao.....12 Gm  
M. f. suppos. VI.

187.

℞ Iodoformi.....600 mGm  
Olei Theobromæ.....10 Gm  
M. f. suppos. VI.

188.

℞ Pot. Permang.....3 Gm  
Aquæ.....300 C.c.  
M. f. gargarisma.

189.

℞ Pot. Chloratis.....15 Gm  
Aquæ.....300 C.c.  
M. f. gargarisma.

190.

℞ Plumbi Acetatis.....400 mGm  
Extr. Opii.....200 mGm  
M. f. suppos. No. VI.

191.

℞ Plumbi Acet.....5 Gm  
Tinct. Opii.....10 C.c.  
Aquæ.....250 C.c.  
M. f. lotio.



Metric prescriptions to be transposed into terms of the customary apothecaries' weights and fluid measures.

192.

℞ Acidi Tannici.....2 Gm  
 Aquæ.....300 C.c.  
 M. f. collunarium.

193.

℞ Aluminis.....1 Gm  
 Aquæ.....100 C.c.  
 M. f. collyrium.

194.

℞ Acidi Tannici.....10 Gm  
 Pot. Chloratis.....5 Gm  
 Glycerini.....100 C.c.  
 Aquæ.....200 C.c.  
 M. f. gargarisma.

195.

℞ Zinci Sulphocarbollatis.....1,500 mGm  
 Aquæ.....300 C.c.  
 M. f. lotio.

196.

℞ Acidi Tannici.....20 Gm  
 Glycerini.....80 C.c.  
 M. f. lotio.

197.

℞ Sodii Thiosulphatis.....20 Gm  
 Acidi Carbolicæ.....1 Gm  
 Glycerini.....50 C.c.  
 Aquæ.....50 C.c.  
 M. f. lotio.

198.

℞ Zinci Sulph.....400 mGm  
 Morph. Sulph.....100 mGm  
 Boli Armen. Pulv.....800 mGm  
 Aquæ.....100 C.c.  
 M. f. injectio.

Metric prescriptions to be transposed into terms of the customary apothecaries' weights and fluid measures.

199.

℞ Tinct. Asafoetidæ ..... 15 fGm  
Decocti Amyli ..... 600 fGm  
M. f. enema.

200.

℞ Extracti Ergotæ ..... 10 Gm  
Aquæ Destillatæ ..... 70 Gm  
Glycerini ..... 20 Gm  
Acidi Salicylici ..... 0.20 Gm  
M.

## PART V.

### SPECIES, POWDERS, CONFECTIONS. ELECTUARIES, BOLI, TROCHES AND PASTÆ.

#### SPECIES.

201.

℞	Rad. Althææ Incisi .....	40 Gm
	Rad. Glycyrrh. Decort. Inc.....	15 Gm
	Rad. Iridis Florent. Cont.....	5 Gm
	Herbæ Tussilag. Concisæ.....	20 Gm
	Florum Verbasci Thapsi.....	10 Gm
	Fructus Illicii Cont.....	10 Gm

M. f. species.

[German Breast Tea.]

202.

℞	Althææ Foliorum,	
	Malvæ Foliorum,	
	Meliloti Herbæ,	
	Matricariæ Florum,	
	Lini Seminorum.....	āā partes æquales

M. f. species.

[Ph. G.]

203.

℞	Gentianæ Incisæ,	
	Quassiæ Rasæ,	
	Fructus Auranti Contusi,	
	Foliorum Aurantii Concisorum,	
	Florum Anthemidis,	
	Glycyrrhizæ.....	āā ʒss

M. f. species.

## POWDERS.

204.

℞ Olei Cinnamomi.....1 Gm  
 Sacchari.....50 Gm

M.

[Oleosaccharum Cinnamomi.]

205.

℞ Sacchari.....2 Gm  
 Olei Limonis.....gtt.j

M. f. pulvis.

[Oleosaccharum Limonis.]

206.

℞ Flavedinem Fructus Aurantii Dulcis unius,  
 Sacchari.....20 Gm

Tritura ut fiat pulvis.

207.

℞ Vanillæ.....1 Gm  
 Sacchari.....9 Gm

M. f. pulvis.

[Codex.]

208.

℞ Vanillini.....2 Gm  
 Alcohol.....q.s.  
 Sacchari.....98 Gm

M. f. pulvis.

[Codex.]

209.

℞ Acaciæ.....gr.xxx  
 Glycyrrh.....gr.xx  
 Sacchari.....gr.x

M.

[Pulv. Gummosus; Ph.G.]

210.

℞ Jalapæ.....1 Gm  
 Potassii Bitartratis.....2 Gm

M. f. pulvis.

[U.S.P.]

211.

℞ Tragacanthæ,  
 Acaciæ,  
 Amyli..... 1 Gm  
 Sacchari ..... 3 Gm

M. f. pulv.

[B.P.]

212.

℞ Amygd. Dulc..... 8 Gm  
 Sacchari ..... 4 Gm  
 Acaciæ ..... 1 Gm

M. f. pulvis. Use this quantity to make 100 C.c.  
 of Almond Milk.

[B.P.]

213.

℞ Cretæ Præparatæ..... 3 Gm  
 Acaciæ ..... 2 Gm  
 Sacchari ..... 5 Gm

M.

[U.S.P.]

214.

℞ Althææ ..... 1 Gm  
 Acaciæ ..... 2 Gm  
 Sacchari ..... 2 Gm

M.

[Pulvis Gummosus; Ph. Su.]

215.

℞ Antimoni Oxidi ..... 1 Gm  
 Calcii Phosph. Præcip. .... 2 Gm

M. f. pulvis.

[James' Powder.]

216.

℞ Ipecac. .... 10 mGm  
 Opii ..... 10 mGm  
 Sacch. Lactis... .. 80 mGm

M. f. pulvis.

[U.S.P.]

## 217.

R	Calomelanos .....	1 Gm
	Jalapæ .....	2 Gm

M.

## 218.

R	Kino.....	gr.xv
	Opii .....	gr.j
	Cinnamomi.....	gr.iv

M. f. pulv. n.

[B.P.]

## 219.

R	Resinæ Guaiaci.....	1 Gm
	Sulphuris .....	5 Gm
	Potassii Bitartr.....	10 Gm
	Sacchari .....	34 Gm

M.

## 220.

R	Kermetis Mineralis.....	1 Gm
	Sacchari.....	9 Gm
	Pulveris Gummosi.....	30 Gm

M.

[Ph. Su.]

## 221.

R	Cinnamomi.....	7 Gm
	Zingiberis.....	7 Gm
	Cardamomi.....	3 Gm
	Myristicæ.....	3 Gm

M. f. pulvis.

[B. P.]

## 222.

R	Sennæ.....	9 Gm
	Glycyrrhizæ.....	3 Gm
	Fœniculi.....	4 Gm
	Sulphuris Loti.....	4 Gm
	Sacchari....	25 Gm

M. f. pulvis.

[Kurella's Powder.]

223.

℞	Flavedinis Aurantii .....	1 Gm
	Fructuum Fœniculi .....	1 Gm
	Sacch. Lactis .....	1 Gm
	Magnesii Carb .....	4 Gm

M. f. pulvis.

[Ph. Su.]

224.

℞	Rhei .....	5 Gm
	Magnesiae .....	13 Gm
	Zingiberis .....	2 Gm

M. f. pulvis.

[U. S. P.]

225.

℞	Magnesiae Pond .....	℥vj
	Rhei .....	℥ii
	Olei Anisi .....	℥xi
	Alcohol .....	f℥j

M. f. pulvis.

[Comp. Anise Powder.]

226.

℞	Morph. Sulph .....	gr.ij
	Camphoræ .....	ʒj
	Glycyrrhizæ .....	ʒj
	Calcii Carb. Præcip .....	ʒj

M. f. pulv. xij.

[Tully's Powder.]

227.

℞	Cinnamomi .....	400 mGm
	Myristicæ .....	300 mGm
	Croci .....	300 mGm
	Caryophylli .....	150 mGm
	Cardamomi .....	100 mGm
	Sacchari .....	2,500 mGm
	Cretæ .....	1,250 mGm

M. f. pulvis.

[B. P.]



228.

℞	Myricæ Corticis.....	12 Gm
	Zingiberis.....	6 Gm
	Capsici.....	1 Gm
	Caryophylli.....	1 Gm

M. f. pulvis.

[“Composition Powder.”]

229.

℞	Sodii Bicarbonatis.....	2 Gm
	Acidi Tartar.....	1.80 Gm
	Sacchari.....	4 Gm

M.

[Ph. G.]

230.

℞	Magnesii Carb.....	1 Gm
	Acidi Tartarici.....	2 Gm
	Potassii Nitratis.....	10 Gm
	Sacchari.....	30 Gm

M. f. pulvis.

[Ph. Su.]

231.

℞	Olei Menthæ Pip.....	1 Gm
	Sacchari.....	200 Gm

Contritis admiscuntur

	Magnesii Carb.....	50 Gm
	Acidi Tartarici.....	50 Gm

M. f. pulvis.

[Ph. Su.]

232.

℞	Cocainæ Hydrochloratis.....	gr.iss
	Caffææ Tostæ,	
	Sacchari Albi.....	āā gr. 1

M. f. pulvis.

233.

℞	Sodii Boratis.....	3 Gm
	Sodii Benzoatis.....	4 Gm

M.

234.

	GRAMMES.
R Tinct. Aconiti.....	065
Morph. Sulph. ....	0025
Ant. et Pot. Tartr.....	005
Magnesii Sulph.....	8

M. f. pulvis.

235.

R Carbonis Veget. ....	200 Gm
Cinch. Pallidæ .....	100 Gm
Olei Menthæ Pip.....	1 Gm

M. f. pulv. S. Tooth-Powder.

[Codex.]

236.

R Camphoræ.....	10 Gm
Calcii Carb. Præcip. ....	90 Gm

M. f. pulvis subtilissimus. S. Tooth-Powder.

[Codex.]

237.

R Potassii Bitartr.....	200 Gm
Sacch. Lactis.....	200 Gm
Carmini.....	400 mGm
Olei Menthæ Pip.....	1 Gm

M. f. pulvis. S. Tooth-Powder.

[Codex.]

238.

R Calcii Carb. Præcip. ....	100 Gm
Magnesii Carb. ....	100 Gm
Cinchonæ Pallidæ .....	100 Gm
Olei Menthæ Pip.....	1 Gm

M. f. pulvis. S. Tooth-Powder.

[Codex.]

239.

R Iodoformi.....	25 Gm
Cumarini.....	1 Gm

M.

[ ' Deodorized Iodoform.' ]

240.

- ℞ Cocainæ Hydrochlor. .... gr.ij  
 Acaciæ ..... ʒij  
 Bismuthi Subnitr. .... ʒvj

M. f. pulvis.

S. To be used as a Catarrh Snuff.

[N.F.]

241.

- ℞ Iodoformi,  
 Lycopodii ..... aa ʒij

M.

242.

- ℞ Zinci Oleatis,  
 Pulv. Talci ..... aa ʒj

M.

243.

- ℞ Acidi Salicyl. .... gr.ijj  
 Amyli ..... gr.x  
 Talci ..... gr.lxxxvij

M.

[Ph. G.]

244.

- ℞ Saloli ..... ʒiv  
 Amyli ..... ʒj

M.

245.

- ℞ Coccionellæ,  
 cum guttis aliquot solutionis acidi cit-  
 rici tritæ, ..... 10 Gm  
 Iridis Florent. Rhizomatis ..... 100 Gm  
 Potassii Bitartr. .... 300 Gm  
 Commixtis additur mistio parata ex  
 Olei Caryophylli ..... 5 Gm  
 Myrrhæ ..... 100 Gm  
 Kino ..... 100 Gm

M. f. pulvis. S. Tooth-Powder.

[Ph. Su.]

246.

℞ Pulv. Acidi Tannici.....3j  
 Pulv. Acidi Borici.....3iij

M.

247.

℞ Iodoformi.....[ss  
 Sacchari Lactis.....3iij

M.

248.

℞ Iodoformi.....2 Gm  
 Acidi Borici.....3 Gm  
 aphthalini .....5 Gm  
 Olei Bergamii.....gtt.x

M. f. pulvis.

[N. F.]

249.

℞ Iodoformi,  
 Acaciæ.....āā 2  
 Cocainæ Hydrochlor......065

M.

250.

GRAMMES.

℞ Cocainæ Hydrochlor.... |01  
 Sacchari ..... 5

M.

251.

℞ Pulv. Benzoini,  
 Bismuthi Salicylatis......āā 3iiss  
 Quininæ Sulphatis.....gr.xxx

M.

252.

℞ Hydrargyri Chloridi Mitis Lævigati.....[ij  
 Detur in scatula.

253.

℞ Lactucarii.....[j  
 Div. in pulv. vi.

254.

R Sodæ,  
Calceis.....āā 10 Gm

M.

["London Paste." N. F.]

255.

R Pulv. Carbonis Ligni,  
Pulv. Quininæ Sulphatis,  
Pulv. Myrrhæ.....āā partes æquales

M.

256.

R Triturationis Morphinae Sulphatis..... gr.x  
Div. in pulv. vi.

257.

R Hydrargyri Cum Creta.....gr.iv  
Sacchari Lactis.....᠓j

M. In pulv. No. xii div.

258.

R Potassii Iodidi.....᠓j

In pulv. No. xii div.

259.

R Hydrargyri Chloridi Mitis.....gr.v  
Sodii Bicarbonatis.....᠓ij

Misce et fiant chartulæ No. x.

260.

R Tinct. Opii .....gttxx  
Sacchari .....5 Gm

M. f. pulv. No. x.

261.

R Strychninae.....gr.  $\frac{1}{2}$   
Sacch. Lactis.....gr.xx

M. f. pulv. xx.

262.

R Aconitinæ......003 Gm  
Sacchari.....4. Gm

M. f. pulv. xii. 1

263.

℞ Elaterini ..... gr. ss  
 Sacch. Lactis ..... gr. xx  
 M. div. in pulv. xx.

[B.P.]

264.

℞ Antimonii et Potassii Tartratis ..... gr. ij  
 Pulveris Scillæ ..... ℥j  
 Potassii Sulphatis ..... ℥ ss  
 Potassii Bitartratis ..... ℥ iss  
 M. Fiat pulvis et divide in partes æquales  
 No. xx.

265.

℞ Extr. Belladonnæ ..... gr. j  
 Sacchari ..... gr. x  
 M. f. pulv. viii.

266.

℞ Extr. Hyoscyami ..... gr. vj  
 Sacchari Lactis ..... gr. x  
 M. f. pulv. No. vi.

267.

℞ Lactucarii ..... ℥j  
 Sacchari ..... ℥ ij  
 M. f. pulv. vi.

268.

℞ Extr. Aconiti,  
 Antim. Sulphureti  
 Precipitati ..... āā gr. j  
 Magnesiae Carb. .... ℥ ss  
 Tere simul ut fiat pulvis.

269.

℞ Cambogiæ Contritæ ..... gr. iij  
 Sacchari ..... ℥ j  
 Tere optime simul ut fiat pulvis, tertia quaque  
 hora sumendus, donec alvus commode pur-  
 getur.

## 270.

℞ Ferri Ammoniat. .... gr.v  
 Rhei Rad. Contrit. .... gr.ijj  
 Fiat pulvis ex quolibet vehiculo idoneo quotidie  
 sumendus.

## 271.

℞ Bismuthi Subnitr. .... gr.ij  
 Catechu .... gr.iss  
 Morph. Hydrochlor. .... gr.j  
 M. f. pulv. xvi.

## 272.

℞ Pulveris Ipecacuanhæ .... gr.vj  
 Pulveris Myrrhæ .... gr.xij  
 Potassii Nitratis .... 3ss  
 Misce et divide in partes vi.

## 273.

℞ Antimonii et Potassii Tartratis,  
 Morphinae Sulphatis, .... āā gr.j  
 Hydrargyri Chloridi Mitis .... gr.ijj  
 Potassii Nitratis .... j  
 Misce et fiant chartulæ No. xii.

## 274.

℞ Tinct. Opii .... 1 Gm  
 Plumbi Acet. .... 1 Gm  
 Sacchari .... 2 Gm  
 M. f. pulv. vi.

## 275.

℞ Potassii Chloratis .... gr.iv  
 Sulph. Præcip. .... gr.vj  
 Ant. Sulphurati .... gr.j  
 Zinci Valer, .... gr.j  
 Sacchari .... gr.x  
 M. f. pulv. ii.

## 276.

℞ Calomelanos,  
 Bism. Subnitr. .... āā gr.x  
 M. f. pulv. xx.

## 277.

℞ Plumbi Acet. .... gr.vj  
 Hydrarg. Iodidi Rubri..... gr.j  
 Morph. Sulph. .... gr.ss  
 M. f. pulv. vi.

## 278.

℞ Calomel ..... gr.x  
 Bism. Subnitr..... gr.xx  
 Sodii Bicarb. .... gr.tr  
 M.

## 279.

℞ Calomel ..... gr.x  
 Pot. et Ant. Tartr. .... gr.x  
 Sacchari ..... gr.o.  
 M.

## 280.

℞ Calomel ..... gr.iiij  
 Pot. Chloratis ..... gr.v  
 M.

## 281.

℞ Sodii Sulph.,  
 Potassii Citr. .... āā ȳj  
 M.

## 282.

℞ Sodii Acetatis,  
 Magnesii Sulphatis ..... āā 15 Gm  
 M. f. pulvis.

## 283.

℞ Potassii Tartratis,  
 Sodii Sulphatis ..... āā ȳiv  
 M. f. pulvis.

## 284.

℞ Hydrarg. Subchlor ..... gr.ij  
 Sacchar. alb. .... gr.x  
 Misce. Fiat pulv. S. i omnis 3 horis.



285.

℞ Salol,  
Sacchari Lactis.....āā ʒiij

M. In pulv. No. XII div.

286.

℞ Bism. Subnitr.....ʒij  
Sodii Hypophosphitis.....ʒiss  
Extr. Nuc. Vom.....gr.vj

M. f. pulv. xxix.

287.

℞ Potassii Chloratis.....ʒiv  
Acidi Tannici.....ʒj

M. f. pulv. S. Dissolve in half a pint of water and  
use as a gargle.

288.

℞ Hydrargyri Ammoniat.....gr.ivss  
Sacchari Albi .....ʒss

Misce et fiat pulvis et detur in scatula.

289.

℞ Morph. Sulph.....0.12 Gm  
Atrop. Sulph.....0.06 Gm  
Sacch. Albi.....1 Gm

M. f. Pulv. x.

S. One every three hours.

290.

℞ Calomel.....gr.iiij  
Sodii Bicarb.....gr.x  
Sacchari.....gr.x

M.

291.

℞ Hydrarg. Iodidi.....gr.iiij  
Pot. Chloratis.....gr.xv

M. f. pulv. xii.

292.

℞ Granulated efferv. lithii citrat.....ʒiv

Dr.

293.

℞ Ammonii Chloridi.....gr.xxiiij  
 Sig. To be taken thrice daily in a glass of fresh milk.

294.

℞ Magnesii Sulphatis.....ʒviij  
 In pulv. No. viii div.  
 Sig.: A powder in two table-spoonfuls of water before food, and no fluids for some time afterward.

295.

℞ Plumbi Acetatis.  
 Zinci Sulphatis.... ʒā 2 Gm  
 M. f. pulv.  
 S. To be dissolved in a tumblerful of water and used as directed.

296.

℞ Quininæ Sulphatis.....gr.ij  
 Ammonii Carbonatis.....gr.iv  
 Misce et fiat chartula.

297.

℞ Pulv stramonii fol.,  
 Pulv. belladonnæ fol.....ʒāʒj  
 Pulv. potass. nit.....ʒiss  
 Pulv. opii.....gr.xv  
 M.

298.

℞ Magnesii Sulphatis.....ʒij  
 Sodii et Pot. Tartr.... ʒj  
 Acidi Tartarici.....gr.xl  
 M. Sig.: Dissolve in a glass of water, and drink, an hour before breakfast.

## CAPSULES, ETC.

299.

℞ Ext. Cannabis Indicæ .....ʒij  
 Sig: A teaspoonful every hour or two, as required. (*For restlessness.*)

## 300.

- ℞ Terpinol.,  
 Sodii Benzoatis ..... āā gr.xv  
 Sacchari Albi ..... q.s.  
 M. In capsulas No. x div.

## 301.

- ℞ Salol,  
 Oleores. Cubebæ,  
 Copaibæ, ..... āā ʒj  
 Aluminis, ..... ʒiv  
 Pepsinæ Sacch., ..... ʒss  
 Ol. Gaultheriæ, ..... gtt.x  
 M. Capsul. No. xx.

## 302.

- ℞ Extracti Belladonnæ ..... gr.iv  
 Olei Terebinthinæ ..... fʒij  
 Olei Theobromæ ..... q.s.  
 M. fiant capsulæ No. xii.

## 303.

- ℞ Ol. Terebinth. ..... ʒss  
 Camphoræ ..... gr.xv  
 Ext. Hyoscyami ..... gr.ss  
 Fiat Massa.  
 Sig. Take a piece the size of a cherrystone  
 morning and evening.

## CONFECTIONS.

## 304.

- ℞ Pulv. Resinæ Guaiaci, ..... ʒj  
 Pulv. Rhei, ..... ʒij  
 Potassii Bitartratis,  
 Sulphuris Sublimati, ..... āā ʒj  
 Pulv. Nucis Moschatae, ..... ʒij  
 Mellis ..... ʒxvj  
 M. f. elect.  
 Sig.: Two tablespoonfuls night and morning.

305.

℞ Sennæ ..... 10 Gm  
 Syrupi ..... 40 Gm  
 Pulpæ Tamarindorum ..... 50 Gm

M. f. elect.

[Ph.G.]

306.

℞ Sulphuris Subl. .... ℥ij  
 Potassii Bitartr. .... ℥ij  
 Syr. Aurantii. .... ℥ij  
 Tragacanthæ ..... gr.v

M. f. conf.

[B.P.]

307.

℞ Pulv. Stanni ..... ℥iij  
 Conf. Rosæ ..... ℥ss  
 Syrupi ..... q.s.

M. f. elect.

Capiat coch, ampl. quotidie mane, et repetatur  
 dosis ad tres vices, et deinde capiat æger  
 haustum aliquem purgantem.

308.

℞ Piperis ..... ℥ij  
 Cari. .... ℥iij  
 Mellis ..... ℥xv

M. f. conf.

[B.P.]

**BOLI.**

309.

℞ Moschi ..... gr.xv  
 Camph. .... gr.v  
 Spir. Rectific. .... ℥ij  
 Conf. Rosæ ..... q.s.

M. f. bolus.

310.

℞ Carbonis Animalis ..... gr.ij  
 Ammonii Chloridi ..... ℥j  
 Extracti Conii ..... gr.ij  
 Pulveris Glycyrrhizæ ..... q.s.

Fiat bolus.

## PASTÆ.

311.

℞ Acidi Arsenosi ..... gr.ij  
 Morphinae Sulphatis ..... gr.j  
 Creasoti ..... q.s.

M. pasta.

312.

℞ Pulv. Acidi Arsenosi,  
 Iodoformi ..... partes æq.  
 Sol. Acidi Carbolicæ ..... (5 per cent.) q.s.

M. f. pasta.

313.

℞ Acidi Arsenosi,  
 Pulv. Acaciæ ..... āā ʒj  
 Aquæ ..... f℥v

M. f. pasta.

314.

℞ Pulv. Acidi Arsenosi,  
 Cocainæ Hydrochloratis, ..... āā gr. xxx  
 Menthol Crystall. .... gr. viiiss  
 Glycerini ..... q.s.

M. f. pasta.

315.

℞ Barii Sulphidi ..... gr. x  
 Amyli,  
 Zinci Oxidi, ..... āā gr. v  
 Aquæ, ..... q.s.

M.

316.

℞ Zinci Chloridi ..... ʒij  
 Pulveris Radicis Althææ ..... ʒvj  
 Aquæ Destillatæ ..... q.s.

M. f. pasta.

317.

℞ Acidi Sulphurici,  
 Pulv. Carbonis Ligni ..... āā q.s.

M. f. pasta.

318.

- ℞ Zinci Chloridi,  
 Antimonii Chloridi ..... ʒi j  
 Pulv. Iridis Florentinae Radicis ..... gr. x  
 Acidi Hydrochlorici Puri ..... ʒi x  
 M.

## TROCHES.

319.

- ℞ Oleores. Cubebæ ..... 325 mGm  
 Olei Sassafras ..... 100 mGm  
 Extr. Glycyrrh ..... 2,600 mGm  
 Acaciæ ..... 1,300 mGm  
 Syr. Tolut ..... q. s.  
 M. f. troch. x.

[U.S.P.]

320.

- ℞ Ipecac ..... gr. iiss  
 Tragacanthæ ..... gr. iiss  
 Sacchari ..... gr. c.  
 Syr. Aurantii ..... q. s.  
 M. f. troch. x.

[U.S.P.]

321.

- ℞ Morph. Sulph ..... 16 mGm  
 Ipecac ..... 50 mGm  
 Sacchari ..... 650 mGm  
 Olei Gaultheriæ ..... 6 mGm  
 Mucil. Tragac ..... q. s.  
 M. f. troch. x.

[U.S.P.]

322.

- ℞ Acidi Tannici ..... 650 mGm  
 Sacchari ..... 6,500 mGm  
 Tragacanthæ ..... 160 mGm  
 Aquæ Aurantii Florum ..... q. s.  
 M. f. troch. x.

[U.S.P.]

323.

℞ Catechu.....gr.xij  
 Sacchari.....gr.cxx  
 Tragacanthæ.....gr.iiij  
 Aquæ Aurantii Florum.....q.s.

M. f. troch. xii.

[U.S.P.]

324.

℞ Extr. Krameria.....gr.xij  
 Sacchari.....gr.cxx  
 Tragacanthæ.....gr.iiij  
 Aquæ Aurantii Florum.....q.s.

M. f. troch. xii.

[U.S.P.]

325.

℞ Extr. Glycyrrh.....1,300 mGm  
 Extr. Opii.....32 mGm  
 Acaciæ.....1,300 mGm  
 Sacchari.....2 Gm  
 Olei Anisi.....20 mGm

M. f. troch. x.

[U.S.P.]

326.

℞ Terebeni.....gr.ccxxv  
 Pulv. Acaciæ.....℥iv  
 Aquæ.....℥xv  
 Pulv. Sacchari Albi.....3xlvj  
 Pulv. Tragacanthæ.....℥ij

M. f. trochisci No. c.

S. One three times daily.

327.

℞ Tinct. Zingiberis.....gr.xx  
 Tragacanthæ.....gr.v  
 Sacchari.....gr.ccc  
 Syrupi Zingiberis.....q.s.

M. f. troch. x.

[U.S.P.]

328.

℞ Sodii Santoninatis.....gr.x  
 Sacchari.....gr.Ꝟ  
 Tragacanthæ.....gr.v  
 Aquæ Aurantii Florum.....q.s.

M. f. troch. x.

[U.S.P.]

329.

℞ Cretæ Præpar.....gr.xlviiij  
 Acaciæ.....gr.xij  
 Myrist.....gr.xviiij  
 Sacchari.....gr.lxxij

M. f. troch. xii.

[U.S.P.]

330.

℞ Potassii Chloratis.....gr.l  
 Sacchari.....gr.Ꝟ  
 Tragacanthæ.....gr.x  
 Spir. Limonis.....gr.iiij

M. f. troch. No. x.

[U.S.P.]

331.

℞ Sodii Bicarb.....[ss  
 Sacchari.....[iss  
 Myristicæ.....gr.iss  
 Mucil. Tragac.....q.s.

M. f. troch. x.

[U.S.P.]

332.

℞ Ammonii Chloridi.....gr.xx  
 Sacchari.....gr.Ꝟ  
 Tragacanthæ.....gr.iiiss  
 Syr. Tolut.....q.s.

M. f. troch. x.

[U.S.P.]

333.

℞ Olei Menthæ Pip.....gr.iss  
 Sacchari.....gr.Ꝟxx  
 Mucil. Tragac.....q.s.

M. f. troch. x.

[U.S.P.]



## 334.

℞	Magnesiae.....	2 Gm
	Myristicæ.....	100 mGm
	Sacchari.....	6 Gm
	Mucil. Tragac.....	q.s.

M. f. troch. x.

[U.S.P.]

## 335.

℞	Ferrici Hydratis in temp. graduum	
	+ 80 Sicci.....	gr.D
	Vanillæ.....	gr.x
	Sacchari.....	gr.MD

M. f. troch. c.

[U.S.P.]

## PART VI.

### PILLS, ETC.

336.

℞ Extr. Rhamni Pursh.....gr.xxiv  
F. pil. xii.

337.

℞ Extr. Hyoseyami.....1 Gm  
Ulmi.....q.s.  
M. f. pil. xxx.

338.

℞ Extr. Taraxaci.....2 Gm  
Amyli.....q.s  
M. f. pil. xii.

339.

℞ Extr. Nuc. Vom.....gr.vj  
Extr. Hyoseyami.....gr.xxiv  
Ipecac.....gr.vj  
M. f. pil. xii.

340.

℞ Extr. Bellad.....100 mGm  
Extr. Stramonii.....120 mGm  
Extr. Cannab. Ind.....150 mGm  
Extr. Aconiti Fol.....200 mGm  
Extr. Opii.....300 mGm  
Extr. Ignatie.....300 mGm  
Extr. Conii Fol.....400 mGm  
Extr. Hyoseyami.....400 mGm  
M. f. pil. x.

341.

℞ Aloes.....1 Gm  
Mellis.....q.s  
M. f. pil. x.

[ Codex. ]

342.

℞ Aloes,  
 Mastiches.....āā gr.xvij  
 Ipecac.....gr.xij  
 Olei Fœniculi.....ʒ ii

M. f. pil. xii.

[Chapman's Dinner Pill.]

343.

℞ Aloes,  
 Saponis,  
 Glycyrrhizæ.....āā gr.vj

M. f. pil. vi.

344.

℞ Aloes,  
 Extr. Glycyrrh.,  
 Saponis,  
 Syrupi Fuscæ.....āā gr.xij

M. f. pil. xii.

[Hall's Dinner Pill.]

345.

℞ Opii.....gr.ij  
 Extr. Aloes.....gr.x

M. ut f. massa in pil. iij div. e quibus sumatur  
 una h. s.

346.

℞ Aloes Barbad.....gr.xvj  
 Saponis.....gr.vij  
 Olei Cari.....ʒ j  
 Conf. Rosæ.....gr.vij

M. f. pil. xvi.

[B. P.]

347.

℞ Aloes Purif.....2 Gm  
 Mastiches.....500 mGm  
 Rosæ Gallicæ.....500 mGm

M. f. pil. xvi.

[“Lady Webster's Dinner Pills.”]

348.

℞ Aloes Purific,  
Saponis.....āā 3 Gm

M. f. pil. xxiv.

[U.S.P.]

349.

℞ Aloes Purif.....2 Gm  
Myrrhæ.....1 Gm  
Pulv. Arom.....500 mGm  
Syrupi.....q.s

M. f. pil. xvi.

[U.S.P.]

350.

℞ Aloes Purific,  
Asafoetidæ,  
Saponis.....āā 1 Gm

M. f. pil. xii.

[U.S.P.]

351.

℞ Aloes,  
Cambogii,  
Pulv. Arom.....āā 1 Gm  
Saponis.....2 Gm  
Syrupi.....q.s.

F. pil. No. xxx.

[B.P.]

352.

℞ Aloes.....1 Gm  
Cambogii.....1 Gm  
Ammoniaci.....1 Gm  
Acidi Acet. Dil......6 Gm

M. f. massa e qua formentur pil. No. xx.

[Codex.]

353.

℞ Aloes.....gr.xxiv  
Massæ Hydrarg.....gr.xij  
Resinæ Podophylli.....gr.ij

M. f. pil. xii.

[N. F.]

## 354.

- ℞ Aloes ..... gr.xij  
 Resinæ Podophylli ..... gr.vj  
 Extr. Bellad. Alc ..... gr.iiij  
 Extr. Nuc. Vom ..... gr.iiij

M. f. pil. xii.

[Jayneway's Pills.]

## 355.

- ℞ Aloes ..... gr.xlviiij  
 Saponis ..... gr.viiij  
 Colocynthidis ..... gr.ij  
 Cambogii ..... gr.ij  
 Olei Anisi ..... gr.j

M. f. pil. xx.

[Anderson's Scot's Pills.]

## 356.

- ℞ Extr. Colocynth ..... gr.ij  
 Aloes ..... gr.xxiv  
 Resinæ Scammonii ..... gr.xxiv  
 Olei Caryophylli ..... ℥ iiij

M. f. pil. xii.

[N. F.]

## 357.

- ℞ Extr. Coloc. Comp ..... ℥j  
 Opii ..... gr.iiij  
 Olei Nucis Moschatae ..... ℥ iv

F. pil. xii.

S. Capiat duas omni hora donec bis dejecerit  
 alvus.

## 358.

- ℞ Extr. Colocynth ..... gr.ij  
 Aloes ..... gr.xxx  
 Resinæ Scammonii ..... gr. xxx  
 Olei Caryophylli ..... ℥ iiij  
 Extr. Hyoseyami ..... gr.xxx

M. f. pil. xx.

[N. F.]

359.

℞ Pulpæ Coloc. Pulv.....gr.xx  
 Aloes Barbad.....gr.xl  
 Resinæ Scammonii.....gr.xl  
 Potass. Sulphatis.....gr.v  
 Olei Caryophylli.....℥v  
 Aquæ.....q.s.

M. f. pil. xxxvi.

[B. P.]

360.

℞ Aloes,  
 Scammonii,  
 Massæ Hydrarg.....āā gr.xvj  
 Olei Tigllii.....℥.j  
 Olei Cari.....℥.v  
 Tinct. Aloes et Myrrhæ.....q.s.

M. f. pil. xx.

[Dr. Francis' Triplex Pills.]

361.

℞ Aloini.....gr.vj  
 Resinæ Podophylli.....gr.iss  
 Extr. Bellad.....gr.iiij

M. f. pil. xii.

[N.F.]

362.

℞ Aloini.....gr.iiss  
 Strychninæ.....gr.<sup>1</sup>/<sub>10</sub>  
 Extr. Bellad. Alc.....gr.iss

M. f. pil. xii.

[N.F.]

363.

℞ Extr. Coloc. Comp.....ᶒj  
 Aloes.....gr.x  
 Extr. Nuc. Vom.....gr.v  
 Resinæ Podophylli,  
 Ipecac.....āā gr.j  
 Extr. Hyoscyami.....gr.xv

M. f. pil. xii.

[Barker's Post Partum Pills.]

## 364.

℞	Aloini.....	gr. iiss
	Strychninae.....	gr. $\frac{1}{10}$
	Extr. Bellad. Alc.....	gr. iiss
	Extr. Rhamni Pursh.....	gr. vj

M. f. pil. xii.

[N.F.]

## 365.

℞	Extr. Coloc. Comp.....	3ss
	Resinae Podophylli.....	gr. iij

M. f. pil. xii.

[N.F.]

## 366.

℞	Extr. Coloc. Comp.....	.650 mGm
	Abstracti Jalapæ.....	.500 mGm
	Hydrarg. Chloridi Mitis.....	.500 mGm
	Cambogii.....	.125 mGm

M. f. pil. viii.

[U.S.P.]

## 367.

℞	Extr. Coloc. Comp.....	gr. xij
	Resinae Podophylli,	
	Extr. Leptandrae.....	āā gr. iij
	Abstracti Jalapæ,	
	Extr. Hyoscyami,	
	Extr. Gentianae.....	āā gr. vj
	Olei Menthae Pip.....	℥ iiss

M. f. pil. xii.

[“Improved Veg. Cathart. Pills.”]

## 368.

℞	Rhei.....	.2 Gm
---	-----------	-------

F. pil. vi.

## 369.

℞	Rhei.....	.3 Gm
	Saponis.....	.1 Gm

M. f. pil. xvi.

[U.S.P.]

370.

℞ Aloes,  
 Rhei.....āā 1Gm  
 M. f. pil. xii.

371.

℞ Rhei.....gr.xxiv  
 Aloes.....gr.xij  
 Calomel.....gr.ij  
 Ant. et Pot. Tartr.....gr.j  
 M. f. pil. xii.

[ Dr. Mitchell's Aperient Pills.]

372.

℞ Jalapæ,  
 Rhei,  
 Aloes.....āā 1Gm  
 Alcohol.....gtt.5  
 Syrupi.....q.s.  
 M. f. pil. xv.

373.

℞ Rhei.....5 Gm  
 Jalapæ.....3 Gm  
 M. f. pil. xxiv.

374.

℞ Jalapæ,  
 Rhei,  
 Aloes,  
 Saponis.....āā 1 Gm  
 Alcohol,  
 Syrupi.....āā q.s.  
 M. f. pil. xvi.

375.

℞ Rhei.....4 Gm  
 Ipecac.....1 Gm  
 M. f. pil. xvi.

376.

℞ Rhei.....2 Gm  
 Zingiberis.....200 mGm  
 Mellis.....1 Gm  
 M. f. pil. xii.



377.

- ℞ Rhei ..... ʒij  
 Ipecac ..... gr.viii  
 Olei Cari ..... ℥.v  
 Mucil. Acaciæ ..... q.s.

M. f. pil. xii.

[Dr. Chapman's Liver Pills.]

378.

- ℞ Ammoniæ Subcarb. .... gr.v  
 Extr. Phei ..... gr.viii

Fiat massa in pil. binas dividenda.

379.

- ℞ Aloes,  
 Massæ Hydrarg,  
 Jalapæ ..... āā ʒ  
 Ant. et Pot. Tartr ..... gr.j

M. f. pil. xlviii.

[Cole's Dinner Pills.]

380.

- ℞ Pil. Hydrarg ..... gr.xij  
 Extr. Nuc. Vom. Fl.,  
 Extr. Bellad. Fl. .... āā gtt.iv  
 Podophyllini ..... gr.j

M. f. pil. iv.

381.

- ℞ Pilulæ Massæ Hydrargyri ..... gr.x  
 Morphine Sulphatis ..... gr.j  
 Acidi Tannici ..... ʒj  
 Mucilaginis Acaciæ ..... q.s.

M. Divide in pilulas x.

382.

- ℞ Opii ..... 1 Gm  
 Saponis ..... 250 mGm

M. f. pil. xvi.

[U.S.P.]

383.

- ℞ Camphoræ ..... 1 Gm  
 F. pil. xii.

384.

℞ Opii..... 1 Gm  
 Styracis Liquidī..... 2 Gm  
 Glycyerrhizæ ..... 3 Gm

M. f. pil. l.

[Ph. Su.]

385.

℞ Pulveris Opii..... gr.xij  
 Fellis Bovini Inspissati..... ℥iiss

Fiat massa in pilulas No. xxiv dividenda.

386.

℞ Acidi Tannici..... ℥j  
 Opii ..... ℥ij  
 Glycerini..... gtt xij

M. f. pil. xl.

387.

℞ Opii,  
 Plumbi Acet..... āā gr.xij

M. f. pil. xii.

[N.F.]

388.

℞ Plumbi Acet..... 3 Gm  
 Opii..... 500 mGm  
 Conf. Rosæ..... 500 mGm

F. pil. xxx.

[B.P.]

389.

℞ Opii ..... gr.xij  
 Camphoræ..... gr.xxiv

M. f. pil. xii.

[N.F.]

390.

℞ Pulv. Opii, ..... gr.v  
 Pulv. Camphoræ, ..... ℥iv  
 Pulv. Acaciæ,  
 Syr. Simplicis, ..... āā q.s.

M. f. massa; divide in pil. No. xl.

## 391.

R	Opium.....	1 Gm
	Camphoræ .....	1.50 Gm
	Saponis Pulveris.....	0.50 Gm
	Aquæ ...	q.s.

M. f. pil. xxx.

## 392.

R	Opium.....	1 Gm
	Camphoræ,	
	Saponis.....	āā 2 Gm
	Syrupi .....	q.s.

M. f. pil. xxiv.

## 393.

R	Camphoræ .....	gr.xxiv
	Opium .....	gr.vj
	Alcohol .....	℥vj
	Conf. Rosæ .....	q.s.

M. f. pil. xii.

## 394.

R	Plumbi Acet.....	gr.xvj
	Camphoræ .....	gr.xij
	Opium .....	gr.iiij
	Bismuthi Subnitr.....	gr.xij
	Extr. Gentianæ .....	q.s.

M. f. pil. xii.

[Wm. Thompson's Diarrhœa Pills.]

## 395.

R	Opium .....	1 Gm
	Saponis .....	4 Gm
	Glycerini.....	q.s.

M. f. pil. xvi.

[B.P.]

## 396.

R	Camphoræ .....	gr.xij
	Saponis .....	gr.iiij
	Olei Ricini.....	gtt iv

M. f. pil. vi.

397.

℞ Extr. Hyoscyami ..... 1 Gm  
 Camphoræ ..... 300 mGm  
 M. f. pil. xvi.

398.

℞ Morphinae Sulphatis ..... gr. ss  
 Hydrarg. Chloridi Mitis ..... gr. j  
 Pulv. Camphoræ ..... ℥ j  
 Mucil. Acaciae ..... q. s.  
 M. f. massa et in pil. No. xii div.

399.

℞ Lupulini,  
 Camphoræ ..... āā gr. x  
 M. f. pil. x.

400.

℞ Terebinthinæ (Strassbourg),  
 Magnesii Carb. ..... āā 1 Gm  
 M. f. pil. v.

401.

℞ Lupulini ..... gr. x  
 Pulv. Camphoræ ..... gr. vj  
 Extr. Belladonnæ ..... gr. ij  
 M. et in pil. No. xii div.

402.

℞ Thymol, ..... ℥ j  
 Ft. massa et in pil. No. xxiv div.

403.

℞ Asafoetidæ ..... 3 Gm  
 Saponis ..... 1 Gm  
 M. f. pil. xvi.

[U.S.P.]

404.

℞ Galbani ..... 1,500 mGm  
 Myrrhæ ..... 1,500 mGm  
 Asafoetidæ ..... 500 mGm  
 Syrupi ..... q. s.  
 M. f. pil. xvi.

[U.S.P.]

405.

℞	Resinæ Scammonii .....	1 Gm
	Resinæ Jalapæ .....	1 Gm
	Saponis Animalis .....	1 Gm
	Extr. Zingib. Fl. ....	1 C.c.
	Alcohol .....	2 C.c.

M. f. pil. xxiv.

[B.P.]

406.

℞	Lupulini .....	℥j
	Camph. ....	gr. xv
	Tereb. Venetæ .....	℥ij

M. f. pil. cxx.

[Codex.]

407.

℞	Picis Liquidæ	
	Anisi .....	āā ℥iiss
	Magnesiae .....	q.s.

M. f. pil. c.

408.

℞	Cubebæ .....	3 Gm
	Copaibæ .....	2 Gm
	Ceræ Flavæ .....	1 Gm

M. f. pil. xx.

409.

℞	Bals. Peruv. ....	3 Gm
	Ceræ Flavæ' .....	1 Gm

M. f. pil. xx.

410.

℞	Olei Terebinth. ....	f℥j
	Magnesii Carb. ....	℥ss
	Ceræ Albæ .....	gr. xij

M. f. pil. xxx.

411.

℞	Terpini Hydrat. ....	℥i
---	----------------------	----

In pil. No xxx div.

## 412.

℞ Rhei.....2 Gm  
 Aloes Purific.....1,500 mGm  
 Myrrhæ.....1 Gm  
 Olei Menthæ Pip.....100 mGm

M. f. pil. xvi.

[U.S.P.]

## 413.

℞ Pulv. Cantharidis.....gr.ij  
 Olei Terebinth.....3j

M. f. pil. No. xii.

## 414.

℞ Rhei,  
 Zingiberis,  
 Olei Carui.....āā 1 Gm

M. f. pil. xii.

## 415.

℞ Potassæ Sulphureti.....gr.xv  
 Saponis.....ij  
 Bals. Peruv.....q.s.

F. pil. xxx. Sum. iii quarta quaque hora.

## 416.

℞ Sodæ Carbonatis.....3j  
 Saponis.....iv  
 Olei Juniperi.....℥.xv  
 Syr. Zingiberis.....q.s.

M. f. pil. xxx.

## 417.

℞ Ferri. Sulph. Exsicc.....5 Gm  
 Extr. Aloes Aquosi.....4 Gm  
 Olei Sabinæ.....3 Gm

M. f. pil. lx.

## 418.

℞ Strychn. Sulph.....gr.j  
 Acidi Carbolici.....3ss  
 Extr. Aloes.....3j

M. f. pil. xx

419.

℞ Olei Copaibæ,  
 Olei Cubebæ.  
 Olei Santali Flavi.....āā ʒj  
 Magnesiae.....ʒij  
 Misce et fiant pilulæ No. lx.

420.

℞ Olei Eucalypti.....gtt.c  
 Piperini,  
 Cerae Albæ.....āā ʒj  
 Pulv. Althææ.....ʒij  
 M. f. massa et in pil. No. c div.

421.

℞ Olei Crotonis.....gtt vj  
 Saponis Animalis.....1 Gm  
 Glyceriti Tragac,  
 Farinae Tritici.....āā q.s.  
 M. f. pil. vi.

422.

℞ Olei Tiglii.....℥v  
 Saponis,  
 Pulveris Acaciæ.....āā ʒj  
 Misce et fiant pilulæ No. xx.

423.

℞ Olei Tiglii.....gtt. vj  
 Micæ Panis.....q.s.  
 Ft. massa et in pil. No. vi div.

424.

℞ Olei Tiglii.....gtt.viiij  
 Elaterii.....gr.j  
 Micæ Panis.....q.s.  
 M. f. massa in pil. No. viii div.

425.

℞ Pil. Scillæ Comp.,  
 Pil. Colocynth. Comp.....āā ʒij  
 Olei Tiglii.....℥v  
 M. f. massa et in pil. No. xviii div.

426.

℞ Olei Tiglii.....gtt.v  
 Olei Caryophylli.....gtt.ij  
 Micæ Panis.....q.s.

Misce et fiant pilulæ No. v.

427.

℞ Scillæ,  
 Extr. Coloc. Comp. ....āā gr.ij  
 Olei Tiglii.....℥j

M. f. pil. iii.

428.

℞ Creasoti.....℥.xij  
 Glycyrrhizæ.....gr.xxx  
 Mucilaginis.....q.s.

M. f. pil. xii.

429.

℞ Creasoti.....gtt.xij  
 Saponis Animalis.....gr.vj  
 Calcii Phosph.....q.s.

M. f. pil. xii.

430.

℞ Phenol.....2 Gm  
 Althææ .....3 Gm  
 Tragacanthæ,  
 Glycerini .....āā q.s.

M. f. pil. xvi.

431.

℞ Acidi Carbolici.....gr.ij  
 Pulv. Acaciæ.....gr.iss

M. f. pil. Mitte viii.

432.

℞ Ol. Cubebæ,  
 Ol. Copaivæ,  
 Ol. Terebinth.....āā 3j  
 Ceræ Albæ.....[3j]  
 Magnesiae.....[āā] q.s.

M. f. pil. l. [c]



433.

℞ Ungu. Hydrarg.....1 Gm  
 Althææ .....q.s  
 M. f. pil. xv.

434.

℞ Ungu. Hydrarg.....1 Gm  
 Calcii Phosph.....q.s  
 M. f. pil. vi.

435.

℞ Ungu. Hydrarg.....3 Gm  
 Saponis .....2 Gm  
 Glycyrrhizæ .....1 Gm  
 M. f. pil. xxx.

[Codex.]

436.

℞ Podophyllini,  
 Zingiberis .....āā gr.xii  
 Mellis.....q.s. ut ft. massa  
 M. ft. massa et in pil. No. xxxvi div.

437.

℞ Ipecac.....gr.iv  
 Calomel.....gr.ij  
 Extr. Taraxaci.....gr.xij  
 M. f. pil. xii.

[Cutler's Pills.]

438.

℞ Saponis Jalapæ.....3 Gm  
 Jalapæ Pulveris.....1 Gm  
 M. f. pil. xl. Consperge Lycopodio.

[Ph.G.]

439.

℞ Cannabini.....gr.ivss  
 Sacchari Lactis.....q.s.  
 M. f. pil. No. v.

440.

℞ Sodii Bicarb.....3 Gm  
 Zingiberis.....1 Gm  
 M. f. pil. xxx.

441.

℞ Sodii Bicarb.....1.50 Gm  
 Pulv. Rhei.....1 Gm  
 Olei Menthæ Pip.....0.50 Gm  
 M. f. pil. xii.

442.

℞ Pulv. Jaborandi,  
 Resinæ Guaiaci.....āā ʒj  
 Lithii Benzoatis.....ʒij  
 M. f. massa et in pil. No. xl div.

443.

℞ Sodii Benzoatis,  
 Lithii Carbonatis,  
 Extr. Stigmat. Maydis.....āā ʒj  
 Olei Anisi.....gtt. iv  
 M. f. massa et in pil. No. lxxx div.

444.

℞ Ferri Sulph.....5 Gm  
 Glycyrrhizæ.....1 Gm  
 Glucosi.....q.s.  
 M. f. pil. xii.

445.

℞ Ferri Sulph. Exsicc.,  
 Aloes.....āā 1 Gm  
 Spir. Saponati.....q.s.  
 M. f. pil. x.

[Ph. G.]

446.

℞ Ferri Sulph.....2 Gm  
 Quin. Sulph.....3 Gm  
 Extr. Nuc. Vom.....1 Gm  
 Glycerini,  
 Alcohol,  
 Aquæ.....āā q.s.  
 M. f. pil. xxx.

447.

℞ Ferri et Quin. Citr.....3j  
 F. pil. vi.

448.

℞ Quin. Sulph. . . . . gr. xv  
 Extr. Bellad. . . . . gr. x  
 Ferri Sulph. Exsicc. . . . . gr. lx  
 M. f. pil. xxx.

449.

℞ Ferri Sulph. Exsicc. . . . . gr. xvj  
 Aloes . . . . . gr. iv  
 Terebinthinæ . . . . . gr. x  
 Olei Terebinth. . . . . ℥ iij  
 M. f. pil. xii.

[Otto's Emenagogue Pills.]

450.

℞ Aloes Purific.,  
 Ferri Sulph. Exsicc.,  
 Pulv. Aromat. . . . . āā 1 Gm  
 Conf. Rosæ . . . . . q.s.  
 M. f. pil. xvi.

[U. S. P.]

451.

℞ Ferri Sulph. . . . . ℥ j  
 Potassii Carb. . . . . gr. xxxvj  
 Sacchari . . . . . gr. xij  
 Tragacanthæ . . . . . gr. iv  
 Glycerini . . . . . ℥ iiss  
 Aquæ . . . . . q.s.  
 M. f. pil. xxiv.

[Blaud's Pills.]

452.

℞ Potassii Bromidi,  
 Ferri Sulph. . . . . āā 1 Gm  
 Extr. Gentianæ . . . . . q.s.  
 M. f. pil. xii.

453.

℞ Ferri Sulph.,  
 Pot. Bicarb. . . . . āā 1 Gm  
 Conf. Rosæ . . . . . q.s.  
 M. f. pil. x.

454.

℞ Myrrhæ..... 1,500 mGm  
 Sodii Carb..... 750 mGm  
 Ferri Sulph..... 750 mGm  
 Syrupi..... q.s.

M. f. pil. xii.

[U. S. P.]

455.

℞ Ferri Carb. Sacch..... 4 Gm  
 Conf. Rosæ..... 1 Gm

F. pil. xxiv.

[B. P.]

456.

℞ Ferri Reducti..... 4 Gm  
 Iodi..... 5,200 mGm  
 Glycyrrhizæ..... 3,250 mGm  
 Sacchari..... 3,250 mGm  
 Extr. Glycyrrh..... 750 mGm  
 Acaciæ..... 650 mGm  
 Aquæ..... q.s.

M. f. massa. Hinc formantur pil. ferri iodidi  
 centum æquales, solutione bals. tolut.  
 obductæ.

[Blancard's Pills.]

457.

℞ Scillæ..... gr. iv  
 Digitalis..... gr. x  
 Hydrarg. Submur..... gr. vj  
 Myrrhæ..... ℥ j

Simul tere et adde—

Asafoetidæ..... ℥ ss  
 Extr. Gent..... q.s.

M. f. pil. xv. Sumatur una nocte maneque.

458.

℞ Strychninæ..... 100 mGm  
 Acidi Arsenosi..... 100 mGm  
 Ferri Sulph. Exsicc..... 1 Gm

M. f. pil. xvi.

459.

℞ Ferri et Quin. Citr.....2 Gm  
 Aquæ,  
 Ulmi.....āā q.s.

M. f. pil. xii.

460.

℞ Ferri Pyrophosph.....2 Gm  
 Mannæ.....1 Gm  
 Tragacanthæ.....100 mGm  
 Aquæ.....q.s.

M. f. pil. x.

461.

℞ Sulphuris Præcip.....2 Gm  
 Tragacanthæ.....100 mGm  
 Syrupi.....q.s.

M. f. pil. x.

462.

℞ Sulphuris Loti,  
 Potassii Borotartr.....āā 2Gm  
 Tragacanthæ,  
 Glucosi.....āā q.s.

M. f. pil. xii.

463.

℞ Ferri Reducti.....3 Gm

M. f. pil. xxiv.

464.

℞ Ferri Reducti.....2 Gm  
 Mannæ.....1 Gm  
 Aquæ.....q.s.

M. f. pil. xii.

465.

℞ Hydrarg. Iodidi Vir.....gr.x  
 Extr. Taraxaci.....gr.xxx

M. f. pil. xx.

466.

℞ Argenti Oxidi.....gr.xv  
 Quin. Hydrochlor.....gr.xxx  
 Extr. Taraxaci.....q.s.

M. f. pil. xxx.

467.

℞ Ferri et Quin. Citr.....2 Gm  
 Alcohol Dil..... q.s.  
 F. pil. xv.

468.

℞ Calomel,  
 Micæ Panis.....āā 1 Gm  
 M. f. pil. xv.

469.

℞ Calomelanos.....2 Gm  
 Manna.....1 Gm  
 Glucosi..... q.s.  
 M. f. pil. x.

470.

℞ Bisumthi Subnitr.....3 Gm  
 F. pil. xii.

471.

℞ Cerii Oxalatis.....2 Gm  
 F. pil. xxiv.

472.

℞ Zinci Oxidi.....3 Gm  
 Pot. et Sodii Borotartr.....1.50 Gm  
 Tragacanthæ.....300 mGm  
 Aquæ..... q.s.  
 M. f. pil. xii.

473.

℞ Antimoni Sulphurati.....500 mGm  
 Hydrarg. Chloridi Mitis.....500 mGm  
 Guaiaci.....1 Gm  
 Mucil. Tragac..... q.s.  
 M. f. pil. xvi.

[U.S.P.]

474.

℞ Hydrarg. Chloridi Mitis,  
 Antimoni Sulphurati.....āā 1 Gm  
 Resinæ Guaiaci.....2 Gm  
 Olei Ricini.....1 Gm vel. q.s.  
 M. f. pil. xxx.

[Plummer's Pills, B.P.]

475.

℞ Hydrarg. Iodidi Vir.....1 Gm  
 Extr. Opii.....400 mGm  
 Glycyrrhizæ.....1 Gm  
 Mellis.....q.s.

M. f. pil. xx.

[Codex.]

476.

℞ Ferri Phosph. Cœrul....gr.xij  
 Extr. Nuc. Vom.....gr.j  
 Extr. Gent.....q.s.

M. f. pil. vi.

[Grissolle's Pills.]

477.

℞ Zinci Oxidi.....gr.xxiv

M. f. pil. xii.

478.

℞ Cerii Valerianatis.....gr.xv

In pil. No xx div.

479.

℞ Extr. Hyoscyami Sem.,  
 Extr. Valerianæ,  
 Zinci Oxidi.....āā 1 Gm

M. f. pil. xx.

[Codex.]

480.

℞ Asafoetidæ.....8 Gm  
 Zinci Oxidi.....1 Gm  
 Camphoræ.....500 mGm  
 Extr. Bellad.....250 mGm  
 Alcohol Dil.....q.s.

M. f. pil. xxiv.

481.

℞ Acidi Arsenosi.....gr.j  
 Sacchari Albi.....gr.j

Tere simul in pulverem subtilem; dein adde—

Micæ Panis.....q.s.

Misce bene et divide in pilulas xx.

482.

℞ Arseni Oxidi ..... 100 mGm  
 Sacch. Lactis ..... 4 Gm  
 Acaciæ ..... 1 Gm  
 Mellis, .....  
 Aquæ ..... āā q.s.

M. f. pil. C. arg. invol.

[Codex.]

483.

℞ Zinci Oxidi ..... ʒj  
 Piperinæ ..... ʒj

Misce et fiant pilulæ No. xx.

484.

℞ Acidi Arsenosi ..... gr. j  
 Piperis Nigri ..... gr. x

Tere simul per horam dimidiam; dein adde—

Mucilaginis Acaciæ ..... q.s. ut

Fiant pilulæ xv.

485.

℞ Hydrarg. Chloridi Corros. .... 200 mGm  
 Micæ Panis,  
 Sacchari ..... āā 1 Gm  
 Aquæ ..... q.s.

M. f. pil. xl.

486.

℞ Hydrargyri Cyanidi ..... gr. j  
 Quininæ ..... ʒj  
 Extr. Gentianæ ..... ʒss

M. f. massa et in pil. no. xx div.

487.

℞ Potassii Acet. .... 2 Gm  
 F. pil. xii.

488.

℞ Sodii Salicyl ..... 3 Gm  
 F. pil. x.

489.

℞ Calcii Sulphidi ..... gr. vj  
 Glycyrrhizæ ..... gr. x

M. f. massa, in pilulas No. xii dividenda.



490.

R Chloral ..... 3 Gm  
Tartari Boraxati..... 1.50 Gm  
Tragacanthæ..... 600 mGm

M. f. pil. xv.

491.

R Ammonii Chloridi... 3 Gm  
Tartari Boraxati..... 2 Gm  
Tragacanthæ..... 400 mGm  
Aquæ ..... q.s.

M. f. pil. xx.

492.

R Potassii Iodidi..... 10 Gm  
Aquæ..... 1 Gm  
Glycyrrhizæ..... 3.50 Gm  
Mucilaginis ..... q.s.

M. f. pil. xxx.

493.

R Potassii Iodidi,  
Manganesii Sulphatis Exsiccati..... āā ſj  
Mellis Despumati..... q.s.

Fiat massa, in pilulas No xxx dividenda.

494.

R Acidi Tannici..... 5 Gm  
F. pil. xxx.

495.

R Acidi Gallici..... 5 Gm  
F. pil. xxiv.

496.

R Acidi Benzoici..... 2 Gm  
F. pil. xvi.

497.

R Antipyrini..... 5 Gm  
F. pil. xxiv.

498.

R Acetanilidi..... 2 Gm  
F. pil. xii.

499.

℞ Iodol,  
 Glycyrrhizæ,  
 Extr. Glycyrrh.....āā 1 Gm  
 M. f. pil. xii.

500.

℞ Hydrarg. Salicylatis.....gr.xv  
 Glycyrrhizæ,  
 Extr. Glycyrrhizæ.....āā ʒj  
 M. f. pil. lx.

501.

℞ Hydrarg. Carbolatis.....ʒj  
 Glycyrrhizæ,  
 Extr. Glycyrrhizæ.....āā ʒj  
 M. f. pil. lx.

502.

℞ Naphthalini.....2 Gm  
 F. pil. xii.

503.

℞ Terpini Hydratis .....ʒj  
 F. pil. xxx.

504.

℞ Sodii Succinat.....ʒj  
 In pilulas No. xvi div.

505.

℞ Ammonii Picratis.....ʒj  
 Ft. massa et in pilulas No. xl div.

506.

℞ Zinci Valer.....1 Gm  
 F. pil. xxiv.

507.

℞ Zinci Valeratis,  
 Ferri Valeratis,  
 Quininæ Valeratis.....āā ʒss  
 M. f. massa et in pil. No. xxx div.

508.

℞ Quin. Sulph.....2 Gm  
 Mellis.....q.s.  
 M. f. pil. xxx.

509.

℞ Quin. Sulph.....1 Gm  
Glycerini.....q.s.

M. f. pil. vi.

510.

℞ Quin. Sulph.....2 Gm  
Glycerini,  
Tragacanthæ.....āā q.s.

M. f. pil. xii.

511.

℞ Zinci Valeratis,  
Extr. Hyoseyami,  
Bismuthi Subnitratis.....āā gr.xv

M. f. pil. No. xxx.

512.

℞ Quin. Sulph.....1 Gm  
Glucosi.....q.s.

M. f. pil. xii.

513.

℞ Quin. Sulph.....1 Gm  
Extr. Gentianæ.....q.s.

M. f. pil. xii.

514.

℞ Quin. Sulph.....5 Gm  
Farinæ Tritici.....1 Gm  
Acaciæ.....1 Gm  
Syrupi.....q.s.

M. f. pil. xxiv.

515.

℞ Quin. Sulph.....2 Gm  
Acidi Tart.....200 mGm  
Aquæ,  
Tragacanthæ.....āā q.s.

M. f. pil. xv.

516.

℞ Quin. Sulph.....2 Gm  
Acidi Sulph. Dil.....q.s.

M. f. pil. x.

517.

℞ Quin. Sulph.....2 Gm  
 Acidi Sulph. Arom.....q.s.  
 M. f. pil. x.

518.

℞ Cupri Sulphatis,  
 Morphinæ Sulphatis.....ãã gr.j  
 Quininæ Sulphatis.....gr.xxiv  
 Misce et fiant pilulæ No. xii.

519.

℞ Quininæ Sulphatis.....gr.xxij  
 Pepsini.....) vss  
 Extracti Absinthii.....q.s.  
 Misce et fiant pilulæ No. xl.

520.

℞ Pulv. Digitalis.....gr.vj  
 Quininæ Sulphatis .....gr.xij  
 Extr. Opii,  
 Extr. Ipecacuanhæ.....ãã gr.ij  
 M. f. massa et in pil. No. xii. div.

521.

℞ Colchicinæ .....gr.j  
 Extracti Colocynthis Compositi.....) ss  
 Quininæ Sulphatis.....3j  
 Misce et divide in pilulas No. lx.

522.

℞ Quin. Sulph. ....3j  
 Morph. Sulph.....gr.iss  
 Strychninæ.....gr.j  
 Acidi Arsenosi .....gr.iss  
 Extr. Aconiti Rad. ....gr.iv  
 M. f. pil. xxx.

[Gross' Antineuralgic Pills.]

523.

℞ Extracti Nucis Vomicae.....gr.iss  
 Argenti Nitratis.....gr.ij  
 Extracti Humuli.....gr.xij  
 Misce et divide in pilulas vi.



531.

- ℞ Strychninæ Sulph. .... 10 mGm  
 Extr. Bellad. .... 40 mGm  
 Extr. Coloc. Comp. .... 1.50 Gm

Misce et divide in pilulas numero decem.

532.

- ℞ Strychninæ ..... gr. ss  
 Ipecacuanhæ ..... gr. ij  
 Extr. Bellad. Alc. .... gr. ij  
 Massæ Hydrarg. .... ʒij  
 Extr. Coloc. Comp. .... ʒij

M. f. pil. xx.

[N.F.]

533.

- ℞ Pulv. Ipecac. Comp. .... 3 Gm  
 Scillæ ..... 1 Gm  
 Ammoniaci ..... 1 Gm  
 Glucosi ..... q.s.

F. pil. xxiv.

[B.P.]

534.

- ℞ Pepsini ..... 300 mGm  
 Rhei ..... 600 mGm  
 Extr. Gentianæ ..... 200 mGm  
 Acidi Hydrochlor. .... 2 drops

M. f. pil. xii.

535.

- ℞ Phosphori ..... 100 mGm  
 Chloroformi ..... 12 Gm  
 Amyli ..... 10 Gm  
 Glycyrrh. .... 4 Gm  
 Glucosi ..... 5 Gm

M. f. pil. ol.

536.

- ℞ Kaolini,  
 Paraffini,  
 Petrolati ..... ȳ partes æquales

M.

[Kaolin Paraffin.]

537.

℞ Pot. Permang. .... 1.50 Gm  
F. pil. xii.

538.

℞ Potassii Permang. .... 2 Gm  
Paraffini Kaolini .... 3 Gm  
F. pil. xxx.

539.

℞ Phosphori .... 50 mGm  
Fiant pilulæ lxxx.

540.

℞ Resinæ Podophylli .... gr.vj  
Extr. Bellad. Alc. .... gr.ijj  
Capsici .... gr.xij  
Sacch. Lactis .... gr.xlvijj  
Acaciæ .... gr.vj  
Glycerini,  
Syrupi .... āā q.s.  
M. f. pil. xxiv.

[Squibb's Podophyllum Pills.]

541.

℞ Phosphori .... 60 mGm  
Althææ .... 5,200 mGm  
Acaciæ .... 1,300 mGm  
Glycerini .... 2,600 mGm  
Aque .... 1,300 mGm  
Chloroformi .... 3,200 mGm  
M. f. pil. c., quæ solutione bals. tolut. atherea  
conc. irrorantur ita ut loco tepido siccata  
tegumine resinaceo obductæ sint.

[U. S. P.]

542.

℞ Argenti Nitratis .... 200 mGm  
Kaolini .... 2 Gm  
Tragacanthæ,  
Aque .... āā q.s.  
M. f. pil. xx.

543.

℞ Ferri Sulph. Exsicc.,  
 Quin. Sulph.,  
 Aloes.....āā gr.xij  
 Extr. Nuc. Vom.....gr.ij  
 Extr. Gentianæ .....q.s.

M. f. pil. xii.

[“Quatuor Pills.”]

544.

℞ Argenti Nitratis.....gr.xv  
 Aquæ Destillatæ.....q.s.  
 Extracti Belladonnæ.....gr.x  
 Olei Caryophylli.....gtt.x  
 Pulveris Gentianæ Radicis,  
 Extracti Gentianæ.....āā q.s.

Fiat massa in pilulas No. lx dividenda.

545.

℞ Iodoformi.....gr.ij  
 In pil. No. xii div

546.

℞ Iodoformi.....2 Gm  
 Sacch. Lactis.....1 Gm  
 Glyceriti Tragacanthæ.....q.s.

M. f. pil. xii.

547.

℞ Iodoformi,  
 Ferri Redacti.....āā gr.xliij  
 Extracti Glycyrrhizæ.....q.s.

Misce et divide in pilulas No. lx.

548.

℞ Terpinol,  
 Ammonii Benzoatis,  
 Cerae Flavæ.....āā ʒj  
 Acaciæ,  
 Sacchari,  
 Glycyrrhizæ.....āā ʒj  
 Mucil. Tragac.....q.s.

M. f. pil. xl.



549.

- ℞ Crotonis Chloralis.....gr.xxiv  
 Pulveris Tragacanthæ,  
 Glycerini.....āā q.s.

Misce et fiant pilulæ No. xii.

550.

- ℞ Plumbi Bromidi,  
 Lupulini,  
 Extr. Belladonæ.....āā gr.xv

M. f. massa et in pil. No. xxx div.

551.

- ℞ Potassii Iodidi.....gr.xv  
 Spiritus Vini Rectificati.....f3ij  
 Extracti Dulcamaræ.....3ij  
 Pulveris Glycyrrhizæ,  
 Aquæ Destillatæ.....āā q.s.

Fiat massa in pilulas clxxx dividenda.

552.

- ℞ Ext. Aloe Aq.....ʒj  
 Ferri Sulph. Exsic.....ʒij  
 Asafetidæ.....ʒiv

M. ft. massa et in pilulæ No. c div.

553.

- ℞ Acetanilidi,  
 Salol.....āā ʒj  
 Camph. Monobrom.....ʒss

M. f. pil. Lx.

554.

- ℞ Quiniæ Sulph.....gr.xx  
 Ferri Sulph. Exsiccant.....gr.xl  
 Strychninæ Sulph.....gr.ss

M. et div. in pil. No. xx.

555.

- ℞ Morphine Sulphat.....gr.ʒ  
 Ergotine.....gr.iiij

M.

556.

R Hydrarg. Prot.....gr.v  
 Pulv. Ipecac. et Opii.....gr.xl  
 Ex. Gentian.....q.s.  
 M. et ft. pil. No. xx.

557.

R Extr. Coloc. Comp.....gr.lx  
 Extr. Nuc. Vom.,  
 Extr. Hyoscyami.....āā gr.vj  
 Extr. Leptandræ.....gr.xxx  
 M. f. pil. xii.

558.

R Argenti Oxidi.....gr.vj  
 Glycyrrhizæ.....gr.xij  
 Creasoti.....gtt.vj  
 Saponis.....gr.vj  
 M. f. pil. vi.

559.

R Sodii Arsenitis.....gr.j  
 Div. in pil. No. xl.

560.

R Hyoscyamiæ,  
 Strychniæ.....āā gr.ss  
 Extr. Gentianæ .....ᵒj  
 M. Sig.: One every ten minutes.  
 In pil. No. xxxiii div.

561.

R Spartein. Sulphatis.....gr.iiij  
 In pil. No. xv div.

562.

R Delphinii (alkaloid of staphisagria).....gr.xv  
 Extr. Tritici Repentis.....ʒss  
 Pulv. Althææ.....q.s.  
 M. Ft. massa et in pil. No. l div.

563.

R Aconitiæ Nitrat. Cryst.....gr.ʒ  
 Quiniæ Hydrobromat.....gr. lxxv  
 Syrupi.....q.s. ut ft. massa.  
 M. Ft. massa et in pil. No. l div.

564.

℞ Ferri. Phosph.....gr.xvj  
 Quinæ.....gr.xij  
 Strychnine.....gr. $\frac{1}{2}$   
 Acid Phosph. Conc.....q.s.

Divid. in pil. xvi misce.

565.

℞ Naphthalini.....gr.viiss  
 Iodoform.....gr.iiij  
 Acid. Tannic.,  
 Antipyrin..... $\mathring{a}\mathring{a}$  gr.vx

M. Et ft. pil. No. x.

566.

℞ Hydrarg. Bichlorid.....gr.iv  
 Sodii Arsenit.....gr.iiss  
 Strichn. Sulph.....gr. $\frac{1}{4}$   
 Potass. Carb. Pur.....gr.ix  
 Ferri Sulph. Exsic.....gr.ix

M. Et. ft. pil. No. x.

567.

℞ Potassii Permang.....gr.xxiv  
 Tragacanthæ,  
 Glycerini..... $\mathring{a}\mathring{a}$  q.s.

M. f. pil. xii.

568.

℞ Digitalinæ.....gr.j  
 Pulveris Acaciæ..... $\mathfrak{D}$ ij  
 Syrupi Simplicis.....q.s.

Fiat massa, in pilulas No. xxxv dividenda.

569.

℞ Picrotoxin.....gr. $\frac{1}{30}$   
 Aq. ex. ergot.....gr.iiss

M. Ft. pil.

570.

℞ Argenti Nitras.....gr.iv  
 Acidi Tannici..... $\mathfrak{D}$ j

M. f. pil. xxx.

571.

℞ Auri et Sodii Chlor. .... gr. iij  
 Hydrarg. Chlor. Corr. .... gr. v  
 Ex. Gentian. .... q. s.

M. Ft. pil. No. lx.

572.

℞ Pulv. Cantharidis. .... gr. iij  
 Olei Terebinth. .... ℥ j

M. f. pil. xii.

573.

℞ Auri Bromidi. .... gr. j  
 Arsenici Bromidi. .... gr. j  
 Ferri Bromidi. .... gr. xl

M. Et div. in pil. No. xx.

574.

℞ Extr. Bellad. .... 1 Gm  
 Extr. Hyoscyami. .... 5 Gm  
 Extr. Stramonii. .... 3 Gm  
 Morph. Sulph. .... 1 Gm

M. f. pil. lx.

575.

℞ Quin. Sulph. .... gr. i  
 Morph. Sulph. .... gr. viij

M. f. pil. x.

S. One pill every 3 hours.

576.

℞ Extr. Bellad. .... gr. iij  
 Extr. Physostigmæ. .... gr. iiss

M. f. pil. vi.

577.

℞ Extracti Ergotæ Aquosi (ergotinae). .... ℥ j  
 Extracti Nucis Vomicæ. .... gr. v  
 Extracti Opii. .... gr. x

Misce et fiant pilulæ No. xx.

578.

℞ Ferri Arsenitis. .... gr. v  
 Ergotini (aq. ext.) .... ℥ ss

M. f. pil. No. xxx.

579.

℞ Ferri Sulph.,  
 Potassii Iodidi.....āā ʒss  
 Saponis.....gr.l  
 Opii.....gr.ij

M. f. pil. vi.

580.

℞ Gummi Camphoræ,  
 Pulv. Zingiberis,  
 Pulv. Capsici.....āā gr.j

M. f. pil. vi.

581.

℞ Extr. Coloc. Comp.....3j  
 Extr. Rhei.....ʒj  
 Extr. Hyoscyami.....gr.xij

M. f. pil. xii.

## PECULIAR MASSES AND SEMI-FLUIDS.

582.

℞ Sodii Bromidi,  
 Phenacetini.....āā 5 Gm

M. f. pil. xv.

583.

℞ Antipyrini,  
 Beta-naphthol.....āā 100 mGm  
 Bismuthi Salicylatis......250 mGm

M. f. pil. i.

584.

℞ Antipyrini,  
 Salol.....āā 1 Gm

M.

585.

℞ Antipyrini.....1 Gm  
 Beta naphthol.....1 Gm

M.

586.

℞ Antipyrini,  
 Butyl-Chloral.....āā 1 Gm

M.

587.

R Antipyrini..... 1 Gm  
Sodii Salicylatis..... 1 Gm  
M.

588.

R Antipyrini,  
Chloral..... 1 Gm  
M.

589.

R Camphoræ..... 1 Gm  
Chloral..... 1 Gm  
M.

590.

R Phenol..... 3 Gm  
Chloral..... 1 Gm  
M.

591.

R Thymol,  
Phenol..... 1 Gm  
M.

592.

R Thymol..... 1 Gm  
Camphoræ..... 1 Gm  
M.

593.

R Thymol..... 3 Gm  
Chloral..... 2 Gm  
M.

594.

R Menthol..... 2 Gm  
Phenol..... 1 Gm  
Butyl-Chloral..... 1 Gm  
M.

595.

R Menthol..... 2 Gm  
Butyl-Chloral..... 1 Gm  
M.

596.

℞ Menthol..... 3 Gm  
Camphoræ..... 2 Gm

M.

597.

℞ Menthol,  
Chloral..... āā 1 Gm

M.

598.

℞ Menthol,  
Phenol..... āā 1 Gm

M.

599.

℞ Acidi Salicylici..... 13 Gm  
Camphoræ..... 17 Gm

In balneo vaporis liquando miscentur.

600.

℞ Menthol  
Thymol..... āā 1 Gm

M.

## PART VII.

### MIXTURES.

A.

601.

Rx Aquæ,  
Glycerini..... $\bar{\text{a}}\bar{\text{a}}$  partes æquales

M.

[Hydroglycerol.]

602.

Rx Glycerini  
Alcohol  
Aquæ..... $\bar{\text{a}}\bar{\text{a}}$  partes æquales.

M.

[Alcoholic Hydroglycerol.]

603.

Rx Chloroformi..... $\text{f}\bar{\text{v}}\text{ss}$   
Aquæ Destill. .... $\text{f}\bar{\text{z}}\text{x}$

M.

[Chloroform Water.]

604.

Rx Mellis .....100 Gm  
Aquæ Ebullientis.....q.s. ad 1,000 C.c.

M.

[“Hydromel.”]

605.

Rx Acidi Acetici.....6 Gm  
Mellis Despumati .....100 Gm

M.

[Oxymel.]

606.

Rx Acaciæ Pulveris .....5 Gm  
Aquæ.....10 C.c.

F. Mucil.

100



607.

- ℞ **Liquoris Calcis,**  
 Chlorinatæ ..... 10 C.c.  
 Aquæ ..... 40 C.c.  
 Mellis Despumati ..... 65 C.c.  
 Agitando miscentur.

[Ph.Sn.]

608.

- ℞ **Acidi Sulphurici** ..... 10 Gm  
 Alcohol ..... 30 Gm

M.

[Haller's Acid Drops.]

609.

- ℞ **Spir. Vini Gallici**  
 Aquæ Cinnam. .... āā f̄iv  
 Vitelli Ovorum ..... No. ij  
 Sacchari ..... ʒss

Fiat mistura.

[B.P.]

610.

- ℞ **Aceti Scillæ** ..... 100 Gm  
 Mellis Depurati ..... 300 Gm

Mixtæ in balneo vaporis evaporant donec residuæ sint grammata tricenta.

[Oxymel Scillæ.]

611.

- ℞ **Acaciæ** ..... ʒj  
 Sacchari ..... ʒj  
 Aquæ ..... fʒxij

Fit solutio.

[N.F.]

612.

- ℞ **Acaciæ Pulv.** ..... 10 Gm  
 Syr. Simplicis ..... 30 Gm  
 Aquæ Aurantii Florum ..... 10 Gm  
 Aquæ Destillatæ ..... 100 Gm

M. f. potio.

[Codex.]

613.

℞ Tragacanthæ.....1 Gm  
 Aquæ.....100 C.c.  
 M. f. mucil.

614.

℞ Tragacanthæ Pulveris .....1 Gm  
 Aquæ .....q. s. ut fiat 70 C.c.  
 M. f. mucil.

615.

℞ Tragacanthæ Pulveris .....1 Gm  
 Aquæ.....15 C.c.  
 F. mucil.

616.

℞ Salep Pulveris .....1 Gm  
 Aquæ.....10 C.c.  
 Aquæ Fervidæ.....90 C.c.  
 M. f. mucil.

[Ph.G.]

617.

℞ Amyli .....10 Gm  
 Aquæ.....100 C.c.  
 Aquæ Fervidæ .....900 C.c.  
 M. f. mucil.

618.

℞ Amyli .....30 Gm  
 Aquæ .....q.s.  
 Make a decoction measuring one liter.

[Starch Decoction.]

619.

℞ Quassia .....ʒj  
 Aquæ.....q.s.  
 F. inf.....f℥x  
 [B.P.]

620.

℞ Buchu.....ʒss  
 Aquæ Ferv.....q.s.  
 F. inf. f℥x.  
 [B.P.]

621.

℞ Aurantii Amari Cort.....℥ss  
 Aquæ Ebull.....q.s.

F. inf. f̄x.

[B.P.]

622.

℞ Calumbæ.....℥ss  
 Aquæ Ferv.....q.s.

F. inf. f̄x.

[B.P.]

623.

℞ Caryophylli.....℥ij  
 Aquæ Ferv.....q.s.

F. inf. f̄x.

[B.P.]

624.

℞ Ergotæ.....℥ij  
 Aquæ Ferv.....q.s.

F. inf. f̄x.

[B.P.]

625.

℞ Pilocarpī.....℥ss  
 Aquæ Ferv.....q.s.

F. inf. f̄x.

[B.P.]

626.

℞ Uvæ Ursi.....℥ss  
 Aquæ Bullientis.....q.s.

F. inf. f̄x.

[B.P.]

627.

℞ Serpentariæ.....℥ij  
 Aquæ Ebull.....q.s.

F. inf. f̄x.

[B.P.]

628.

℞ Valerianæ.....℥ij  
 Aquæ Ebull.....q.s.

F. inf. f̄x.

[B.P.]

629.

℞ Cascarillæ..... ̄j  
 Aquæ Ebull..... q.s.  
 F. inf. f̄3x.  
 [B.P.]

630.

℞ Anthemidis..... ʒiv  
 Aquæ Ebull..... q.s.  
 F. inf. f̄3x.  
 [B.P.]

631.

℞ Senegæ..... ̄ss  
 Aquæ Fervidæ..... q.s.  
 F. inf. f̄3x.  
 [B.P.]

632.

℞ Rhei..... ̄ij  
 Aquæ Ebull..... q.s.  
 F. inf. f̄3x.  
 [B.P.]

633.

℞ Humuli..... 15 Gm  
 Aquæ Ebull..... q.s.  
 F. inf. 300 C.c.  
 [B.P.]

634.

℞ Gentianæ,  
 Aurantii Amari Cort.... āā ̄j  
 Limonis Cort..... ̄ij  
 Aquæ Ebull..... q.s.  
 F. inf. f̄3x.  
 [B.P.]

635.

℞ Sennæ..... ̄j  
 Zingiberis..... ̄ss  
 Aquæ Ebullientis..... f̄5x  
 F. infusio.  
 [B.P.]

636.

℞ Lini Semin.....10 Gm  
 Glycyrrh.....3 Gm  
 Aquæ Ebull.....q.s.

F. inf. 300 C.c.

[B.P.]

637.

℞ Aurantii Amari Cort.....3ij  
 Limonis Cort.....3j  
 Caryophylli.....3ss  
 Aquæ Fervidæ.....q.s.

F. inf. f3x.

[B.P.]

638.

℞ Sennæ.....30 Gm  
 Mannæ.....60 Gm  
 Magnesii Sulph.....60 Gm  
 Fœniculi.....10 Gm  
 Aquæ Bullientis.....q.s.

F. inf. 500 C.c.

639.

℞ Rosæ Gall. Petal.....3ij  
 Acid. Sulph. Dil.....f5j  
 Aquæ Ebullientis.....f5x

F. inf.

[B.P.]

640.

℞ Brayeræ Pulveris Grossi.....18 Gm  
 Aquæ Ebullientis.....300 C.c.

Macerantur donec refrixerint. Dispensa non  
 colatum.

[U.S.P.]

641.

℞ Juniperi Contusi.....5iv  
 Aquæ Bullientis.....f5xij

Macera per horas duodecim et experime,  
 dein adde:—

Spiritus Juniperi Compositi.....f5iv

M.

642.

℞ *Salviæ*,  
*Eupatarii*.....āā ʒss  
*Cascarillæ*.....ʒj  
*Aquæ Bullientis*.....Oj

Digere per horas duas et cola.

643.

℞ *Aloes Capensis*.....3v  
*Sodii Bicarbonatis*.....ʒiiss  
*Spiritus Lavandulæ Compositi*.....fʒss  
*Aquæ Destillatæ*.....Oj

M.

Macera per dies quatuordecim et cola.

644.

℞ *Pulveris Radicis Rhei* .....ʒj  
*Pulveris Aloes*.....Oij  
*Sodii Bicarbonatis*.....ʒij  
*Valerianæ Contusæ*,  
*Serpentariæ Contusæ*,  
*Gentianæ Contusæ*,  
*Quassia Contusæ*.....āā ʒss  
*Spiritus Frumenti*.....Oij

Macera in vaso leviter clauso, per horas bis  
 quatuor et viginti, et cola.

645.

℞ *Sarsaparillæ*.....ʒj  
*Aquæ*.....fʒxij

Digere per horam unam; deinde coque per sext.  
 part. horæ. Adde aquæ fervidæ q. s. ut fiat  
 colaturæ fʒviiij.

[B.P.]

646.

℞ *Hæmatoxyli*.....ʒss  
*Cinnamomi*.....gr.ʒss  
*Aquæ*.....q.s.

Coque per sext. part. horæ, cinnam. sub fin.  
 coct. add. Fiat colat. Oss.

[B. P.]

647.

R̄ Hordei.....̄ij  
Aquaẽ.....q.s.

F. decoct. Oj.

[B. P.]

648.

R̄ Cetrariæ.....25 Gm  
Aquaẽ.....q.s. ad 400 C.c.

Fiat decoctio sec. artium leges.

[B. P.]

649.

R̄ Scoparii.....̄ij  
Aquaẽ.....q.s.

F. decoctionis Oj.

[B. P.]

650.

R̄ Cort. Quercus.....̄ij  
Aquaẽ.....q.s.

F. decoctionis Oj.

[B. P.]

651.

R̄ Papaveris.....̄ij  
Aquaẽ.....q.s.

F. decoct. Oj.

[B. P.]

652.

R̄ Cort. Cinch. Rubræ, Pulveris Grossi.....̄ij  
Aquaẽ.....q.s.

Coque per sext. part. horæ. Fiat colat. Oj.

[B. P.]

653.

R̄ Cort. Rad. Granati.....̄ij  
Aquaẽ.....Oj

Coque donec hab. colat. f̄viii.

[B. P.]

654.

R̄ Calumbæ.....̄ij  
Aquaẽ.....q.s.

F. decoct. f̄x.

655.

℞ Sarsaparillæ.....12 Gm  
 Aquæ.....900 C.c.  
 in olla ferrea vitreata decoquuntur, donec habeas  
 colaturæ 300 C.c., additis sub finem coc-  
 tionis  
 Anisi.....5 Gm  
 Fœniculi.....5 Gm  
 Glycyrrhizæ.....15 Gm  
 Sennæ.....30 Gm  
 Decoctum sine expressione colatum et per ali-  
 quod tempus sepositum, a sedimento de-  
 funditur.

656.

℞ Extr. Aloes.....2 Gm  
 Myrrhæ,  
 Croci,  
 Potassii Carb.....āā 1 Gm  
 Extr. Glycyrrh.....8 Gm  
 Tinct. Card. Comp.....60 C.c.  
 Aquæ.....q.s. ad 200 C.c.

M. f. decoctio, sec. leg. art.

[Comp. Decoction of Aloes.]

657.

℞ Amygdalæ.....12 Gm  
 Acaciæ.....2 Gm  
 Sacchari.....6 Gm  
 Aquæ.....q.s. ad 200 C.c.

M. f. emulsio.

[U. S. P.]

658.

℞ Amygd. Dulcis.....30 Gm  
 Amygd. Amaræ.....2 Gm  
 Sacchari.....30 Gm  
 Tragacanthæ.....500 mGm  
 Aquæ Aurantii Florum.....10 Gm  
 Aquæ.....120 Gm

M. f. emulsio.

[Codex.]



659.

℞	Peponis Decort.....	5j
	Sacchari Albi.....	5iss
	Lactis Recentis.....	3iiss

M. f. emulsio.

660.

℞	Asafœtidæ .....	2 Gm
	Aquæ .....	q. s. ad 50 C.c.

M. f. emulsio.

[B.P.]

661.

℞	Ammoniaci .....	3j
	Aquæ .....	q. s. ad 5iij

M. f. emulsio.

[U.S.P.]

662.

℞	Ammonii Chloridi .....	3j
	Mist. Asafœtidæ .....	5iv

Misce. Sig. Tablesp. as required.

663.

℞	Syrupi Scillæ .....	5ss
	Tinct. Opii Camph. ....	5ij
	Ammoniaci .....	5ss
	Syrupi Tolutani .....	5x

M. Sig. A teasp. p. r. n.

664.

℞	Lactis Recentis,	
	Aquæ Calais .....	āā 5j
	Pulveris Myrrhæ .....	gr. xij

M.

665.

℞	Ferri Sulph. ....	1	2
	Myrrhæ.....	3	6
	Sacchari .....	3	6
	Potassii Carb.....	1	6
	Spir. Lavand. ....	3	
	Aquæ Rosæ .....	180	

M.

[Griffith's Mixture.]

666.

℞ Copaibæ.....50 C.c.  
 Acaciæ,  
 Syrupi,  
 Aquæ Menthæ Pip.....q. s. ad 200 C.c.  
 M. f. emulsio.

667.

℞ Copaibæ.....f̄ij  
 Spir. Ætheris Nitrosi.....f̄ij  
 Tinct. Lavand. Comp.....f̄ij  
 Liquoris Potassæ.....f̄ij  
 Syrupi.....f̄iiss  
 Mucil. Acaciæ.....q. s. ad f̄viij

M.

[Lafayette Mixture.]

668. \

℞ Copaibæ.....f̄viij  
 Spir. Ætheris Nitrosi.....f̄ij  
 Tinct. Lavand. Comp.....f̄ij  
 Tinct. Opii.....f̄ij  
 Mucil. Acaciæ.....f̄vj  
 Aquæ.....q. s. ad f̄viiij

M.

[Chapman's Mixture.]

669.

℞ Balsami Copaibæ,  
 Spir. Ætheris Nitrosi.....āā f̄ij  
 Liqu. Potassæ.....f̄ij  
 Extr. Glycyrrhizæ.....f̄ss

Misce et adde—

Olei Gaultheriæ.....gtt.xvj  
 Syr. Acaciæ.....f̄vj

M.

670.

℞ Olei Morrhuæ.....50 C.c.  
 Acaciæ,  
 Aquæ.....āā q.s.  
 F. emuls. 200 C.c.

671.

- ℞ Copaibæ,  
 Tinct. Ferri Chlor.,  
 Tinct. Canthar. .... āā 10 fGm  
 Glycerini ..... 20 fGm  
 Syrupi ..... 50 fGm  
 M. S. Dose a teaspoonful.

672.

- ℞ Copaibæ,  
 Spir. Ætheris Nitrosi ..... āā f̄iss  
 Extr. Cubebæ Fl. .... f̄iv  
 Tinct. Cardam. Comp. .... f̄ij  
 Mucilaginis ..... f̄j  
 M.

673.

- ℞ Olei Morrhuæ ..... f̄viiij  
 Acaciæ ..... f̄iiss  
 Syr. Tolut. .... f̄ij  
 Spir. Arom. .... f̄ij  
 Aquæ ..... q. s. ad f̄xvj  
 M. f. emulsio.

[N.F.]

674.

- ℞ Olei Morrhuæ ..... f̄viiij  
 Glyceriti Vitelli ..... f̄ziiss  
 Syr. Tolut. .... f̄ij  
 Olei Amygd. Amaræ ..... ʒl xxx  
 Aquæ ..... ad f̄xvj  
 M. f. emulsio.

[N.F.]

675.

- ℞ Olei Morrhuæ ..... f̄ziv  
 Glyceriti Vitelli ..... ʒiiss  
 Acidi Phosph. Dil. .... f̄3v  
 Olei Amygd. Amaræ ..... ʒl x  
 Spir. Jamaicensis ..... f̄iv  
 Aquæ Aurantii Flor. .... q. s. ad f̄xvi  
 M. f. emulsio.

[N.F.]

## 676.

℞ Olei Morrhuæ ..... f̄viiij  
 Tragacanthæ ..... ̄iiij  
 Aquæ ..... q. s. ad f̄xvi  
 M. f. emulsio.

## 677.

℞ Olei Morrhuæ ..... f̄viiij  
 Mucil. Chondri ..... f̄v  
 Syr. Tolut. .... f̄ij  
 Olei Gaultheriæ ..... ʒxxx  
 Aquæ ..... q. s. ad f̄xvi  
 M. f. emulsio.

[N.F.]

## 678.

℞ Olei Morrhuæ ..... 30  
 Mucil. Chondri ..... 15  
 Aquæ Amygd. Am. .... 15  
 M.

## 679.

℞ Olei Morrhuæ ..... f̄viiij  
 Mucil. Dextrini ..... f̄v  
 Syr. Tolut. .... f̄ij  
 Aquæ ..... q. s. ad f̄xviij  
 M. f. emulsio.

[N.F.]

## 680.

℞ Olei Morrhuæ ..... f̄viiij  
 Mucil. Dextrini ..... f̄ij  
 Extr. Malti ..... f̄vj  
 M. f. emulsio.

[N.F.]

## 681.

℞ Olei Morrhuæ ..... f̄iv  
 Tragacanthæ ..... gr. xij  
 Extr. Malti ..... f̄iiij  
 Aquæ ..... f̄ij  
 M.

682.

℞ Olei Morrhuæ.....f℥iv  
 Extr. Carnis Pept.....℥ij  
 Aquæ.....q.s. ad f℥iv

M. f. emulsio.

683.

℞ Olei Morrhuæ.....f℥viiij  
 Tinct. Quillaia.....f℥j  
 Syr. Tolut.....f℥ij  
 Aquæ.....ad f℥xij

M. f. emulsio.

684.

℞ Olei Morrhuæ.....f℥viiiiss  
 Tinct. Quillaia.....f℥j  
 Syr. Tolu.....q.s. ad f℥x

M. f. emulsio.

685.

℞ Calcii Phosph. Præcip.....10 Gm  
 Olei Morrhuæ.....50 C.c.  
 Glycerini.....10 C.c.  
 Mucilaginis.....40 C.c.  
 Olei Amygd. Amaræ.....gtt.j

M.

686.

℞ Olei Ricini.....10 fGm  
 Mucilaginis.....10 fGm  
 Tinct. Opii.....5 fGm  
 Tinct. Rhei Arom.....10 fGm  
 Aquæ Menthae Pip.....65 fGm

M. S. Dose: 5 fGm.

687.

℞ Olei Ricini.....f℥v  
 Mucil. Chondri.....f℥v  
 Tinct. Vannillæ.....f℥iiij  
 Syrupi.....f℥iiij  
 Aquæ.....ad fāxvj

M. f. emulsio.

[N.F.]

688.

℞ Olei Ricini,  
Glycerini.....āā 50 C.c.

M.

689.

℞ Olei Ricini.....f3vj  
Olei Limonis.....℥℥ x  
Olei Caryoph.....℥℥ ij  
Syrupi.....f̄iss  
Liquoris Potassæ.....f̄ij  
Aquæ Aurantii Flor.... q.s. ad f̄ij

M.

[Castor Oil Mixture; B.P.]

690.

℞ Cetacei.....5 Gm  
Tragacanthæ.....2 Gm  
Alcohol.....q.s.  
Syrupi.....25 C.c.  
Aquæ.....q.s. ad 150 C.c.

M. f. emulsio.

691.

℞ Ceræ.....3 Gm  
Vitelli Ovi.....2 Gm  
Sacchari.....6 Gm  
Aquæ.....140 C.c.

M. f. emulsio.

692.

℞ Camphoræ.....1 Gm  
Tragacanthæ.....1 Gm  
Syrupi.....10 C.c.  
Aquæ.....50 C.c.

M. f. emulsio.

693.

℞ Olei Terebinth.... 10 C.c.  
Acaciæ.....10 Gm  
Syrupi.....20 C.c.  
Aquæ.....q.s. ad 100 C.c.

M. f. emulsio.

694.

- ℞ Olei Tereb.....10 C.c.  
 Aquæ q.s.ut f. emulsionis.....100 C.c.  
 M. s. art.

695.

- ℞ Camphoræ..... ℥j  
 Alcohol .....q.s. ut fiat pulvis.  
 Dein adde:—  
 Pulveris Acaciæ,  
 Sacchari Albi.....āā ℥j  
 Aquæ Cinnamomi.....f℥j  
 Fiat mistura.

696.

- ℞ Olei Terebinth.....f℥ss  
 Acaciæ.....gr. xxx  
 Vitellum Ovi Unius,  
 Elixir Aurantii.....f℥ss  
 Aquæ Cinnamomi.....q.s. ad f℥iv  
 M. f. emulsio.

[N.F.]

697.

- ℞ Olei Terebinth... f℥ss  
 Tragacanthæ.....gr. xxx  
 Syrupi.....f℥j  
 Aquæ.....q.s. ut fiat f℥iv  
 M.

698.

- ℞ Olei Terebinthinæ.....f℥ij  
 Olei Ricini.....f℥iv  
 Tincturæ Cardamomi Compositæ.....f℥j  
 Mucilaginis Acaciæ,  
 Aquæ Destillatæ.....āā q.s ad f℥ij  
 Misce et fiat emulsio.

699.

- ℞ Terebeni.....℥iv  
 Pulv. Acaciæ.....℥iij  
 Syr. Zingiberis.....f℥viiss  
 Aquæ.....f℥xv  
 M.

700.

℞ Olei Terebinthinæ.....f̄ij  
 Olei Amygdalæ Expressi.....f̄ij  
 Tinct. Opii Deod.....f̄ss  
 Mucil. Acaciæ.....f̄ij  
 Aquæ Laurocerasi.....ad f̄ij

M.

701.

℞ Olei Terebinthinæ,  
 Oleoresinæ Filicis Maris.....āā ʒj  
 Mucilaginis Acaciæ.....f̄ij

M. f. emulsio.

702.

℞ Scammonii.....gr.vj  
 Lactis.....f̄ij

Fiat mistura.

[B.P.]

703.

℞ Guaiaci Res.,  
 Sacchari.....āā 3 Gm  
 Acaciæ.....1,500 mGm  
 Aquæ Cinnam.....120 C.c.

F. mistura.

[B.P.]

704.

℞ Creasoti.....1 C.c.  
 Mucilaginis,  
 Syrupi.....āā 50 C.c.

M.

705.

℞ Guaiaco.....℥ xij  
 Olei Morrhuæ.....f̄iv  
 Acaciæ.....ʒiv  
 Spir. Vini Gallici.....f̄ij  
 Aquæ.....q.s. ad f̄xij

M. S. Dose two tablespoonfuls three times daily.



706.

℞	Chloroformi.....	f3j
	Olei Amygd. Dule.....	f3iss
	Tragacanthæ.....	gr.xviii
	Aquæ.....	q.s. ad f3iij

M.

707.

℞	Chloroformi.....	4 Gm
	Camphoræ.....	1 Gm
	Vitelli Ovi.....	5 Gm
	Aquæ.....	40 C.c.

M

[U.S.P.]

708.

℞	Hypnori.....	f3j
	Olei Amygd. Dule.....	f3j
	Acaciæ.....	3iv
	Syr. Tolut.....	f3j
	Aquæ.....	ad f3iij

M

709.

℞	Amyleni Hydratis.....	f3iv
	Acaciæ.....	3iij
	Aquæ.....	f3iv
	Extr. Glycyrrh. Fl.....	f3iv
	Aquæ.....	ad f3iij

M.

710.

℞	Sulphonal.....	3j
	Acaciæ,	
	Tragacanthæ.....	āā gr.x
	Syrupi.....	f3j
	Aquæ Aurantii Flor.....	ad f3iij

M. Take one-half at bedtime.

711.

℞	Extracti Cimicifugæ Fluidi.....	f3iss
	Mucilaginis Acaciæ.....	f3j
	Aquæ Destillatæ.....	f3iiiss

M.

## 712.

- ℞ Tincturæ Cannabis Indicæ..... f̄vj  
 Syrupi Acaciæ..... f̄iss  
 Aquæ Destillatæ..... q.s. ad f̄vj  
 M.

## 713.

- ℞ Tinct. Cannabis Ind..... f̄iv  
 Tinct. Digitalis..... f̄j  
 Extr. Taraxaci..... 3iv  
 Ammonii Chloridi..... ̄iv  
 Aquæ Chloroformi..... ad f̄vj  
 M.

## 714.

- ℞ Potassii Bromidi..... ̄j  
 Tincturæ Cannabis Indicæ..... f̄j (!)  
 Mucilaginis Acaciæ..... f̄ij  
 Aquæ Cinnamomi..... f̄j  
 Misce et fiat haustus.

## 715.

- ℞ Ammonii Chloridi..... 5 Gm  
 Potassii Chloratis..... 5 Gm  
 Tinct. Tolut..... 10 C.c.  
 Syrupi Zingib.,  
 Aquæ..... āā 75 C.c.  
 M.

## 716.

- ℞ Extr. Cannab. Ind. Fl..... f̄ij  
 Pot. Brom..... ̄j  
 Morph. Sulph..... gr.ij  
 Aquæ..... q.s. ad f̄3viiij  
 M. D. S. A dessertspoonful.

## 717.

- ℞ Tinct. Cannab. Ind..... f̄j  
 Potassii Bromidi,  
 Chloral..... āā ̄ss  
 Extr. Hyoscyami..... gr.ij  
 Aquæ..... q.s. ad f̄j  
 M.

## 718.

- ℞ Extr. Cubebæ Fl.....fʒj  
 Extr. Buchu Fl.....fʒj  
 Aquæ Menthæ Pip.....fʒiv

M.

## 719.

- ℞ Extracti Buchu Fluidi,  
 Extracti Uvæ Ursi.....āā fʒij  
 Syrupi Acaciæ.....fʒss  
 Aquæ Menthæ Viridis.....fʒj

M.

## 720.

- ℞ Olei Santali.....fʒij  
 Olei Copaibæ.....fʒss  
 Tinct. Cubebæ.....fʒj  
 Olei Menthæ Pip.....℥xij  
 Alcohol.....fʒij  
 Tinct. Buchu.....fʒj  
 Decocti Pareiræ,  
 Inf. Uvæ Ursi.....āā fʒv

M.

## 721.

- ℞ Potassii Iodidi.....ʒiss  
 Tinct. Cimicifugæ.....fʒj  
 Tinct. Guaiaci Ammon.....fʒj  
 Tinct. Nucis Vomicae.....fʒiss  
 Aquæ Chloroformi.....ad fʒiv

M.

## 722.

GRAMMES.

- |                          |     |
|--------------------------|-----|
| ℞ Ammonnii Chloridi..... | 5   |
| Pot. Chloratis.....      | 5   |
| Syr. Senegæ.....         | 20  |
| Syr. Ipecac.....         | 20  |
| Syr. Tolut.....          | 50  |
| Extr. Glycyrrh. Fl.....  | 5   |
| Tinct. Cubebæ.....       | 5   |
| Aquæ.....                | 100 |

M.

723.

℞ Tinct Cannab. Ind. .... 25 C.c.  
 Spir. Menthæ Pip. .... 2 C.c.  
 Glycerini. .... 173 C.c.

M.

724.

℞ Olei Copaibæ. .... fʒij  
 Tinct. Cubebæ. .... fʒj  
 Acaciæ. .... q.s.  
 Syrupi Zingiberis. .... fʒj  
 Aquæ. .... q.s. ad fʒiv

M.

725.

℞ Tinct. Asafœtidæ,  
 Tinct. Valer. Ammon.,  
 Tinct. Castorei. .... āā fʒij  
 Aquæ Camph. .... fʒvi

M.

726.

℞ Sulphuris Præcip. .... 5 Gm  
 Acaciæ. .... 5 Gm  
 Syrupi,  
 Aquæ Fœniculi. .... āā 40 C.c.

M.

727.

℞ Pulv. Cretæ Comp. .... 10 Gm  
 Aquæ Cinnam. .... 20 C.c.  
 Aquæ. .... 20 C.c.

M.

[U.S.P.]

728.

℞ Elix. Paregor. .... 15 fGm  
 Tinct. Catechu Comp. .... 15 fGm  
 Mist. Cretæ Comp. .... 70 fGm

M.

729.

℞ Liquoris Potassæ. .... ℥xx  
 Misturæ Cretæ. .... fʒj  
 Tincturæ Calumbæ. .... fʒj

Misce et fiat haustus.

## 730.

R	Pulveris Aromatici.....	3iij
	Spiritus Ammonii Aromatici.....	f̄iij
	Tincturæ Catechu.....	f3x
	Tincturæ Cardamomi Compositæ.....	f̄vj
	Tincturæ Opii Deodoratæ.....	f3j
	Misturæ Cretæ.....	q.s. ad f̄xx

M.

## 731.

R	Magnes. Sulph.....	10 Gm
	Magnes. Carb.....	.3 Gm
	Rhei.....	.5 Gm
	Aquæ Menthæ Pip.....	100 C.c.

M.

## 732.

R	Magnesium Carbonatis.....	3j
	Sodii Biboratis,	
	Acidi Citrici.....	āā 3ij
	Aquæ Bullientis.....	ad f̄3viiij

M.

## 733.

R	Magnesium Carb.....	.5 Gm
	Tinct. Asafœtidæ.....	.8 C.c.
	Tinct. Opii.....	.1 C.c.
	Sacchari.....	10 Gm
	Aquæ.....	q.s. ad 100 C.c.

M.

[Dewee's Carminative.]

## 734.

R	Magnesium Carb.....	3iv
	Potassii Carb.....	gr.xij
	Sacchari.....	5iiss
	Tinct. Opii.....	f̄iiss
	Olei Cari.....	℥j
	Olei Fœniculi.....	℥j
	Olei Menthæ Pip.....	℥j
	Aquæ.....	q.s. ut f. f̄iv

M.

[Dalby's Carminative.]

## 735.

℞ Rhei ..... ℥j  
 Cinnamomi ..... ʒij  
 Magnesiae ..... ℥ij  
 Aquæ ..... ad f̄iv

M.

## 736.

℞ Liqu. Potassii Arsenitis ..... ℥v  
 Massæ Ferri Carb. .... gr.v  
 Vini Xerici ..... f̄j  
 Aquæ Destillatæ ..... q.s. ad f̄jss

M.

## 737.

℞ Moschi ..... gr.iiij  
 Camphoræ ..... gr.xv  
 Chloral Hydratis ..... gr.viiss  
 Vitelli Ovi ..... No.j  
 Aquæ Destillatæ ..... f̄iv̄vj

M.

## 738.

℞ Mucunæ ..... ℥j  
 Syrupi Simplicis ..... ℥ss

M.

## 739.

℞ Pelletierinæ Tannatis .... gr.vij  
 Syr. Simplicis ..... f̄ss

M.

## 740.

℞ Pulveris Kamakæ ..... gr.viiij  
 Syrupi Aurantii Florum ..... f̄ss  
 Mucilaginis Tragacanthæ ..... ℥j  
 Aquæ Destillatæ ..... f̄j

Misce et fiat haustus.

## 741.

℞ Pulveris Ergotæ ..... ℥ss  
 Syrupi Simplicis ..... f̄ss  
 Aquæ Menthæ Piperitæ ..... f̄j

M.

## 742.

℞	Resinæ Podophylli.....	1
	Sodii Bicarb.....	10
	Extr. Rhei Fl. ....	10
	Aquæ Camph.....	100
	Inf. Gent. Comp. ....	140

M.

## 743.

℞	Potassii Bitartratis .....	ʒij
	Mucilaginis Acaciæ .....	fʒj
	Spiritus Ætheris Nitrosi,	
	Extracti Taraxaci Fluidi, .....	āā fʒss
	Aquæ Destillatæ.....	fʒij

M.

## 744.

℞	Pepsini .....	gr.xvi
	Bism. Subnitr.....	ʒij
	Magn. Carb.....	gr.xxiv
	Pulv. Arom.....	gr.viiij
	Aquæ .....	ad fʒiv

M.

## 745.

℞	Sodii Bicarb.....	ʒj
	Bism. Subnitr.....	ʒij
	Pulv. Aromat.....	ʒiss
	Mucil. Acaciæ .....	fʒj
	Aquæ Menthæ Pip.....	fʒij

Misce. Signa: Cochl. parv. ter intra diem.

## 746.

℞	Bismuthi Subnitr.....	gr.xl
	Pot. Bromidi.....	gr.xxx
	Acidi Hydrocyan. Dil. ....	gtt.x
	Spir. Chloroformi .....	gtt.xl
	Mucilaginis .....	fʒj
	Aquæ.....	fʒiiij

M. S. Two tablespoonfuls for a dose. To be well shaken.

## 747.

- ℞ Tinct. Opii Deodoratæ.....gtt.xvj  
 Spir. Ammoniã Aromat. ....fʒj  
 Bismuthi Subnitratis.....ʒij  
 Syrupi Simplicis.....fʒiv  
 Mist. Cretæ .....fʒiss

M.

## 748.

- ℞ Bism. Subnitr.....ʒij  
 Magnesiã .....ʒj  
 Tinct. Gent. Comp. ....fʒj  
 Aquæ.....ad fʒviiij

M.

## 749.

GRAMMES.

- ℞ Bism. Subnitr.....15  
 Acidi Hydrocyan. Dil. ....3  
 Tinct. Gent. Comp.....40  
 Syr. Zingiberis.....60  
 Spir. Ammoniã Arom.....15  
 Aquæ .....80

M.

## 750.

- ℞ Sodii Bicarb.....ʒj  
 Pulv. Rhei, .....ʒss  
 Spir. Menthæ Pip.,.....fʒij  
 Aquæ, .....q. s. ad fʒiv

M.

## 751.

- ℞ Tinct. Krameriã,  
 Mucilaginis .....āā 30 C.c.

M.

## 752.

- ℞ Liquoris Ferri Dialys.....fʒiv  
 Syrupi .....fʒj  
 Mucilaginis .....fʒiv

M.



## 753.

- ℞ Olei Gaultheriæ ..... f̄ij  
 Acidi Salicylici ..... gr.lxxx  
 Sodii Boratis ..... ʒj  
 Syr. Picis Liquidæ ..... f̄ij  
 Aquæ Anisi ..... f̄ij  
 M. S. A dessertsp. every 2 hours.

## 754.

- ℞ Tinct. Opii Camph. .... f̄ij  
 Tinct. Benz. Comp. .... f̄ij  
 Syrupi ..... f̄ij  
 M.

## 755.

- ℞ Extr. Glycyrrh. .... ʒj  
 Liqueoris Potassæ ..... f̄ij  
 Syr. Aurantii ..... f̄vj  
 Aquæ ..... ad f̄vj  
 M.

## 756.

- ℞ Syrup. Prun. Virg.,  
 Syrup. Ipecac. .... āā f̄ss  
 Morph. Sulph. .... gr.j  
 Aquæ Anisi ..... f̄ij  
 M.

## 757.

- ℞ Tinct. Opii Camph. .... 20 C.c.  
 Spir. Ammon. Arom. .... 30 C.c.  
 Syr. Pruni Virg. .... 40 C.c.  
 Extr. Ipecac. Fl. .... 3 C.c.  
 Extr. Glycyrrh. Fl. .... 10 C.c.  
 Aquæ Anisi ..... 100 C.c.  
 M.

## 758.

- ℞ Quin. Sulph. .... ʒj  
 Morph. Acet. .... gr.vj  
 Olei Sassafras ..... gtt.ij  
 Syr. Simpl. .... f̄vss  
 M.

759.

R	Ammonii Chloridi .....	5
	Spir. Ætheris Comp.....	40
	Syr. Pruni Virg.....	120
	Aquæ.....	40

M.

760.

R	Ammonii Chloridi,	
	Ammonii Carb.....	āā ij
	Tinct. Hyoscyami.....	fij
	Syr. Acaciæ.....	ad fiv

M.

761.

R	Pot. Nitratis.....	10 Gm
	Vin. Colch. Sem.....	100 fGm
	Extr. Cimicifugæ Fl.....	100 fGm
	Syrupi.....	150 fGm
	Aquæ.....	q.s ad 500 fGm

M.

762.

R	Liqu. Morph. Sulph.,	
	Spir. Ætheris Comp.....	āā 50 C.c.

M.

763.

R	Paraldehydi.....	f3vj
	Mucilag. Acaciæ,	
	Spir. Viri Gallici.....	āā fīij

M. Sig.: Shake the vial. A tablespoonful to induce quiet and sleep; repeat in an hour if necessary.

764.

R	Tinct. Opii Deod.....	fij
	Sodii Bromidi.....	īij
	Chloral Hydrat.....	īiss
	Syr. Acaciæ.....	fīj
	Aquæ.....	q. s. ad. fīij

M. S. A dessert-spoonful in water every four hours.

## 765.

℞	Acidi Gallici.....	3 Gm
	Magnesii Sulph.....	20 Gm
	Acidi Sulph. Dil.....	2 C.c.
	Extr. Ergotæ Fl.....	5 C.c.
	Aquæ Cinnam.....	q. s. ut f 200 C.c.

M.

## 766.

℞	Tinct. Myrrhæ.....	f̄ij
	Morph. Acet.....	gr.ij
	Acidi Tannici.....	̄j
	Spir. Cinnamomi.....	f̄iv
	Syr. Tolutani.....	f̄j

M.

## 767.

℞	Syr. Scillæ,	
	Syr. Ipecac,	
	Tinct. Opii Camph.,	
	Glycerini.....	āā 30 C.c.

M.

## 768.

℞	Ammonii Chloridi,	
	Extr. Glycyrrh. Puri.....	āā ʒiss
	Aquæ.....	q. s. ad f̄viiij

M.

## 769.

℞	Tinct. Sennæ Comp.....	f̄j
	Tinct. Aloes et Myrrhæ.....	f̄ʒj
	Extr. Caulophylli Fl.....	f̄ij
	Extr. Cypripedii Fl.....	f̄iiij
	Glycerini.....	f̄ʒij

M.

## 770.

℞	Tinct. Capsici.....	f̄j
	Tinct. Benzoini Comp.....	f̄ʒj
	Tinct. Opii Camph.....	f̄ʒj
	Syr. Tolutani.....	f̄ʒij

M.

## 771.

- R Morph. Sulph..... gr. j  
Spir. Mindereri..... f̄ij

M.

## 772.

- R Extr. Glycyrrh. Puri..... 20 Gm  
Aquaæ Fœniculi..... 60 C.c.  
Olei Anisi..... 500 mGm  
Alcohol..... 17 C.c.  
Aquaæ Ammoniaæ..... 3 C.c.

M.

## 773.

- R Chloroformi..... f̄ij f̄ij  
Ætheris..... f̄ij  
Alcohol..... f̄ij  
Syrupi Fusci..... f̄iv  
Extr. Glycyrrh. Puri..... f̄vj  
Morph. Hydrochlor..... gr. ii j  
Olei Menthae Pip..... gr. v j  
Acidi Hydrocyan. Dil..... f̄vj  
Syrupi..... q. s. ad f̄x

M.

## 774.

- R Potassii Carb..... gr. iv  
Olei Sassafras..... gr. j  
Tinct. Opii..... ℥. xxx  
Alcohol..... ℥. xl  
Syrupi Fusci..... f̄vj  
Aquaæ..... q. s. ad f̄ij

M.

[Godfrey's Cordial.]

## 775.

- R Olei Menthae Pip..... gr. xxx  
Alcohol..... f̄iv  
Vini Opii Crocati..... f̄ij  
Extr. Ipecac Fl..... f̄ss  
Tinct. Valer..... f̄j

M.

[Thielemann's Cholera Drops.]

## 776.

℞	Chloroformi.....	f̄iij
	Tinct. Opii,	
	Spir. Camphoræ,	
	Tinct. Capsici.....	āā f̄ij
	Alcohol.....	f̄xiij

M.

[Squibb's Diarrhœa Mixture.]

## 777.

℞	Aquæ Camphoræ.....	f̄iij
	Tinct. Lavand. Co.....	f̄ij
	Sacchari.....	3j

M.

[Parrish's Camphor Mixture.]

## 778.

℞	Tinct. Opii,	
	Tinct. Catechu Comp.,	
	Spir. Camphoræ.....	āā 10 C.c.

M.

[Velpeau's Diarrhœa Mixture.]

## 779.

℞	Extr. Rhei Fl.....	℥.xx
	Extr. Ipecac. Fl.....	℥.iv
	Sodii Bicarb.....	᠑ij
	Glycerini.....	f̄ij
	Aquæ Menthæ Pip.....	q.s. ad f̄ij

M.

[Squibb's Rhubarb Mixture.]

## 780.

℞	Chloral.....	5j
	Potassii Bromidi.....	5j
	Extr. Cannabis Ind.....	gr.iv
	Extr. Hyoscyami.....	gr.iv
	Alcohol.....	f̄ij
	Aquæ.....	s.q. ad f̄iv

M.

[N.F.]

781.

R	Extr. Glycyrrh. Puri.....	3 Gm
	Sacchari .....	3 Gm
	Acaciæ .....	3 Gm
	Tinct. Opii. Camph .....	12 C.c.
	Vini Antimonii.....	6 C.c.
	Spir. Ætheris Nitrosi. ....	4 C.c.
	Aquæ.....	70 C.c.

M.

[U.S.P.]

782.

R	Sodii Bicarb .....	3 Gm
	Extr. Rhei Fluidi .....	3 C.c.
	Spir. Menthæ Pip.....	3 C.c.
	Aquæ .....	q.s. ad 100 C.c.

M.

[U.S.P.]

783.

R	Chloroformi.....	f̄j
	Olei Menthæ Pip.....	℥.iv
	Tinct. Cannabis Ind.....	f̄j
	Extr. Bellad. Fl.....	f̄j
	Tinct. Opii Deod.....	f̄xj
	Tinct. Capsici.....	f̄iv
	Extr. Glycyrrh. Puri.....	℥lj
	Aquæ.....	f̄j
	Syrupi.....	q. s. ad f̄viiij

M.

[Chloroform Anodyne.]

784.

R	Tinct. Opii,	
	Tinct. Capsici,	
	Tinct. Rhei,	
	Spir. Camphoræ,	
	Spir. Menthæ Pip.....	℥ā 10 C.c.

M.

[Sun Cholera Mixture.]

785.

- ℞ Sodii Bicarb ..... gr. lxxx  
 Spir. Ammon. Arom ..... ℥. xv  
 Aquæ Menthæ Vir ..... q.s. ad f̄iv

M.

[Soda Mint.]

786.

- ℞ Vini Ipecac,  
 Tinct. Opii ..... āā 5 fGm  
 Spir. Ætheris Nitrosi ..... 90 fGm

M.

787.

- ℞ Spir. Aetheris Nitrosi ..... f̄ij  
 Tinct. Tolut ..... f̄iv  
 Tinct. Camph. Comp ..... f̄ij

M.

788.

- ℞ Syr. Prun. Virg ..... f̄ij  
 Acid. Hydrocyan. Dil ..... f̄ss  
 Syr. Scillæ ..... f̄ij  
 Tinct. Thebaicæ ..... f̄ij

M.

789.

- ℞ Succī Limonis ..... 100 C.c.  
 Potassii Bicarb ..... q.s. ad saturandum

Fit solutio.

[U. S. P.]

790.

- ℞ Potassii Bicarb ..... ʒiij  
 Syr. Limonis ..... f̄ij  
 Aquæ ..... ad f̄xij

M.

791.

- ℞ Acidi Acet. Dil ..... f̄iv  
 Ammonii Carb ..... q.s. ad sat.

M.

[Spir. Mindereri.]

792.

℞ Tinct. Tolutanæ.....f̄ij  
 Syr. Senegæ.....f̄iv  
 Acidi Acetici.....f̄iss  
 Syr. Pruni Virg.....ad f̄iv

M. Sig. A teaspoonful as required.

793.

℞ Acidi Citrici.....4 Gm  
 Aquæ.....190 C.c.

Fit solutio; dein adde:—

Sodii Carbonatis.....9 Gm

Solve.

[Ph. Su.]

794.

℞ Aceti Op i.....℥xl  
 Spir. Aetheris Comp.....f̄j  
 Syr. Zingiberis.....f̄j  
 Aquæ Menthae Pip.....f̄ij

M.

795.

℞ Pot. Citrat.....℥j  
 Sodii Bicarb.....℥v  
 Syr. Limonis.....f̄j  
 Aquæ.....ad f̄iv

M. S. A teaspoonful every two hours.

796.

℞ Liq. Ammonii Acetat.....f̄ss  
 Syr. Ipecac.....f̄j  
 Liq. Morph. Sulph.....℥xl  
 Syr. Acacia.....f̄j  
 Aquæ.....f̄iss

M.

797.

℞ Acidi Salicylici.....℥ij  
 Ammonii Carbonat.....℥v  
 Syrupi Simplicis.....f̄ij  
 Aquæ.....ad f̄vii

M.



## 798.

℞	Ammonii Carb.....	gr.vj
	Vini Ipecac.....	f̄ij
	Vini Antimonii.....	f̄ij
	Syrupi Scille.....	f̄ij
	Syrupi Rubi Idæi.....	f̄iv
	Aquæ.....	ad f̄iss

M.

## 799.

℞	Ammonii Carbonat.....	gr.xl
	Inf. Serpentariæ.....	f̄iv

M. S. A tablespoonful every 3 hours.

## 800.

℞	Ammonii Carb.....	℥ij
	Spir. Chloroformi.....	f̄ss
	Inf. Senegæ.....	f̄viiij

M.

## 801.

℞	Ammon. Carb.....	gr.xxiv
	Syr. Tolut.....	f̄vj
	Spir. Vini Gall.....	f̄iiij
	Syr. Senegæ.....	f̄iiiiiss
	Syr. Acaciæ.....	f̄iiij

M.

## 802.

℞	Ammonnii Carb.....	℥j
	Syrupi Tolut.....	f̄vj
	Tinct. Tolut.....	f̄iiij
	Vini Ipecac.....	f̄ij
	Spir. Chloroformi.....	f̄iiij
	Inf. Senegæ.....	ad f̄xij

M.

## 803.

℞	Acidi Salicylici.....	℥iiij
	Potassii Bicarbonatis.....	℥vj
	Aquæ.....	f̄ij

M.

804.

℞ Acidi Salicylici,  
 Ammon. Carb.,  
 Pot. Iodidi,  
 Chloral..... ʒss 5 Gm  
 Extr. Colch. Sem. Fl..... 5 C.c.  
 Aquæ..... q.s. ad 200 C.c.

M.

805.

℞ Acidi Salicyl..... 10 Gm  
 Pot. Acet..... 20 Gm  
 Glycerini..... 30 C.c.  
 Aquæ..... q.s. ad 200 C.c.

M.

806.

℞ Acidi Salicylici..... 10 Gm  
 Pot. Iodidi..... 5 Gm  
 Syr. Pruni Virg..... 50 C.c.  
 Sol. Ammon. Acet..... q.s. ad 200 C.c.

M.

807.

℞ Sodii Phosphatis..... ʒiiss  
 Aquæ Ferventis..... fʒiij

Solve, et adde:—

Acidi Salicylici..... ʒiiss

M.

808.

℞ Iodi..... gr.iss  
 Potassii Iodidi..... gr.iiij  
 Tinct. Aurantii..... fʒiij  
 Syrupi..... fʒv  
 Aquæ..... fʒiij

M.

809.

℞ Acidi Salicylici..... ʒiij  
 Sodii Boratis..... gr.xv  
 Aquæ Menthæ Pip..... ad fʒv

M. f. sol.

## 810. -

℞ Urethani ..... ʒij  
 Syrupi ..... fʒij  
 Aquæ ..... ad fʒiv

M.

## 811.

℞ Terpini Hydratis ..... ʒj  
 Glycerini,  
 Alcohol,  
 Syrupi ..... āā fʒij

Fit solutio.

## 812.

℞ Methylal ..... fʒij  
 Syr. Amantii Flor. .... fʒj  
 Aquæ ..... q. s. ad fʒij

M.

## 813.

℞ Antipyrini ..... ʒiv  
 Aquæ ..... fʒiv  
 Syr. Aurantii Flor ..... ad fʒvj

M.

## 814.

℞ Acidi Nitro-Muriatici Dil. .... ʒij  
 Tinct. Gentianæ Comp.,  
 Tinct. Cinchonæ Comp. .... āā fʒj  
 Elixir Curacoæ ..... ad fʒiij

M.

## 815.

℞ Acidi Nitrici Dil.,  
 Acidi Hydrochlor. Dil. .... āā ʒxl  
 Infusi Serpentariæ ..... fʒviiij

M.

## 816.

℞ Quin. Sulph. .... 5 Gm  
 Acidi Sulph. Dil. .... 5 C.c.  
 Aquæ ..... 190 C.c.

M. f. sol.

817.

℞ Cinchoninæ Sulph. .... ℥ij  
 Tinct. Ferri Chlor. .... f̄v  
 Aquæ ..... f̄viiij

M.

818.

℞ Quin. Sulph. .... ʒi  
 Inf. Rosæ Acid. .... f̄viiij

M. f. sol.

819.

℞ Quin. Sulph. .... 2 Gm  
 Acid. Sulph. Dil. .... q.s.  
 Elix. Aurantii ..... 200 C.c.

Fiat solutio.

820.

℞ Quininæ Sulphatis ..... gr.vj  
 Acidi Tartarici ..... gr.iiij  
 Syrupi Simplicis ..... f̄j

M.

821.

℞ Quin. Sulph. .... ʒiv  
 Extr. Glycyrrh. Fl. .... f̄j  
 Syrupi,  
 Aquæ ..... āā f̄iiiss

M. S. A tablespoonful 3 times daily.

822.

℞ Quin. Hydrochlor. .... 4 Gm  
 Extr. Glycyrrh. .... 10 Gm  
 Aquæ ..... 100 C.c.  
 Syrupi ..... 50 C.c.

M.

823.

℞ Quin. Sulph. .... 2 Gm  
 Potassii Iodidi ..... 2 Gm  
 Acidi Citrici ..... 2 Gm  
 Aquæ ..... 100 C.c.

M.

824.

R̄	Acidi Sulph. Arom .....	fʒij
	Tinct. Cinch. Comp .....	fʒj
	Glycerini.....	fʒj
	Aquæ Destill.....	fʒij
	Quin. Sulph.....	ʒss

M.

825.

R̄	Quin. Sulph.....	2 Gm
	Pot. Chloratis .....	20 Gm
	Tinct. Ferri Chlor .....	30 C.c.
	Glycerini.....	100 C.c.
	Syrupi.....	50 C.c.

M.

826.

R̄	Cinchonid. Sulph. ....	5 Gm
	Pot. Iodidi.....	5 Gm
	Acidi Citrici.....	5 Gm
	Syrupi Aurantii .....	100 C.c.
	Aquæ.....	150 C.c.

Fiat solutio.

827.

R̄	Quin. Sulph .....	3.50 Gm
	Ferri Phosph .....	3.50 Gm
	Strychninæ.....	100 mGm
	Acidi Phosph. Dil .....	30 C.c.
	Syr. Zingiberis .....	100 C.c.
	Aquæ.....	120 C.c.

M. f. Sol.

828.

R̄	Ammonii Carb.....	ʒj
	Extr. Senegæ Fl.....	fʒij
	Extr. Scillæ Fl.....	fʒij
	Tinct. Opii Camph.....	fʒiss
	Aquæ.....	fʒv
	Syrupi Tolut.....	q.s. ad fʒviiij

M.

[Stokes' Expectorant.]

829.

℞ Quin. Sulph. .... 2 Gm  
 Tinct. Ferri Chlor. .... 20 C.c.  
 Spir. Chloroformi .... 30 C.c.  
 Glycerini .... 150 C.c.

M

830.

℞ Quin. Sulph.,  
 Potassii Bromidi,  
 Acidi Citrici. .... āā 2 Gm  
 Aquæ. .... 100 C.c.

M.

831.

℞ Quin. Sulph. .... ʒj  
 Pot. Bromidi. .... ʒj  
 Syr. Pruni Virg. .... fʒiv  
 Aquæ. .... ad fviij

M.

832.

℞ Quininae Sulph. .... 5 Gm  
 Tinct. Ferri Chlor. .... 20 C.c.  
 Glycerini .... 10 C.c.  
 Elix. Aurantii. .... 170 C.c.

M.

833.

℞ Quininae Sulph. .... ʒj  
 Ferri Pyrophosph. .... ʒj  
 Strychn. Sulph. .... gr. j  
 Acidi Phosph. Dil. .... fʒij  
 Syrupi Zingiberis. .... fʒij  
 Aquæ. .... q.s. ad fʒiv

M. ft mistura.

834.

℞ Extr. Chiratae Fl. .... fʒiss  
 Tinct. Ferri Chlor. .... fʒss  
 Syr. Aurantii. .... fʒij

M.

835.

℞	Quin. Sulph.....	5 Gm
	Spir. Ætheris Nitrosi.....	35 C.c.
	Acidi Sulph. Dil.....	q.s.
	Sodii Salicyl .....	4 Gm
	Aquæ.....	70 C.c.

M.

836.

℞	Sodii Salicyl.....	℥iss
	Quin. Sulph.....	gr.iiij
	Liqu. Ammon. Acet. ....	f℥j
	Syr. Tolut.....	ad f℥iiij

M.

837.

℞	Ferri Sulph.,	
	Quin. Sulph.....	āā gr.xxv
	Acidi Nitrici .....	gr.xxxv
	Potassii Nitratis .....	gr.lxxv
	Aquæ.....	q.s. ad f℥iv

M.

[Gadberry's Mixture.]

838.

℞	Tinct. Ferri Chloridi,	
	Tinct. Gentianæ.....	āā f℥iv
	Syrupi,	
	Aquæ.....	āā f℥ij

M.

839.

℞	Tinct. Ferri Chloridi,	
	Tinct. Quassiae .....	āā f℥iv
	Aquæ,	
	Syrupi.....	āā f℥ij

M.

840.

℞	Liquoris Ammon. Acet.....	f℥iiij
	Tinct. Ferri Chlor.....	f℥j

M.

841.

℞ Tinct. Ferri Chloridi.....f̄3iv  
 Tinct. Aurantii.....f̄3ij  
 Syrupi,  
 Aquæ.....āā f̄3iij

M.

842.

℞ Tinct. Ferri Chlor.....f̄3iv  
 Tinct. Cinch. Comp.....f̄3iiss  
 Syrupi.....f̄3ij  
 Aquæ.....ad f̄3vj

M.

843.

℞ Potassii Iodidi.....3iv  
 Tinct. Ferri Chloridi.....f̄3iv  
 Potassii Citratis.....3iv  
 Aquæ.....f̄3ij  
 Syrupi Tolut.....f̄3j

M.

844.

℞ Tinct. Ferri Chloridi.....f̄3ij  
 Acidi Phosph. Dil.....f̄3ij  
 Cinchonid. Sulph.....gr.xl  
 Strychn. Sulph.....gr.iiss  
 Aquæ Distill.....f̄3iij  
 Syr. Limonis.....f̄3iiss

M.

845.

℞ Tinct. Ferri Chlor.....5 C.c.  
 Sol Ammon. Acet.....5 C.c.  
 Acid. Acet. Dil....150 C.c.

M.

846.

℞ Tinct. Ferri Chlor.....f̄3iv  
 Liqu. Pot. Arsen.....f̄7j  
 Mucilaginis.....f̄3iv  
 Aquæ.....f̄3j

M.



847.

℞	Liquoris Acidi Arsenosi.....	2 C.c.
	Tinct. Ferri Chloridi.....	5 C.c.
	Aquæ.....	q. s. ad 60 C.c.

M.

848.

℞	Tinct. Ferri Chlor.....	2 C.c.
	Liqu. Pot. Arsenitis.....	1 C.c.
	Aquæ.....	30 C.c.

M.

849.

℞	Tinct. Ferri Chloridi.....	f̄ij
	Liqu. Acidi Arsenosi.....	f̄ij
	Syr. Limonis.....	f̄ss
	Syr. Simplicis,	
	Aquæ.....	āā p. æqu. q. s. ad f̄iv

M.

850.

℞	Liqu. Acidi Arsen.....	15 C.c.
	Tinct. Ferri Chlor.....	50 C.c.
	Cinchonid. Sulph.....	10 Gm
	Strychninæ Sulph.....	100 mGm
	Syrupi Tolutani.....	100 C.c.
	Elixir Aurantii.....	100 C.c.

M. **Signa: Dose one teaspoonful.**

851.

℞	Tinct. Ferri Chloridi.....	20 C.c.
	Potassii Bromidi.....	20 Gm
	Aquæ.....	300 C.c.

M.

852.

℞	Tinct. Ferri Chlor.....	2 C.c.
	Acidi Acet. Dil.....	3 C.c.
	Liqu. Ammon. Acet.....	20 C.c.
	Elixir Aurantii.....	10 C.c.
	Syrupi.....	12 C.c.
	Aquæ.....	50 C.c.

M.

[Basham's Mixture.]

853.

- ℞ Tinct. Ferri Chlor..... 4 C.c.  
 Liqueoris Potassæ..... 20 C.c.  
 Syrupi Limonis..... 20 C.c.  
 Aquæ Chloroformi..... 100 C.c.

M.

854.

- ℞ Tinct. Ferri Chloridi..... 20 C.c.  
 Acidi Phosph. Dil..... 20 C.c.  
 Syrupi Tolut..... 200 C.c.

M.

855.

- ℞ Tinct. Ferri Chloridi..... f̄ij  
 Extr. Ergotæ Fluidi..... f̄v  
 Spir. Chloroformi..... f̄ij  
 Tinct. Quassiae..... ad f̄iv

M.

856.

- ℞ Lique. Acidi Arsenosi,  
 Lique. Dialys..... āā 1 C.c.  
 Aquæ..... 30 C.c.

M.

857.

- ℞ Liqueoris Ferri Dialys..... f̄iv  
 Liqueoris Potassii Arsen..... f̄ss  
 Aquæ..... ad f̄vj

M.

858.

- ℞ Ferri et Ammonii Citr..... 5 Gm  
 Aquæ..... 10 C.c.  
 Syrupi Limonis..... 30 C.c.  
 Mucilaginis..... 20 C.c.

M.

859.

- ℞ Ferri et Ammon. Citr..... 4 Gm  
 Lique. Pot. Arsenitis..... 4 C.c.  
 Aquæ..... 300 C.c.

M.

## 860.

℞	Ferri et Pot. Tartr.....	℥iv
	Pot. Iodidi.....	℥j
	Tinct. Cinch. Comp.....	f℥j
	Aquæ.....	f℥j

M.

## 861.

℞	Ferri Phosphatis.....	5 Gm
	Acidi Phosph. Dil.....	20 C.c.
	Aquæ,	
	Syrupi.....	āā 40 C.c.

M.

## 862.

℞	Ferri Pyrophosph.....	5 Gm
	Acidi Phosph. Dil.....	20 C.c.
	Aquæ,	
	Syrupi.....	āā 40 C.c.

M.

## 863.

℞	Potassii Iodidi.....	℥iss
	Ferri Pyrophosph.....	℥ss
	Spir. Menthæ Pip.....	f℥ss
	Syrupi.....	f℥iv

M.

## 864.

℞	Ferri et Quin. Citr.....	℥ij
	Acidi Phosph. Dil.....	f℥ij
	Aquæ.....	f℥iiss
	Syr. Zingiberis.....	f℥iv
	Tinct. Card. Comp.....	f℥j

M.

## 865.

℞	Arseni Iodidi.....	100 mGm
	Syr. Ferri Iodidi.....	25 C.c.
	Pot. Iodidi.....	10 Gm
	Syr. Tolut.,	
	Aquæ.....	āā 100 C.c.

M.

866.

℞ Hydrarg. Chloridi Corros. .... gr. iij  
 Potassii Iodidi. .... ℥ij  
 Quin. Hydrochlor. .... ℥ss  
 Syrupi ..... f℥j  
 Alcohol. .... f℥j  
 Aquæ. .... q.s. ad f℥viij

M.

867.

℞ Syr. Ferri Iodidi ..... 15 C.c.  
 Liquoris Potassæ. .... 25 C.c.  
 Aquæ. .... 80 C.c.  
 Syrupi Tolut. .... 30 C.c.

M.

868.

℞ Syr. Ferri Iodidi. .... f℥iiss  
 Potassii Iodidi. .... ℥v  
 Syr. Sarsaparillæ Comp. .... f℥j  
 Aquæ. .... q.s. ad f℥ij

M.

869.

℞ Ferri et Quin. Citr. .... ℥ss  
 Potassii Iodidi. .... ℥iss  
 Aquæ,  
 Syrupi. .... āā f℥j

M.

870.

℞ Ferri Sulph. .... 4 Gm  
 Potassii Iodidi. .... 5 Gm  
 Aquæ,  
 Syrupi. .... āā 40 C.c.

M.

871.

℞ Magnesii Sulphatis. .... ℥j  
 Ferri Sulphatis. .... gr. iv  
 Sodii Chloridi. .... ℥ss  
 Acidi Sulphurici Diluti. .... f℥j  
 Infus. Quassiae. .... q.s. ad f℥iv

M.

872.

- ℞ Tinct. Cinch. Comp..... f̄ij  
 Hydr. Chloridi Corros..... gr.ij  
 Ammonii Chloridi..... gr.xx  
 Aquæ,  
 Syrupi..... āā f̄iiss

M.

873.

- ℞ Hydrarg. Chloridi Corros..... 200 mGm  
 Pot. Iodidi..... 20 Gm  
 Tinct. Cinch. Comp.,  
 Syrupi..... āā 50 C.c.  
 Aquæ..... 100 C.c.

M.

874.

- ℞ Pot. Iodidi..... ℥iiss  
 Hydrarg. Chloridi Corros..... gr.ij  
 Alcohol..... f̄iv  
 Elix. Calisayæ..... f̄iijiss

M.

875.

- ℞ Plumbi Acet..... ℥j  
 Tinct. Opii..... f̄ij  
 Syrupi..... f̄vj  
 Aquæ..... q.s. ad f̄viiij

M.

876.

- ℞ Hydrargyri Protiodidi..... gr.ij  
 Potassii Iodidi..... ℥ij  
 Tincturæ Gentianæ Comp.,  
 Syrupi Sarsaparillæ Comp..... āā f̄ij

M.

877.

- ℞ Hydrarg. Chloridi Corros..... gr.ij  
 Ammonii Carb..... gr.v  
 Potassii Iodidi..... gr.v  
 Aquæ..... ad f̄ij

M.

878.

℞ Ferri Quin. et Strychn. Citr..... ℥ij  
 Syrupi Limonis..... f℥j  
 Vini Albi..... f℥iv

M.

879.

℞ Zinci Sulph..... gr.viiij  
 Tinct. Lavand. Comp..... f℥ij  
 Spir. Rosmarini..... f℥ij  
 Aquæ..... ad f℥viiij

M.

880.

℞ Potassii Chloratis ..... ℥j  
 Acidi Hydrochlorici ..... ℥xvj  
 Glycerini..... f℥j  
 Aquæ..... ad f℥viiij

Misce.

881.

℞ Potassii Chloratis ..... ℥j  
 Acidi Hydrochlorici Dil. .... f℥iss

Misce et adde:—

Tincturæ Ferri Chloridi ..... f℥ij  
 Aquæ Destillatæ..... q. s. ad f℥iv

M.

882.

℞ Elix. Ammon. Valer..... 120 C.c.  
 Boracis ..... 5 Gm

M.

883.

℞ Pot. Bromidi ..... ℥vj  
 Aquæ Camph. .... f℥iv

M.

884.

℞ Acidi Nitrici Fumantis..... f℥j  
 Tinct. Opii..... ℥xl  
 Aquæ Camph..... f℥viiij

M.

[Hope's Camphor Mixture.]

885.

℞ Potassii Bitartratis ..... ʒij  
 Aquæ Ferventis ..... Oij  
 Corticis Limonis,  
 Sacchari, . . . āā q. s. ad conciliandum gustum.

M.

886.

℞ Extr. Bellad. .... gr.vj  
 Pot. Iodidi ..... ʒiv  
 Vin. Colch. Rad. .... fʒiv  
 Tinct. Guaiaci Ammon.,  
 Aquæ Cinnam. .... āā ʒiv

M.

887.

℞ Acidi Salicylici ..... 5 Gm  
 Syrupi Zingiberis ..... 100 C.c.

M.

888.

℞ Pot. Bromidi ..... 20 Gm  
 Extr. Conii Fl. .... 10 C.c.  
 Aquæ ..... 90 C.c.

M.

889.

℞ Sodii Iodidi ..... gr.lxxv  
 Sodii Bromidi ..... ʒiiss  
 Sodii Chloridi ..... ʒv  
 Aquæ Destillatæ ..... fʒl

M.

890.

℞ Potassii Bromidi,  
 Sodii Bromidi,  
 Ammonii Bromidi ..... āā ʒiij  
 Potassii Iodidi,  
 Ammonii Iodidi ..... āā ʒiiss  
 Ammonii Carbonat. .... ʒj  
 Tinct. Calumbæ ..... fʒiiss  
 Aquæ ..... q. s. ad ft. fʒviiij

M.

891.

- ℞ Potassii Iodidi ..... ℥j  
 Ammonii Chloridi ..... ℥iss  
 Mist. Glycyrrhizæ Comp., ..... f℥vj

M.

892.

- ℞ Potassii Iodidi ..... ℥iij  
 Vini Colchici Sem.  
 Tinct. Opii Camph. .... āā f℥ij  
 Tinct. Stramonii ..... f℥vj  
 Tinct. Cimicifugæ ..... f℥iij

M.

893.

- ℞ Acidi Gallici ..... ℥v  
 Acidi Sulph. Dil. .... f℥j  
 Aquæ ..... ad f℥viiij

M.

894.

- ℞ Magnesii Sulphatis ..... 100 Gm  
 Extr. Sennæ Fl. .... 10 C.c.  
 Ferri Sulphatis ..... 500 mGm  
 Acidi Sulph. Dil. .... 2 C.c.  
 Aquæ Menthæ Pip. .... q. s. ut f. 200 C.c.

M. f. sol.

895.

- ℞ Acid. Sulph. Arom.,  
 Tinct. Opii Deod. .... āā 5 fGm  
 Syrupi Rubi Villosi ..... 90 fGm

M.

896.

- ℞ Tinct. Guaiaci,  
 Glycerini ..... āā f℥iss

M.

897.

- ℞ Acidi Muriatici ..... f℥j  
 Decoct. Hordei ..... Oj  
 Syrupi ..... f℥ij

M.



898.

- ℞ Sodæ Subcarb. Cryst.....℥iiss  
 Potassæ Supertart.....℥iij  
 Aquæ.....f℥viiij

Stent in lagena bene obturata per triduum et  
 deinde sit in promptu pro potu cathartico.

899.

- ℞ Inf. Sennæ.....f℥j  
 Tinct. Ejusdem et  
 Tinct. Jalapæ.....℥ā f℥j  
 Potassii Tartr. ....℥j  
 Syr. Sennæ.....f℥j

F. haustus, summo mane sumendus.

900.

- ℞ Hydrargyri Chloridi Corrosivi,.....gr.j  
 Potassii Iodidi.....gr.ij  
 Bromi.....℥iiss  
 Alcohol Diluti,.....f℥xxx

M. f. sol. S. A teaspoonful in wine or brandy as  
 often as necessary.

901.

- ℞ Mist. Amygd.....f℥j  
 Potassæ Carbonatis.....gr.x  
 Syrupi Rhœados.....f℥j

F. haust. cum cochl. succ. limon. in impetu effe-  
 vescentiæ sumend.

902.

- ℞ Sodæ Carbonatis.....℥ij  
 Ferri Sulphat.....gr.iiij  
 Magnesiae Subcarb.....℥j  
 Aquæ Puræ.....Oss  
 Acidi Sulph. Dilut.....f℥x

Infundatur primum lagena aqua; deinde immi-  
 tantur salina, et denique acidum; illico  
 obturetur lagena, et in loco frigido servetur.

903.

- ℞ Mist. Fuscæ.....f℥iv  
 M.

904.

℞ Xylol Puri.....gr.xlv  
 Mucil. Acaciæ,  
 Syr. Cinnamomi.....āā f̄iis  
 Aquæ Menthæ Pip.,  
 Aquæ Destillatæ.....āā f̄xiiss

M.

905.

℞ Propylaminæ Chloridi.....gr.xxiv  
 Aquæ Menthæ Pip.....f̄vi

M. S. A tablesp. every two or three hours.

906.

℞ Agaricinæ.....gr.x  
 Atropinæ Sulph.....gr.j  
 Acid. Sulph. Arom.....℥ 1200

Solve et filtra.

S. Dose ten drops in syrup.

907.

℞ Cupri Ammonio-Sulphat.....gr.ij  
 Syr. Aurantii Flor.....f̄j  
 Aquæ.....f̄iij

M. Sig.: Two tablespoonfuls three times day.

908.

℞ Opii Contriti .....gr.iv  
 Aquæ Bullientis.....f̄xiiss  
 Infunde per horam et cola.  
 Ad Liquoris Colati.....f̄j

Miscentur:—

Acidi Nitrici Dil.....℥x  
 Tinct. Aloes Comp.....f̄j

Fiat haustus.

909.

℞ Sol. Mag.....f̄j

Dr.

910.

℞ Spir. Mind.....f̄ij

D. S. A tablespoonful every two hours.

## PART VIII.

### MIXTURES.

#### B.

911.

℞	Hydrg. Bichlor.....	gr.iss
	Tr. Ferri Chlor.....	ʒiij
	Sol. Chlor. Arsenici.....	ʒiss
	Strych. Sulph.....	gr.iss
	Glycerin.....	ʒj
	Aquæ.....	ad ʒiv

M.

912.

℞	Pulv. Pepsinæ Cryst.....	ʒij
	Acidi Muriatici Dil.....	ʒss
	Syr. Simplicis.....	ʒj
	Aquæ.....	q. s. ad ʒiij

M.

913.

℞	Bismuth. Subnit.....	ʒiij
	Spt. Vini Gal.....	fʒvj
	Spt. Myristicæ.....	fʒss
	Syr. Acaciæ.....	fʒj
	Aq. Cinnam.....	q. s. ad fʒiij

M.

914.

℞	Podophyllin.....	gr.j
	Spts. Vini Rectif.....	ʒiss
	Syr. Althæ.....	ad ʒiv

M.

915.

℞	Tinct. Opii Deodoratæ.....	gtt.xij
	Magnesii Calcinati.....	gr.xij
	Sacchari Albi.....	ʒj
	Aquæ Anisi.....	fʒiss

M.

## 916.

℞ Tr. Digitalis.....f̄iiss  
 Spt. Chloroform.....f̄vj  
 Ex. Buchu Fl.....f̄j  
 Spt. Juniperi Comp.....q. s. ad f̄iv

M.

## 917.

℞ Acid. Gallici.....f̄ij  
 Acid Sulphuric Dil.....f̄ss  
 Tr. Lupuli.....f̄j  
 Infus. Lupuli.....ad f̄vj

M.

## 918.

℞ Ex. Buchu Fl.....f̄j  
 Potass. Citrat.....f̄ij  
 Spt. Æther Nitro.....f̄ss  
 Syr. Limonis.....q. s. ad f̄ij

M.

## 919.

℞ Ex. Buchu Fl.,  
 Ex. Uvæ Ursi.....āā f̄ij  
 Syr. Acaciæ.....f̄ss  
 Aq. Menthæ Viridis..f̄j

M.

## 920.

℞ Oleoresinæ Filicis Maris,  
 Tinct. Vanillæ.....āā ℥ xlv  
 Syr. Terebinthinæ.....f̄vij ℥ xv  
 Pulv. Acaciæ.....gr. xxx  
 Aquæ Destillatæ.....f̄vj ℥ xv

Misco.

## 921.

℞ Ferri Sulph.....f̄ss  
 Magnesii Sulph.....f̄x  
 Acidi Sulph. Dil.....f̄ij  
 Tinct. Cardam. Comp.....f̄ij  
 Syrupi,  
 Aquæ Pimentæ.....āā f̄j

M.

922.

- ℞ Olei Terebinthinæ.....f̄iiss  
 Syrupi Simplicis.....f̄ij  
 Aquæ Cinnamomi.....f̄ij  
 Olei Limonis.....℥..viiij

M.

923.

- ℞ Ol. Ricini,  
 Glycerini.....āā ʒj  
 Tinct. Aurantii.....℥xx  
 Tinct. Senegæ.....℥v  
 Aq. Cinnamomi.....ad f̄ss

M. ft. emulsio.

924.

- ℞ Terebene.....ʒijss  
 Mucl. Acaciæ,  
 Aquæ.....āā f̄ss  
 Syr. Zingiberi.....q.s. ad f̄ij

M.

925.

- ℞ Uvæ Ursæ.....ʒj  
 Lupulin.....ʒss  
 Aq. Bullient.....Oj

Dein adde:-

- Sodii Bicarb.....ʒij  
 Tinct. Opii Camph.....f̄ij

M.

926.

- ℞ Stygmataē Maydis (corn silk).....ʒiiss  
 Aquæ Bullientis.....Oij

M. f. infusum.

927.

- ℞ Quin. Sulph.....gr.xvj  
 Spir. Ætheris.....f̄ij  
 Spir. Ammon. Arom.....f̄iv  
 Tinct. Opii.....℥xxx  
 Aquæ.....ad f̄viiij

M.

928.

℞ Pelletierine Sulphatis.....gr.viiss  
 Pulv. Acidi Tannici.....gr.viiss  
 Syr. Simplicis.....f̄ij

M.

929.

℞ Ammonii Brom.....f̄ij  
 Tinct. Nucis Vom.....f̄iv  
 Spir. Chloroformi.....f̄ij  
 Magnesii Sulph.....3iv  
 Spir. Ammoniae Arom.....f̄iv  
 Syr. Zingiberis.....f̄3j  
 Aquæ Menthæ Pip.....ad f̄3vj

M.

930.

℞ Tr. Ferri Mur.....3iv  
 Tr. Digitalis.....f̄ij  
 Acid. Phosph. Dil.....3ss  
 Potass. Acet.....f̄ij  
 Aquæ.....ad f̄vj

M.

931.

℞ Syr. Hypophos. Comp.,  
 Ol. Morrhuæ.....āā f̄iv

M.

932.

℞ Ferri et Quin. Cit.....f̄j.ss  
 Potass. Citrat.....3j.ss  
 Tr. Nuc. Vomice.....℥40  
 Syr. Simpl.....f̄j  
 Aquæ.....ad 3x

M.

933.

℞ Quininae.....gr.viiij  
 Alcoholis.....f̄j

Fiat solutio. Dein adde:—

Olei Morrhuæ.....f̄iv

Solve cum leni calore.

## 934.

℞	Quin. Sulph.....	.grs. xviiij
	Sodæ Salicylas.....	ʒj
	Potass. Iodid.....	.grs. xl
	Acid. Nit. Mur. Dil.....	ʒj
	Syr. Aurant.....	ʒvj
	Aquæ.....	ʒvj

M.

## 935.

℞	Amyli Nitritis.....	fʒj
	Methylal.....	fʒix

M.

## 936.

℞	Tinct. Ferri Chlor.....	fʒiiss
	Acidi Phosph. Dil.....	fʒiiss
	Syrupi Acidi Citratis.....	q.s. ad fʒiv

M.

## 937.

℞	Bismuthi Trisnitr.....	ʒj
	Sodæ Bicarb.....	ʒiiss
	Tinct. Cardam. Comp.....	ʒiv
	Syr. Zingiberis.....	ʒj
	Aquæ.....	ad ʒviiij

M.

## 938.

℞	Chondri Crispi Electi,	
	Aquæ.....	āā q.s.
Coque ad fʒvj, cola, et adde—		
	Sodii Phosphatis.....	ʒiiss
	Syrupi Papaveris.....	fʒij

M.

## 939.

℞	Bals. Copaibæ.....	ʒj
	Pulv. Acacia.....	ʒiiij
	Tr. Hyoscyam.....	ʒij
	Spt. Ether Nit.....	ʒij
	Aquæ.....	ad ʒviiij

M.

940.

℞ Atropinæ Sulphat.....gr.ij  
 Morphia Sulphat.....gr.viiij  
 Acid. Sulphuric. Arom.....f3ij  
 Aquæ Menthæ Pip.....q.s. ad f5j

M.

941.

℞ Hydr. Chlor.....gr.iiij  
 Tinct. Cinch. Comp.....5vij  
 Spir. Ammon. Arom.....5j

M.

942.

℞ Potassii Iodide.....gr.xxx  
 Hydrarg. Bichlor. ....gr.¼  
 Spts. Æther nit.....f5ij

M.

943.

℞ Quininæ Sulph.....ʒj  
 Acid Sulph. dil.....ʒ40  
 Potass. acet.....5ij  
 Syr. Limonis.....5j  
 Aq. ....ad 5viiij

Misce.

944.

℞ Sat. sol. Cocaini Muriatis.....5ij

D.

945.

℞ Tinct. Valerianæ .....3iiss  
 Spts. Ætheris Sulph. (Ph.B.).....3j  
 Aquæ Menthæ Pip. ....5ivss  
 Syr. Aurantii Flor.....5iiss

M. ft. haustum.

946.

℞ Ferri et Quin. Citr.....ʒij  
 Spir. Chloroformi.....5j  
 Spir. Ammon. Comp. ....5iij  
 Inf. Quassia .....ad 5viiij

M.



## 947.

℞	Acidi Salicyl. ....	ʒij
	Tinct. Lavand. Comp. ....	ʒiv
	Vini Coleh. ....	ʒiss
	Sodæ Bicarb. ....	ʒiij
	Syr. Aurantii. ....	ʒj
	Aquæ ....	ad ʒxiij

Misce.

## 948.

℞	Sodii Salicyl. ....	ʒij
	Quin. Sulph. ....	ʒj
	Tinct. Cardam. Comp. ....	ʒiv
	Elixir Aurantii ....	ʒij
	Alcohol Dil. ....	ʒiss

M.

## 949.

℞	Liq. Potassii Areenitis ....	ʒss
---	------------------------------	-----

Sig.: A half-drop every half-hour, for six or eight doses.

## 950.

℞	Liq. Ammon. Acet. Conc. ....	ʒj
	Pilocarpin Nitra ....	viiij grs
	Liq. Morph. Mur. ....	ʒiss
	Syr. Simpl. ....	ʒss
	Aquæ. ....	ad ʒviiij

Misce. Capt ʒj in 3 horis.

## 951.

℞	Potassii Cyanidi ....	gr. j
	Syrupi Limonis. ....	fʒss
	Aquæ Distillatæ ....	fʒiiiss

M.

## 952.

℞	Alum. Sulph. ....	gr. 35
	Ammon. Carb. ....	ʒj
	Tr. Belladonnæ ....	ʒij
	Glycerini ....	ʒiij
	Infus. Senegæ ....	ad ʒvj

Misce.

953.

℞ Vini Ipecacuanhæ ..... ℥ss

Sig.: One minim every half-hour or more.  
(Good in all cases.)

954.

℞ Phosphori Concisi ..... gr.ij

Glycerini ..... f̄j

Solve cum leni calore.

955.

℞ Phosphori ..... gr.iiij

Solve in:

Carbonis Sulphurei ..... ℥lxxv

Aquæ Destillatæ ..... f̄v

M.

956.

℞ Phosphori ..... gr.ij

Ætheris ..... ℥c

Glycerini ..... f̄v

Aquæ Destillatæ ..... q. s. ad f̄xiiss

M.

957.

℞ Phosphori ..... gr.ij

Alcoholis Absoluti ..... ℥xxiiij

Tinct. Vanillæ ..... ℥ss

Olei Aurantii Cort. .... ℥xj

Alcoholis Absoluti ..... q. s. ad ℥iiij

M.

958.

℞ Phosphori ..... gr.℥

Ol. Amygdalæ ..... f̄viiss

Pulv. Acaciæ

Sacchar. Alb. .... āā 3iv

Aq. Destillat. .... f̄x

M. f. emuls.

959.

℞ Tinct. Iodi,

Acidi Carbolici ..... āā ℥j

M. S. One or two drops every 4 or 6 hours.

960.

℞	Hydrarg. perchlorid.....	gr.ij
	Potass. Iodid .....	ʒij
	Spt. Chlorof.,	
	Tinct. Cinchonæ .....	āā ʒj
	Quin. Sulph.....	ʒss
	Aquæ.....	ʒij

M.

961.

℞	Lithii Salicylat. ....	ʒij
	Potass. Iodid. ....	ʒss
	Cit. Ferri et Quin. ....	ʒj
	Aquæ Chlorof. ....	ad ʒviij

M.

962.

℞	Iodi.....	ʒij
	Spir. Lavand. Comp.....	fʒij
	Spir. Vini .....	fʒj

Fiat tinctura.

963.

℞	Butyl-chloral Hydrat.....	ʒss
	Tr. Gelsemin.....	ʒj.ss
	Spts. Chlorf .....	ʒj.ss
	Aq.....	ad ʒj.ss

Misce.

964.

℞	Ol. Amygdal Dule.....	ʒiiij
	Liq. Potass .....	ʒss
	Vin. Ipec .....	ʒj
	Syr. Violæ.....	ʒss
	Aquæ....	ad ʒiiij

M.

965.

℞	Strychninae Sulphatis.....	gr.j
	Alcoholis.....	fʒj
	Aquæ Distillatæ.....	ad fʒiv

M. S. A teaspoonful thrice daily before meals.

966.

℞ Pulv. Sanguinariae ..... gr. xx  
 Pulv. Ipecac ..... gr. v  
 Syr. Ipecac ..... ℥ij

M.

967.

℞ Bals. Copaibæ ..... ℥iij  
 Ol. Santal ..... ℥ 20  
 • Ovi. Vitelli ..... j  
 Syr. Zingib ..... ℥iv  
 Vin. Xerici ..... ℥iij  
 Aquæ ..... ad ℥viiij

M.

968.

℞ Pulv. Cubebæ ..... ℥ij  
 Syr. Aurantii ..... ℥iij  
 Aq. Menth. Pip ..... ℥ij  
 Aquæ ..... q.s. ad ℥viiij  
 Ft. mistura. Sig. A teaspoonful every 3 or 4  
 hours.

969.

℞ Pulv. Calcii Sulphid ..... gr. xv  
 Liq. Hydrarg. Perchlor ..... ℥vj  
 Potass. Iodid ..... gr. xi  
 Potass. Bicarb ..... ℥iiss  
 Aquæ Chlorof ..... ad ℥viii

M.

670.

℞ Acidi Sulphurici ..... ℥ss  
 Morphinae Sulphatis ..... gr.  $\frac{1}{3}$   
 Spiritus Vini Gallici ..... f℥iss  
 Aquæ Destillatæ ..... f℥iij

M.

971.

℞ Copaibæ Bals. Tolutan.,  
 Pulv. Acaciae ..... āā ℥ss  
 Ac. Sulph. Aromat ..... ℥ss  
 Aquæ Destillat ..... ℥ij

M. Sig. Tablesp. bis vel ter in die.

## 972.

- ℞ Codeinæ.....gr.viiij  
 Syrupi et Aquæ.....ʒij  
 M. Sig. Half teasp. thrice daily.

## 973.

- ℞ Kali Iodidi.....ʒj  
 Hydrarg. Chlor. Cor.....gr.iv  
 Quininae Bisulph.....ʒj  
 Elixir Ferri et Gent.....q. s. ad ʒviiij  
 M.

## 974.

- ℞ Ferri et Quin. Citr.....ʒj  
 Ammon. Carb.....ʒij  
 Tinct. Aurantii.....fʒij  
 Aquæ.....ad fʒvj  
 M.

## 975.

- ℞ Quininae Sulphatis.....gr.xvj  
 Ext. Glycyrrhizæ.....ʒj  
 Syr. Rubi Idæi (raspberry).....ʒij  
 M.

## 976.

- ℞ Tinct. Ferri Muriatis.....fʒj  
 Decocti Uvæ Ursi.....fʒvj  
 M.

## 977.

- ℞ Tinct. Ferri Muriat... ʒiiij  
 Tinct. Cantharidis.....ʒj  
 Tinct. Guaiaci Ammon.....ʒiiss  
 Tinct. Aloes.....ʒss  
 Syrupi.....q. s. ad ʒvj  
 M.

## 978.

- ℞ Quin. Sulph.....gr. xxiv  
 Acidi Nitr. Dil.....℥ xxv  
 Potassii Iodidi.....ʒij  
 Aquæ.....ad fʒxvj  
 M.

979.

- ℞ Caffeinæ Citratis,  
Ammonii Carbonatis.....āā ʒj  
Elixiris Guaranæ.....f̄vj

M.

980.

- ℞ Ammonii Chloridi.....ʒij  
Morphinæ Acetatis.....gr.ij  
Caffeinæ Citratis... ..f̄ss  
Spts. Ammonia Aromatici.....f̄vj  
Elix. Guaranæ.....f̄iv  
Aquæ Rosæ.....f̄iv

M.

981.

- ℞ Potass. Brom.....ʒj  
Sodii Bicarb.....gr.xv  
Infus. Digitalis.....f̄ss  
Atropinæ Sulphat.....gr.ʒi

982.

- ℞ Potassii Bitartr.....ʒj  
Potassii Iodidi... ..ʒj  
Spir. Ætheris Nitrosi.....f̄iv  
Syr. Aurantii.....f̄vj  
Aquæ.....ad f̄x

M.

983.

- ℞ Sodii Salicylatis.....ʒij  
Ferri Sulph.....ʒj  
Syrupi Aurantii.....f̄iv  
Aquæ Chloroformi.....ad f̄vj

M.

984.

- ℞ Bismuthi Subnitr.,  
Sodii Bicarb.....āā ʒj  
Aquæ Mentha Pip.....f̄v  
Syrupi.....f̄iv  
Tinet. Card Comp.....f̄ij

M.

985.

R	Vini Colchici. . . . .	f̄ij
	Potassii Bicarb. . . . .	̄ss
	Tinct. Cannab. Ind. . . . .	f̄ss
	Spir. Ammoniāe Arom. . . . .	f̄ij
	Tinct. Columbæ . . . . .	f̄ij
	Tinct. Gentianæ . . . . .	f̄ij
	Aquæ . . . . .	ad ̄vj

M.

986.

R	Sodii Iodidi . . . . .	gr. lxxv
	Sodii Bromidi . . . . .	̄iiss
	Sodii Chloridi . . . . .	̄v
	Aquæ Destillatæ . . . . .	3l

M.

Sig.: A teaspoonful every morning in a cupful of milk. "Summer Cod-liver Oil." "Contains the principal constituents of olei morrhuāe."!

987.

R	Sodii Iodidi . . . . .	gr. xv
	Sodii Phosphatis . . . . .	̄ss
	Sodii Chloridi . . . . .	̄iiij
	Aquæ . . . . .	q. s. ad ft sol.

M. S. To be taken in the course of twenty-four hours.

988.

R	Olei Terebinthināe . . . . .	̄iv
---	-------------------------------	-----

S. A tablespoonful twice daily, or, in addition, ten drops every hour.

989.

R	Tinct. Cannabis Indicæ . . . . .	̄zij
---	----------------------------------	------

Sig.: A half teaspoonful every few hours.

990.

R	Amyli Hydratis . . . . .	3vj
	Syr. Aurantii Cart. . . . .	f̄ij
	Aquæ . . . . .	ad f̄viiij

M.

991.

- R Sol. Hydrogen. Dioxidī (10 vol.)..... ʒij  
 S A teaspoonful in a glassful of water three  
 times daily.

992.

- R Acidi Hydrocyanici Dil..... ℥xx xl  
 Sodii Bicarbonatis..... ʒiij v  
 Syr. Simplicis,  
 Aquæ..... q. ad fʒiiss  
 M.

993.

- R Ex. Salicis Nigræ,  
 Elix. Simp..... āā fʒj  
 M.

994.

- R Sodii Salicylatis,  
 Potass. Iodidi,  
 Potass. Acetatis..... āā ʒij  
 Ex. Cascaræ Sagradæ Fl.,  
 Glycerinæ,  
 Aq. Cinnam..... āā fʒss  
 Aq. Menthæ Pip..... ʒiij  
 M. f. sol.

995.

- R Potassii Chloratis..... ʒij  
 Syr. Ferri Iodidi..... fʒvj  
 Vin. Antimonii..... fʒss  
 Spir. Chloroformi..... fʒij  
 Aquæ..... ad fʒviiij  
 M.

996.

- R Magnesii Carb..... ʒij  
 Magnesii Sulph..... ʒiiss  
 Quin. Sulph..... ʒss  
 Acidi Sulph. Dil..... fʒiiss  
 Aquæ Menthæ Pip..... ad fʒiv  
 M.



## 997.

- ℞ Sodii Hyposulph..... ʒj  
 Acidi Sulphurosi..... fʒj  
 Aquæ Rosæ..... ad fʒviiij

M.

## 998.

- ℞ Tinct. Ferri Chlor..... fʒij  
 Spir. Ætheris Nitrosi..... fʒiv  
 Mucil. Acaciæ..... fʒj  
 Syrupi..... ad fʒiiij

M.

## 999.

- ℞ Strychn. Sulph..... gr. j  
 Potassii Bromidi..... ʒviij  
 Aquæ..... q.s. ad fʒviiij

M.

## 1000.

- ℞ Pilocarpinæ Muriatis..... gr. iss  
 Pepsinæ Cryst..... gr. xxx  
 Acidi Hydrochlorici..... gt. iiij  
 Aquæ Destillatæ..... ʒviiij

M.

## 1001.

- ℞ Tr. Guiac. Æth..... fʒj  
 Tr. Cannabis Indicæ Æth..... fʒvj  
 Tr. Colchici Æth..... fʒij

M.

## 1002.

- ℞ Pepsinii Puri..... gr. xxx  
 Sodii Bicarbonas..... ʒij  
 Glycerinæ..... fʒiv  
 Tr. Cinchonæ Comp..... q.s. ad fʒiiij

M.

## 1003.

- ℞ Potass. Brom..... ʒss  
 Ex. Grindeliæ Rob. Fl.,  
 Syr. Ipecac..... aa fʒj  
 Aquæ..... fʒij

M.

## 1004.

℞ Ammon. Brom..... ℥ viiij  
 Ammon. Chlor..... ℥ iiss  
 Tr. Lobeliæ..... f℥ iij  
 Spt. Æther. Comp..... f℥ j  
 Syr. Acaciæ..... ad f℥ iv

M.

## 1005.

℞ Liq. Potassi Arsenitis,  
 Tr. Nucis Vomicae..... āā gtt.lxxij  
 Aloini..... gtt.ij  
 Aq. Menthae Pip..... q.s. f℥ iij

M.

## 1006.

℞ Acidi Nitro-Muriatici Diluti..... f℥ iiss  
 Syrupi Stillingiae Compositi..... f℥ xiijs  
 Aquæ Destillatæ..... f℥ iij

M.

## 1007.

℞ Potassii Iodidi..... gr.xxx  
 Tinct. Iodi,  
 Acidi Tannici..... āā gr.xv  
 Syr. Quininae..... f℥ viiss  
 Syr. Acaciæ..... f℥ iv℥ vss

Misce.

## 1008.

℞ Syr. Ferri Superphosphatis,  
 Liq. Hydrogenii Perox. (10 vol.),  
 Glycerini Puri..... āā f℥ iiss  
 Aquæ Destillatæ..... ad f℥ vj

M.

## 1009.

℞ Copaibæ,  
 Syrupi Tolutani..... āā ℥ ss  
 Spt. Etheris Nitrosi..... ℥ j  
 Aquæ Menth. Pip..... ℥ ij

M. Sig. A teaspoonful every 4 hours.

## 1010.

℞	Tinct. Valer. Æthereæ.....	℥j
	Tinct. Castorei.....	℥ij
	Zinci Oxidi.....	gr.xx

M.

## 1011.

℞	Bismuthi Subnitr.....	℥ij
	Spir. Ammon. Arom.....	℥j
	Tinct. Opii.....	gtt.xvj
	Syr. Simpl.....	℥ss
	Mist. Cretæ.....	℥iss

M.

## 1012.

℞	Ammonii Chloridi.....	℥vj
	Ammonii Bromidi.....	℥iv
	Spt. Etheris Nitrosi.....	℥j
	Syr. Pruni Virgin.....	℥iiij
	Aquæ.....	q.s. ad ℥vj

M.

## 1013.

℞	Bismuthi Subnitr.,	
	Magnesii Carb.....	āā gr.xvj
	Acidi Hydrocyan. Dil.....	℥x
	Aquæ.....	℥iv

M.

## 1014.

℞	Potassii Bromidi.....	℥j
	Ext. Guaranæ Fl.....	℥iss
	Syr. Tolutani.....	℥iiij
	Aquæ.....	q.s. ad ℥vj

M.

## 1015.

℞	Ext. Cann. Fl.....	℥ss
	Pulv. Acaciæ.....	℥v
	Syr. Aurantii Cort.....	℥ij
	Aquæ.....	q.s. ad ℥vj

M. S. Teasp. every 3 hours.

## 1016.

- ℞ Potassii Bicarb.....℥iiss  
 Acidi Acetici.....℥vj  
 Aquæ.....℥iij  
 M. Sig. A teasp. as required.

## 1017.

- ℞ Ac. Phosphoric Dil.....℥j  
 Elixir Calisayæ.....℥vj  
 Elix. Ammonii Valerian.....℥ij  
 Glycerini,  
 Vini Xerici.....q.s. ad Oj  
 M.

## 1018.

- ℞ Sodii Salicyl.....gr.xlv  
 Quin. Sulph.....gr.iiij  
 Liqu. Ammon. Acet.....℥j  
 Syr. Tolutani.....℥ij  
 M.

## 1019.

- ℞ Potassii Iodidi.....℥iss  
 Aquæ,  
 Spir. Ætheria Comp.,  
 Syrupi... āā ℥j  
 M.

## 1020.

- ℞ Copaibæ.....℥j  
 Mucil. ....℥j  
 Pot. Nitratis .....℥j  
 Acidi Nitrici .....℥xx  
 Spir. Chloroformi .....℥j  
 Spir. Menthae Vir. ....℥j  
 Aquæ.....℥vj  
 M.

## 1021.

- ℞ Hydrarg. Iodidi .....gr.iiij  
 Potassii Iodidi .....℥iij  
 Elixir Calisayæ .....ad ℥iv  
 M.

1022.

℞ Tinct. Arnicae Flor. .... ʒij  
 Dr. Sr. Idem.

1023.

℞ Tinct. Valerianæ Ætheræ ..... ʒj  
 Zinci Oxidi ..... gr.xx  
 M. S. Twenty-five drops four times a day.

1024.

℞ Ferri et Potassii Tartr. .... ʒj  
 Potassii Bromidi ..... ʒiv  
 Spir. Chloroformi ..... ʒiij  
 Syr. Zingiberis ..... ʒiv  
 Aquæ Menthae Vir. .... ʒvj

M.

1025.

℞ Bals. Tolut. .... gr.xx  
 Tinct. Tolut. .... ʒij  
 Tinct. Benzoini Comp. .... ʒj  
 Tinct. Capsici ..... ʒss  
 Syrupi Tolut. .... q. s. ad ʒiv

M.

1026.

℞ Sodii Bicarbonatis ..... gr.iv  
 Acidi Hydrocyanici Dil. .... gt.j  
 Syr. Lactopeptini ..... fʒj

M.

1027.

℞ Apiolis ..... fʒj  
 Alcoholis ..... fʒij  
 Syrupi Simplicis ..... fʒss  
 Aquæ Destillatæ ..... fʒij

M.

1028.

℞ Potassii Bicarb. .... gr.x  
 Ferri et Ammonii Citratis ..... gr.v  
 Tinct. Digitalis ..... ʒx  
 Infusi Buchu ..... fʒj

M.

1029.

℞ Resinæ Copaibæ ..... ʒiij  
 Alcoholis ..... fʒv  
 Spiritus Chloroformi ..... fʒj  
 Mucilaginis Acaciæ ..... fʒij  
 Aquæ Destillatæ ..... q. s. ad fʒxij

M.

1030.

℞ Carbonei Bisulph. Puri ..... gr. xxv  
 Essentiæ Menthae ..... gtt. xxx  
 Aquæ ..... fʒxv

M.

1031.

℞ Pot. Nitratis ..... 5 Gm

Solve in:—

Aquæ ..... 50 C.c.

Adde:—

Spir. Etheris Nitrosi ..... 15 C.c.

Vini Ipecac. .... 5 C.c.

Aquæ ..... q. s. ad 200 C.c.

M.

1032.

℞ Strychniæ Sulph. .... gr. iiss  
 Syr. Hypophos. .... fʒxij

M.

1033.

℞ Potass. Iodid. .... gr. xxx  
 Tr. Iodinii ..... gtt. xv  
 Acid. Tannic. .... gr. xv  
 Syr. Quiniæ ..... fʒviiss  
 Syr. Acaciæ ..... fʒiv et fʒvss

M.

1034.

℞ Infusi Cinchonæ ..... ʒvj  
 Aquæ Calcis ..... ʒixss  
 Tinct. Lupulinæ,  
 Succo Conii ..... aa ʒij

M.

## 1035.

- ℞ Lithii Benzoat. .... 3ss  
 Sodii Promid.,  
 Potass. Carbonat. Pura ..... āā ʒij  
 Potass. Acetat. .... ʒiiss  
 Sodii Phosphat. .... ʒss  
 Syr. Zingiberis,  
 Aq. Menthæ Pip. .... ad ʒvj

M.

## 1036.

- ℞ Pulv. Resinæ Guaiaci,  
 Potassii Iodidi ..... āā ʒj  
 Tinct. Colchici Sem. .... ʒiij  
 Aquæ Cinnamomi,  
 Syr. Simplicis .... āā q. s. ad ft. ʒvj

M.

## 1037.

- ℞ Ammon. Bromidi ..... ʒviiij  
 Ammon. Chloridi. .... ʒiiss  
 Tinct. Lobeliæ ..... ʒiij  
 Spts. Ætheris Co. .... ʒj  
 Syr. Acaciæ ..... ad ʒiv

M.

## 1038.

- ℞ Ext. Physostigmatis ..... gr.ij  
 Aquæ Destillatæ ..... ʒj

M. f. sol.

## 1039.

- ℞ Liq. Potass. Arsenitis ..... ℥v  
 Potass. Bicarbonat.,  
 Ferri et Potass. Tart. .... āā gr.v  
 Infus. Quassiae ..... ʒj

M.

## 1040.

- ℞ Potass. Bromidi ..... gr.vj  
 Ferri et Pot. Tart. .... gr.v  
 Inf. Quassiae ..... ʒj

M. Sig. To be taken three times daily.

## 1041.

- ℞ Tincturæ Iodi.....f̄ss  
 Mucilaginis Acaciæ.....f̄ij  
 Aquæ Destillatæ.....q. s. ad f̄iv  
 M.

## 1042.

- ℞ Argenti Nitratis.....gr. v  
 Tinct. Opii.....f̄iss  
 Aquæ Anisi.....ad f̄ijss

## 1043.

- ℞ Pulv. Ipecac.....f̄ss  
 Spt. Vini Rect.,  
 Ether Sulphur.....āā f̄ss  
 M.

## 1044.

- ℞ Liq. Potass. Arsenit.....℥ v  
 Tr. Ferri Chlor.....℥ xx  
 Infus. Quassia.....f̄ij  
 M.

## 1045.

- ℞ Tinct. Ferri Chloridi.....gtt. xx  
 Liq. Sodii Arseniatis.....gtt. v  
 Syrupi Simplicis,  
 Aquæ.....āā q. s. ad ft. ʒj  
 M.

## 1046.

- ℞ Hydrarg. Cloridi Corros.....gr. j  
 Pot. Iodidi,  
 Ferri et Ammon. Citr.....āā ʒij  
 Tinct. Cinch. Comp.....f̄iss  
 M.

## 1047.

- ℞ Pot. Bromidi.....ʒiv  
 Sodii Bicarb.....ʒj  
 Inf. Digitalis.....f̄ij  
 Atropinae Sulph.....℥ss  
 M. S. A tablespoonful at bedtime.



## 1048.

- ℞ Aconitinæ (Duquesnel) ..... gr.  $\frac{1}{2}$   
 Alcohol,  
 Glycerini ..... āā ʒj  
 Aquæ Menthæ Pip ..... q. s. ad ʒij  
 M. S. Teasp. 3 t. a day.

## 1049.

- ℞ Acidi Carbolicæ ..... gr. x  
 Acidi Sulphurosi ..... fʒij  
 Glycerini,  
 Tincturæ Ferri Chloridi ..... āā fʒss  
 M.

## 1050.

- ℞ Pot. Iodidi ..... ʒij  
 Syr. Ferri Iodidi ..... ʒiv  
 Tinct. Cinch. Comp ..... ʒiss  
 M.

## 1051.

- ℞ Morph. Sulph ..... gr. iiij  
 Spir. Ammon. Arôm ..... ʒiv  
 Syr. Zingiberis ..... ʒiiss  
 M. S. A teaspoonful every two or three hours  
 when the pain is severe.

## 1052.

- ℞ Cinchoninæ Sulphatis ..... ʒss  
 Liquoris Potassii Arsenitis ..... fʒiiss  
 Tincturæ Ferri Chloridi ..... fʒss  
 Syrupi Zingiberis ..... fʒiiss  
 Aquæ Destillatæ ..... q. s. ad fʒiv  
 M.

## 1053.

- ℞ Ol. Morrhuæ ..... fʒiv  
 Aquæ Calcis ..... fʒiiij  
 Et ad :  
 Syr. Ferri Iodidi ..... fʒiv  
 Ol. Gaultheriæ ..... fʒss  
 Syr. Simp ..... q. s. ad fʒviiij  
 M.

1055.

℞ Ferri et Pot. Tartr.....ʒj  
 Pot. Iod.....ʒiv  
 Syrupi Aurantii,  
 Aquæ Aur. Flor.....aa ʒiv

M.

1054.

℞ Potassii Iodidi.....ʒj  
 Ac. Nitrici Dil.....ʒiij  
 Tinct. Bellad.....ʒj  
 Ac. Salicylici.....ʒj  
 Aquæ Camphoræ.....ad ʒiv

M.

1056.

℞ Potassii Iodidi.....ʒiij  
 Strychn. Sulph.....gr.j  
 Liqu. Pot. Arsenitis.....ʒiiss  
 Aquæ Laurocerasi.....ad ʒiv

M.

1057.

℞ Acet. Plumb.....gr.xl  
 Bism. Subnitr.....ʒss  
 Acid. Sulph. Arom.....ʒss  
 Quin. Sulph.....gr.xx  
 Aquæ Anisi.....ad ʒiv

M.

1058.

℞ Pot. Bromidi.....ʒiv  
 Tinct. Cannab. Ind.....ʒv  
 Vin. Ergotæ.....ʒiv  
 Spir. Ammon. Arom.....ʒiij  
 Aquæ.....ad ʒviij

M.

1059.

℞ Quin. Bisulph.....ʒss  
 Extr. Eucalypt. Fl.....ʒj  
 Aquæ.....ʒiij

M.

## 1060.

- ℞ Ammonii Chloridi.....3iij  
 Morph. Acet.....gr.j  
 Caffeinæ Citr.....5ss  
 Spir. Ammonii Arom.....3j  
 Elix. Guaranæ.....3iv  
 Aquæ Rosæ.....3iv  
 M. Sig.: Dessertsp. every quarter-hour until  
 relieved.

## 1061.

- ℞ Quin. Sulph.....2 Gm  
 Pot. Bromidi.....6 Gm  
 Elix. Aurantii.....65 C.c.  
 Syr. Pruni. Virg.....30 C.c.  
 Extr. Glycyrrh. Fl.....5 C.c.  
 Aquæ.....100 C.c.  
 M.

## 1062.

- ℞ Ferri et Pot. Tartr.....5  
 Pot. Brom.....5  
 Syrupi.....15  
 Aquæ.....ad 60  
 M.

## 1063.

- ℞ Extr. Buchu Fl.,  
 Extr. Cubebæ Fl.....aa 3j  
 Olei Terebinth.,  
 Tinct. Hyoseyami.....aa 3iv  
 Mucil. Acaciæ.....3j  
 M.

## 1064.

- ℞ Sodii Bicarb.....3j  
 Bism. Subnitr.....5ij  
 Pulv. Arom.....3iss  
 Mucil. Acaciæ.....5j  
 Aquæ Menth. Pip.....qu.s. ad 3iv  
 M. S. A teaspoonful 3 t. d.

1065.

R	Acidi Salicylici .....	℥ss
	Ferri Pyrophosphatis .....	℥j
	Sodii Phosphatis .....	℥x
	Aquæ .....	f℥vj

M.

1066.

R	Syr. Ferri Iodidi .....	℥ij
	Pot. Iodidi .....	℥ij
	Pot. Chloratis .....	℥iss
	Aquæ,	
	Syrupi .....	āā ℥ij

M.

1067.

R	Copaibæ .....	8
	Liqu. Potassæ .....	2
	Olei Gautheriæ .....	0.20
	Glycerini .....	15
	Aquæ .....	q.s. ut f. 60

M.

1068.

R	Spir. Aetheris Comp.,	
	Syrupi .....	āā f℥j
	Aquæ .....	f℥ij

M.

1069.

R	Pot. Iodidi,	
	Ferri et Quin. Citr .....	āā ℥ij
	Syrupi .....	f℥j
	Aquæ .....	f℥iij

M.

1070.

R	Hydrargyri Iodidi rubri .....	gr. ij
	Ammonii Carbonatis .....	℥j
	Potassii Iodidi .....	℥iij
	Tinct. Gentianæ Co .....	ad ℥iv

M.

## 1071.

℞ **Ferri Citratis**,  
 Pot. Iodidi ..... āā 2 Gm  
 Aquæ Camph ..... 60

M.

## 1072.

℞ **Tr. Ferri Chlor** ..... gtt.xx  
 Liq. Sodii Arseniat ..... gtt.v  
 Syr. Simp.,  
 Aquæ ..... āā q.s. ad f̄j

M.

## 1073.

℞ **Extr. Cubebæ Fl.**,  
 Extr. Buchu Fl. .... āā ̄j  
 Aquæ Menth. Pip. .... ̄iv

M.

## 1074.

℞ **Tr. Ferri Chlor** ..... f̄ij  
 Sodii Salicylat ..... ̄ij  
 Acid. Citric ..... gr. x  
 Glycerinæ ..... ̄j  
 Liq. Ammoniae Citratis (B.P.) .... q.s. ad ̄iv  
 Ol. Gaultheriæ ..... gr. xv

M.

## 1075.

℞ **Acid. Salicylic** ..... ̄ij  
**Ferri Pyrophosphat** ..... ̄j  
 Sodii Phosphat ..... ̄j  
 Aquæ ..... q.s. ad ̄vii j

M.

## 1076.

℞ **Quin. Sulph** ..... ʒj  
 Acidi Citrici ..... ̄iiss  
 Syr. Ferri Iodidi ..... ̄j  
 Potassii Iodidi ..... ̄j  
**Tinct. Iodi** ..... ̄iiss  
 Aquæ ..... ad ̄vii j

M.

## 1077.

℞ Ammon. Carb ..... ℥j  
 Spir. Nitri. Dule ..... ℥j  
 Tinct. Ferri Chlor ..... ℥ij  
 Liqu. Ammon. Acet ..... ℥iij

M.

## 1078.

℞ Chloral ..... ℥iss  
 Pot. Brom ..... ℥ij  
 Elix. Aurantii ..... ℥j

M.

## 1079.

℞ Cinchonina Sulph ..... ℥ij  
 Tinct. Ferri Chloridi ..... ℥v  
 Aquæ ..... ℥viij

M.

## 1080.

℞ Morph. Sulph ..... gr. xxx  
 Acidi Sulph ..... ℥ ij  
 Aquæ Destill. .... ℥ij  
 Olei Menthæ Pip.,  
 Olei Anisi ..... āā ℥ss  
 Acidi Hydrocyan Dil. .... ℥iij  
 Chloroformi ..... ℥ij  
 Alcohol. .... ad ℥viij

M.

## 1081.

℞ Acidi Salicylici ..... ℥ij  
 Ferri Pyrophosph ..... ℥j  
 Sodii Phosph ..... gr. xij  
 Aquæ ..... ℥vj

M.

## 1082.

℞ Quin. Sulph ..... gr. xx  
 Sodii Salicyl. .... ℥iss  
 Acidi Sulph. Dil. .... ℥j  
 Aquæ Fœniculi ..... ad ℥viij

M. f. sol.

## 1083.

℞	Chloral Hydratis.....	gr.xl
	Camphoræ.....	gr.x
	Syr. Zingiberis.....	℥ij
	Aquæ.....	ad ℥ij

M.

## 1084.

℞	Sodii Salicyl.....	gr.xx
	Spir. Ætheris Nitrosi.....	℥ss
	Aquæ Anethi.....	℥ij

M.

## 1085.

℞	Quininæ Sulphatis.....	gr.xlv
	Ferri et Potassii Tartratis.....	gr.cv
	Aquæ Destillatæ.....	f℥x
	Liquoris Potassii Arsenitis.....	gtt. xxv

M.

## 1086.

℞	Ferri Sulph.....	gr.xv
	Magn. Sulph.....	℥ij
	Pot. Bicarb.....	℥iij
	Infusi Buchu.....	℥viiij

M.

## 1087.

℞	Liqu. Hydr. et Arsenii Iodidi.....	10 C.c.
	Potassii Iodidi.....	.5 Gm
	Tinct. Calumbæ.....	40 C.c.
	Quin. Sulph.....	.3 Gm
	Acidi Sulph. Dil.....	q.s.
	Aquæ.....	300 C.c.

M.

## 1088.

℞	Tr. Capsici,	
	Tr. Myrrh.,	
	Tr. Opium.....	āā f℥ij
	Tr. Guaiac.....	f℥j
	Spts. Camphor.....	f℥ij

M.

## 1089.

- R Hydrarg. Chloridi Corros.....gr.iiij  
 Tinct. Cinch. Comp.....f̄vij  
 Tinct. Valer. Ammon.....f̄ij  
 M.

## 1090.

- R Strychn. Sulph.....gr.j  
 Hydrarg. Chloridi Corros.....gr.x  
 Aquæ,  
 Syrupi.....āā f̄iv  
 M.

## 1091.

- R Sodii Salicylatis.....5 Gm  
 Aquæ.....20 C.c.  
 Spir. Ammon. Arom.....15 C.c.  
 Syrupi.....25 C.c.  
 M.

## 1092.

- R Hydr. Chlor.....0.01 Gm  
 Tinct. Cinch. Comp.....5 C.c.  
 Spir. Ammon. Arom.....1 C.c.  
 Aquæ.....25 C.c.  
 M.

## 1093.

- R Liquoris Bismuthi,  
 Mucilaginis.....āā f̄ij  
 M.

## 1094.

- R Antipyrini.....ij  
 Chloral.....ij  
 Syrupi.....f̄ij  
 Aquæ.....ad f̄iiij  
 M.

## 1095.

- R Liq. Pot. Arsenitis.....f̄ij  
 Elix. Cinchonæ.....q. s. ad f̄ij  
 M.



## 1096.

℞	Liq. Donovanii.....	ʒij
	Potass. Iod.....	ʒj
	Tr. Calumbæ.....	ʒj
	Quiniæ Sulph.....	ʒij
	Acid. Sulph.....	q.s.
	Aqua Pura.....	ʒviij

M.

## 1097.

℞	Ammonii Chloridi.....	ʒvj
	Potassii Iodidi.....	ʒiv
	Sodii Carbonatis.....	ʒij
	Tinct. Ferri Chlor.....	ʒij
	Liqu. Hydr. et Arsenii Iodidi.....	ʒij
	Syr. Zingiberis.....	ʒij
	Aquæ.....	ʒiv

M.

## 1098.

℞	Strychn. Sulph.....	gr.j
	Tinct. Valer. Ammon.....	fʒj
	Liquoris Ferri Dialys.....	fʒss
	Liquoris Pot. Arsenitis.....	fʒj
	Aquæ.....	fʒij
	Syrupi.....	q. s. ad fʒiv

M.

## 1099.

℞	Strychninæ Sulph.....	0.01 Gm
	Tinct. Valer Ammon.....	5 C.c.
	Liquoris Ferri Dialysati.....	2 C.c.
	Liquoris Potassii Arsenitis.....	1 C.c.
	Aquæ.....	10 C.c.
	Syrupi.....	15 C.c.

M.

## 1100.

℞	Morph. Sulph.....	100 mGm
	Chlorof. Purif.....	15 fGm
	Syr. Zingiberis.....	85 fGm

M.

## 1101.

℞	Calcii Hypophosph.....	℥iv
	Aque.....	℥ij
	Tinct. Ferri Chlor.....	℥iv
	Morph. Sulph.....	gr. iv
	Syr. Tolut.....	℥iiij

M. S. Dose, a dessertspoonful.

## 1102.

℞	Calcii et Sodii Hypophos.....	℥ss
	Liq. Potass. Arsen.....	℥j
	Tinct. Ferri Chlorid.....	℥j
	Strychnine Sulph.....	gr. j
	Acid. Phos. Dil.....	℥j
	Aqua.....	q.s. ℥iv

M.

## 1103.

℞	Succinat. Hydrat. Ferri Peroxidi.....	℥iss
	Aque.....	℥viiss

M. Sig. A teaspoonful after each meal.

## 1104.

℞	Ext. Cannabis Ind. Fl.....	℥j
	Spt. Æther Nitrosi.....	℥j
	Copaiba.....	℥ss
	Tinct. Kino.....	℥ij
	Spt. Terebinth.....	℥ij
	Tinct. Camphor.....	℥ss
	Syr. Aurantii Cort.....	q.s. ℥iv

M.

## 1105.

℞	Creasote (of the beech).....	gr. xv
	Tincture of Gentian.....	f℥j
	Pure Alcohol.....	f℥viiij
	Tokay Wine.....	f℥xxij

M.

## 1106.

℞	Tr. Ferri Chlor.....	f℥ij
	Spt. Æther Nitro.....	f℥ss
	Infus. Quassiaæ.....	q.s. ad f℥vj

M.

## 1107.

R	Balsam Copaiva,	
	Tincture Catechu,	
	Spts. Æth. Nit.....	āā ʒj
	Liquor Potassa,	
	Tinct. Hyosciami.....	āā ʒij
	Ol. Gaultheria.....	min. xxx
	Aquæ Dist.....	ad ʒiv

M.

## 1108.

R	Apomorph. Hydrochlor.....	gr. 4
	Ac. Hydrochlor. Dil.....	ʒij
	Syrupi Senegæ.....	ʒv
	Aquæ Destillat.....	ʒj

M. Sig. "A teaspoonful every 2 hours, for a child of three years as expectorant. Should be put up in a blue bottle."

## 1109.

P	Acid. Sulph. Aromat.....	fʒij
	Ex. Hæmatoxylon.....	fʒij
	Spt. Chloroform.....	fʒss
	Syr. Zingiberis.....	q.s. ad fʒij

M.

## 1110.

R	Copaibæ.....	fʒvj
	Liquoris Potassæ.....	fʒij
	Extr. Lupulini Fl.....	fʒj
	Tinct. Lavand. Comp.....	fʒss
	Syrupi.....	fʒiss

M.

## 1111.

R	Quinine Sulph.....	ʒiss
	Strychnine Sulph.....	gr. ss
	Tinct. Ferri Chlor.....	ʒiss

M.

## 1112.

R	Tinct. Lupulini.....	25 C.c.
	Extr. Tritici Fl.....	100 C.c.

M.

## 1113.

- ℞ Tinct. Ferri Chloridi,  
 Tinct. Opii.....5ā 7ij  
 Syrupi,  
 Aquæ.....āā 3vj  
 M.

## 1114.

- ℞ Syr. Ferri Iodidi.....f̄iv  
 Syr. Ferri Hypophosph.....f̄ij  
 Quin. Phosph.....ij  
 Acidi Phosph. Dil.....f̄iv  
 M.

## 1115.

- ℞ Quin. Sulph..... gr. xxx  
 Potassii Iodidi..... gr. lxxx  
 Extr. Pruni Virg. Fl... .. f̄ij  
 Extr. Glycyrrh. Fl... .. f̄ss  
 Morph. Sulph..... gr. iv  
 Spir. Ætheris Nitr..... f̄ss  
 Syr. Simpl..... f̄ij  
 Aquæ..... ad f̄vij  
 M.

## 1116.

- ℞ Tinct. Ferri Chlor..... 20 C.c.  
 Potassii Iodidi..... 10 Gm  
 Aquæ,  
 Syrupi..... āā 75 C.c.  
 M.

## 1117.

- ℞ Strychn. Sulph..... gr. j  
 Tinct. Cinch. Comp..... f̄iv  
 Potassii Bromidi..... ij  
 Aquæ..... f̄ij  
 Syrupi..... f̄iss  
 M.

## 1118.

- ℞ Elix. Strychn. Valer..... f̄iv  
 Potassii Bromidi..... ij  
 M.

## 1119. \*

R̄	Codeia.....	gr.ij
	Acid. Hydrocyan. Dil.....	ʒss
	Tinct. Tolutani.....	ʒvj
	Aquam.....	ad ʒiv

M.

## 1120.

R̄	Acid. Salicylic .....	ʒv
	Ferri Pyrophos... ..	ʒiv
	Sodii Phos.....	gr.xvj
	Aqua Destill .....	ʒviiij

M.

## 1121.

R̄	Sodii Salicyl .....	ʒj
	Glycerin .....	ʒij
	Ol. Gaultheriæ .....	ʒlxx
	Tinct. Ferri Chlor.....	ʒiv
	Acid. Citrici .....	gr.x
	Liqu. Ammoniaë Citrat. (B.P.)....	q.s. ad ʒiv

M.

## 1122.

R̄	Ferri et Quin. Citr.....	ʒiss
	Ammonii Chloridi.....	ʒij
	Extr. Glycyrrh. Fl.....	fʒiv
	Aquæ.....	ad fʒiv

M.

## 1123.

R̄	Potassii Chloratis .....	8.00
	Ext. Hyoseyami .....	1.00
	Syr. Pruni Virginianæ .....	30.00
	Aquæ .....	150.00

M.

## 1124.

R̄	Potassii Bromidi,	
	Chloral .....	āā ʒiss
	Aquæ,	
	Alcohol .....	āā fʒiiij
	Syr. Zingiberis .....	fʒvj

M.

## • 1125.

℞ Ferri et Quin. Citr. .... ℥v  
 Tinct. Cinch. Comp.,  
 Aquæ ..... āā f̄ij  
 M.

## 1126.

℞ Acidi Salicyl. .... ℥ij  
 Liqu. Ammonii Acet. .... f̄ij  
 Aquæ ..... ad f̄vj  
 M.

## 1127.

℞ Potassii Iodidi ..... ℥iss  
 Tinct. Ferri Chloridi ..... ℥iv  
 Aquæ ..... ad f̄vj  
 M.

## 1128.

℞ Inf. Gent. .... f̄viiij  
 Morph. Sulph. .... gr. ij  
 Pot. Bicarb. .... ℥ij  
 M. f. sol. Sr.—Tablespoonful three times a day.

## 1129.

℞ Sodii Salicyl. .... ℥ij  
 Boracis ..... ℥j  
 Aquæ,  
 Syrupi ..... āā f̄ij  
 M.

## 1130.

℞ Potassii Chloratis ..... ℥iv  
 Aquæ ..... f̄iv  
 Acidi Carbolici ..... gr. ij  
 M. f. sol.

## 1131.

℞ Spir. Ætheris Nitrosi,  
 Tinct. Guaiaci ..... āā f̄j  
 Tinct. Colchici ..... ℥iv  
 Aquæ ..... ℥iv  
 Syrupi ..... f̄iiij  
 M.

## 1132.

℞	Tinct. Ferri Chloridi.....	10 C.c.
	Syrupi Tolut. ....	50 C.c.
	Spir. Ammoniaë Arom. ....	75 C.c.
	Aquæ.....	ad 200 C.c.

M.

## 1133.

℞	Acid. Nitro-Muriat.....	ʒij
	Quinin. Sulph.....	ʒss
	Pot. Acet. ....	ʒij
	Ammon. Muriat.....	ʒiiss
	Aquæ Dest. ....	ʒj
	Syr. Simp. ....	q. s. ad ʒij

M.

## 1134.

℞	Resorcini .....	10.00
	Glycerini.....	15.00
	Spir. Ætheris Nitrosi.....	10.00
	Aquæ .....	35.00

M.

## 1135.

℞	Antipyrin.....	ʒj
	Spir. Æth. Nitr.....	ʒij
	Tr. Aconiti Rad.....	gtt. xx
	Elix. Simp. ....	q. s. ad ʒij

M.

## 1136.

℞	Potassii Chloratis.....	ʒviij
	Syr. Ferri Iodidi.....	ʒij
	Vini Antimonii .....	ʒss
	Spir. Chloroformi.....	ʒij
	Aquæ .....	ad ʒviij

M.

## 1137.

℞	Ferri Pyrophos .....	ʒiiij
	Elix. Calisaya,	
	Glycerin,	
	Vin. Catawba.....	āā ad Oj

M.

1138.

℞ Liqueoris Bismuthi ..... f̄ij  
 Tinct. Nuc. Vom. .... f̄ij  
 M.

1139.

℞ Ferri et Ammonii Citr. .... gr. lxxx  
 Aquæ ..... f̄iv  
 Syr. Aurantii ..... f̄ij  
 Sol. Nitroglycerini (1%) ..... ℥ xv  
 Aquæ ..... ad f̄viiij  
 M.

1140.

℞ Antipyrini ..... 4 Gm  
 Spir. Ætheris Nitrosi ..... 10 C.c.  
 Aquæ ..... 30 C.c.  
 Syrupi Limonis ..... 20 C.c.  
 M.

1141.

℞ Syrupi Papaveris,  
 Syrupi Scillæ ..... āā ȝj  
 M.

1142.

℞ Morph. Sulph. .... 0.05 Gm  
 Potassii Iodidi ..... 2.50 Gm  
 Ferri Sulph. .... 2 Gm  
 Aquæ ..... 40 C.c.  
 M. f. sol.

1143.

℞ Potass. Acet. .... ȝss  
 Spt. Æth. Nit. .... ȝj  
 Ext. Uva Ursi ..... ȝij  
 Aquam ..... ad ȝij  
 M.

1144.

℞ Potassii Iodidi ..... ȝj  
 Spir. Ætheris Nitrosi ..... ȝj  
 Aquæ ..... ȝj  
 M.



## 1145.

℞ Extr. Buchu Fl.,  
Spir. Ætheris Nitr.,  
Syrupi.....āā ʒj  
M.

## 1146.

℞ Ferri et Pot. Tartr.....5 Gm  
Aquæ.....10 C.c.  
Mucilaginis .....15 C.c.  
Syrupi.....30 C.c.  
M.

## 1147.

℞ Acid. Salicylic.....ʒvj  
Soda Bicarb. ....ʒj  
Tinct. Colchici Sem. ....ʒj  
Syr. Zingiberis.....q. s. ʒvj  
M.

## 1148.

℞ Tinct. Hamamelis .....ʒxl  
Extr. Ergotæ Fl.....ʒj  
Spir. Chloroformi.....ʒj  
Syr. Papaveris .....ʒij  
Tinct. Nuc. Vom. ....ʒxl  
Aquæ.....ad ʒviiij  
M.

## 1149.

℞ Tinct. Nuc. Vom. ....ʒʒj  
Tinct. Cinch. Comp. ....ʒʒj  
Potassii Bromidi.....ʒiss  
Syrupi .....ʒʒij  
Aquæ .....q. s. ad ʒʒviiij  
M. S. Tablespoonful 3 t. d.

## 1150.

℞ Ferri Sulph. ....1 Gm  
Pot. Chloratis .....3 Gm  
Aquæ,  
Syrupi.....āā 50 C.c.  
M.

## 1151.

℞	Tinct. Ferri Chlor. ....	5 C.c.
	Syrupi .....	30 C.c.
	Pot. Bicarb. ....	.5 Gm
	Aquæ Cinnam. ....	120 C.c.

M.

## 1152.

℞	Acid Salicylic,	
	Potass. Bicarb. ....	āā ʒj
	Sulph. Quinine .....	grs. xx
	Sodii Brom. ....	ʒss
	Sps. Menth. Pip. ....	gtts vj
	Glycerin .....	ʒss
	Aquæ .....	ad ʒiv

M.

## 1153.

℞	Extr. Buchu Fl.	
	Spir. Ætheris Nitrosi,	
	Mucil. Acaciæ .....	āā ʒj
	Syrupi .....	ʒiij

M.

## 1154.

℞	Tinct. Nux Vomica .....	ʒij
	Arom. Spts. Ammonia,	
	Tinct. Capsicum ....	āā ʒiij
	Aqua Camph. ....	ʒiij

M.

## 1155.

℞	Quinia Bisulph. ....	ʒj
	Sod. Brom. ....	ʒv
	Aq. Cinnamom .....	ʒss
	Syr. Simplex .....	ʒiiss

Sig.: ʒij in aquam t. i. d.

## 1156.

℞	Potassii et Sodii Tartr. ....	20 Gm
	Aquæ .....	75 C.c.
	Tinct. Ferri Chlor. ....	.5 C.c.
	Syrupi Limonis .....	50 C.c.

M.

## 1157.

R	Ammonii Bromidi.....	℥iij
	Tinct. Nuc. Vom. ....	f℥iv
	Spir. Chloroformi .....	f℥iij
	Spir. Ammon. Arom. ....	f℥iv
	Syr. Zingiberis .....	f℥j
	Aquæ Menthæ Pip. ....	ad f℥vj

M.

## 1158.

R	Tinct. Cardam. Comp.....	f℥ij
	Acidi Nitrohydrochlorici .....	f℥iv
	Aquæ.....	q. s. ad f℥iv

M.

## 1159.

R	Pot. Bicarb.....	℥ij
	Sodii Salicyl. ....	℥iss
	Vin. Colchici .....	f℥iv
	Aquæ.....	ad f℥viij

M.

## 1160.

R	Quin. Sulph.,	
	Sod. Salicylat.....	℥℥ gr.xx
	Aquam.....	ad ℥ij

M.

## 1161.

R	Potassii Acet. ....	℥iv
	Spir. Ætheris Nitrosi.....	f℥j
	Extr. Uvæ Ursi Fl. ....	f℥ij
	Aquæ .....	ad f℥ij

M.

## 1162.

R	Acid Salicylic.....	℥viij
	Ferri Pyrophos.....	℥ij
	Sodii Salicylas.....	gr. 48
	Aquæ .....	q. s. ad ℥vj

M.

## 1163.

R	Chloroformi,	
	Ætheris Fortioris.....	℥℥ ℥j

M.

## PART IX.

### HYPODERMATIC SOLUTIONS, GARGLES, INJECTIONS, LOTIONS, LINIMENTS, ETC.

#### HYPODERMATIC INJECTIONS.

1164.

℞ Hydrargyri Chloridi Mitis,  
Sodii Chloratis..... 5ā gr. xv  
Aquæ Destillatæ..... fʒiiss  
M.

1165.

℞ Extr. Ergotæ..... 5 Gm  
Aquæ Camph..... 10 C.c.  
F. sol.  
[ B.P. ]

1166.

℞ Apomorph. Hydrochlor..... gr.ij  
Aquæ Camph..... ʒ℥.  
Fit solutio.  
[ B.P. ]

1167.

℞ Morph. Acet..... 1 Gm  
Aquæ..... 10 C.c.  
Fit solutio.

1168.

℞ Atropinæ Sulph..... 1 Gm  
Aquæ Camph..... 99 C.c.  
Fit solutio.  
[ B.P. ]

1169.

℞ Eserinæ Sulphatis..... gr. j  
Aquæ Destillatæ..... fʒv j  
M.

1170.

℞ Extracti Physostigmatis.....gr.ij  
 Aquæ Destillatæ.....f℥j  
 M. f. solutio.

1171.

℞ Pilocarpinæ Muriatis.....gr.ij  
 Aquæ Destillatæ.....f℥j  
 M. f. sol.

1172.

℞ Curaris.....gr.ij  
 Aquæ.....℥C.  
 M. f. sol.

### GARGLES.

1173.

℞ Pot. Chloratis.....℥j  
 Mellis Despum. f.....f℥iiss  
 Inf. Herbæ Salviæ.....f℥viiss  
 Misce et fiat gargarisma.

1174.

℞ Corticis Granati Fructus,  
 Aluminis.....aa ℥ss  
 Potassii Chloratis.....aa ℥ij  
 Quercus Albæ Contusæ.....℥j  
 Aquæ Bullientis.....Oij  
 Fiat infusum.

### COLLUNARIUM.

1175.

℞ Acidi Carbol.....℥ss  
 Sodii Bicarb.,  
 Sodii Boratis.....aa ℥j  
 Glycerini.....f℥j  
 Aquæ.....q.s. ad Oj  
 M.

### INJECTIONS.

1176.

℞ Acidi Sozolici.....1 Gm  
 Aquæ.....20 C.c.  
 F. sol.

## 1177.

℞ Anthrarobini.....3j  
 Boracis.....ʒj  
 Aquæ Rosæ.....fʒj

F. sol.

## 1178.

℞ Hydrarg. Salicylatis.....gr.j  
 Sodii Bicarb.....gr.xv  
 Aquæ Destill.....fʒv

Fit solutio.

## 1179.

℞ Zinci Sulph.....gr.xv  
 Plumbi Acet.....ʒss  
 Tinct. Catechu,  
 Vini Opii.....āā fʒj  
 Aquæ Rosæ.....fʒij

M.

## 1180.

℞ Zinci Sulphatis.....gr.vj  
 Plumbi Acetatis.....gr.viiij  
 Ammonii Chloridi.....gr.iv  
 Aluminis.....gr.v  
 Aquæ Rosæ.....fʒj

M.

## 1181.

℞ Quinina Sulphatis.....ʒss  
 Acaciæ.....ʒij  
 Morphinae Sulphatis.....gr.iiss  
 Aquæ.....q.s. ad fʒiiij

M. Sig. A tablesp. to 3½ ounces of warm water,  
 which inject in 3 parts, daily.

## 1182.

℞ Iodoformi.....ʒxiij  
 Glycerini.....fʒx  
 Tragacanthæ.....gr.xx  
 Aquæ Destillatæ.....fʒiiss

M. emulsio.

1183.

℞ Iodoformi..... ʒiij  
 Ætheris..... fʒvj

F. sol.

Used as an injection in tubercular abscess.

1184.

℞ Phenol,  
 Alcohol..... āā 10 C.c.  
 Mucilaginis..... 30 C.c.  
 Aquæ..... āā 10 C.c.

M.

1185.

℞ Tinct. Iodi..... 10 C.c.  
 Alcohol..... 10 C.c.  
 Mucilaginis..... 30 C.c.  
 Aquæ..... ad 10 C.c.

M.

## ENEMATA.

1186.

℞ Amyli..... 15 Gm  
 Aquæ..... 100 Gm  
 Aquæ Ebullientis..... 400 Gm

Fiat enema.

[B.P.]

1187.

℞ Sodii Chloridi ..... ʒj  
 Decocti Hordei..... fʒxx

M. f. enema.

1188.

℞ Olei Terebinth..... fʒj  
 Mucil. Amyli..... fʒxv

M. f. enema.

[B.P.]

1189.

℞ Olei Terebinthinæ.... fʒiv  
 Olei Ricini..... fʒij  
 Vitell. Ovi..... No.j  
 Decocti Hordei..... fʒxij

Misce et fiat enema.

## 1190.

℞ Sodii Chloridi.....℥ss  
 Olei Olivæ.....f℥ss  
 Olei Terebinthinæ.....f℥j  
 Aquæ Ferventis.....Oiss

M.

## 1191.

℞ Magnesii Sulph.....℥j  
 Mucil. Amyli.....f℥xvj

M. f. enema.

[B.P.]

## 1192.

℞ Tinct. Opii.....℥xxx  
 Mucil Amyli.....f℥ij

M.

[B.P.]

## 1193.

℞ Tabaci.....℥j  
 Aquæ Bullientis.....Oj

Macera per sextum horæ partem, et cola.

## 1194.

℞ Asafoetidæ.....℥j  
 Aquæ.....f℥viiij

M. f. enema.

[B.P.]

## 1195.

℞ Tinct. Asafoetidæ.....f℥j  
 Aquæ.....f℥viiij

M.

## 1196.

℞ Asafoetidæ.....℥ij  
 Decocti Avenæ.....f℥x

M. pro enemate, s. a.

## 1197.

℞ Aloes.....gr.xl  
 Potassii Carb.....gr.xv  
 Mucil. Amyli.....f℥x

M. f. enema.

[B.P.]



## 1198.

- ℞ Asafoetidae.....gr.vj  
 Olei Amygdalæ Dulcis ..... ℥ 1v  
 Tere simul, et adde:—  
 Pulveris Acaciae.....℥ss  
 Infusi Anthemidis.....f℥j  
 Misce et fiat enema.

## 1199.

- ℞ Moschi.....gr.xij  
 Sacchari.....℥ij  
 Spiritus Ammoniaë.....℥xxx  
 Infusi Lini Compositi.....f℥iv  
 Fiat enema.

## 1200.

- ℞ Bism. Subcarb.....50 Gm  
 Extr. Opii.....200 mGm  
 Glycerini,  
 Mucilaginis.....āā 100 C.c.  
 M. S. Use two tablespoonfuls at a time as  
 directed.

## 1201.

- ℞ Acidi Boracici.....gr.xv  
 Pulv. Acaciae.....℥ij  
 Olei Vaselini.....℥viiss  
 Aquæ.....f℥xv  
 M. Fiat emulsio.

## 1202.

- ℞ Aluminis.....10 Gm  
 Glycerini.....50 Gm  
 Fit sol.

[E.P.]

## 1203.

- ℞ Acidi Tannici.....10 Gm  
 Glycerol.....50 Gm  
 Fit solutio.

[B.P.]

1204.

℞ Boracis.....10 Gm  
 Glycerini..... 40 C.c.  
 Aquæ.....20 C.c.

Fit sol.

[B. P.]

1205.

℞ Acidi Gallici.....10 Gm  
 Glycerini..... 50 Gm

Fit solutio.

[B. P.]

1206.

℞ Phenyl Hydratis.....f̄ij  
 Glyceryl Hydratis.....f̄3v

Fit solutio.

[B. P.]

## LOTIONS.

1207.

℞ Tinct. Benzoini.....15 C.c.  
 Aquæ Rosæ.....225 C.c.

M. f. lotio.

1208.

℞ Plumbi Acet.....f̄ij  
 Tinct. Opii.....f̄ij  
 Aquæ.....q.s. ad f̄viiij

M. f. lotio.

[N. F.]

1209.

℞ Liq. Plumbi Subacet. Dil.....f̄ij  
 Ext. Opii Aquosi.....gr.vj

M.

1210.

℞ Extr. Opii.....1 Gm  
 Plumbi Acet.....2 Gm  
 Glycerini.....30 C.c.  
 Aquæ.....70 C.c.  
 Acidi Acet. Dil.....q.s.

M.

## 1211.

R	Plumbi Acetatis.....	gr.xij
	Liquoris Morphinæ Acetatis.....	ʒiij
	Acidi Acetici Diluti.....	fʒj
	Aquæ Destillatæ.....	fʒiij

M.

## 1212.

R	Plumbi Acetatis,	
	Ammonii Carb.....	ʒā ʒj
	Aquæ Rosæ.....	fʒviiij

Ft. lotio. Sig.—Apply on lint to allay irritation.

## 1213.

R	Plumbi Acet.,	
	Boracis.....	ʒā 1 Gm
	Glycerini.....	20 C.c.
	Aquæ.....	80 C.c.

M.

## 1214.

R	Plumbi Acet.,	
	Zinci Acet.....	ʒā gr.xv
	Cupri Sulph.....	gr.x
	Morph. Acet.....	gr.iiij
	Aquæ Distill.....	fʒviiij

M.

## 1215.

R	Plumbi Acet.....	5 Gm
	Zinci Sulph.....	5 Gm
	Ammonii Chloridi.....	3 Gm
	Aluminis.....	2 Gm
	Glycerini.....	100 C.c.
	Aquæ.....	500 C.c.

M.

## 1216.

R	Sodii Boratis.....	gr.xij
	Zinci Sulphatis.....	gr.j
	Aquæ Camph.....	fʒj
	Aquæ Destillat.....	fʒj

M.

## 1217.

℞ Zinci Sulph.....gr. iv  
 Sodii Boratis.....gr. x  
 Aquæ Rosarum.....f̄ij

M. f. collyr.

## 1218.

℞ Aluminis.....ḡj  
 Zinci Sulph.....ʒss  
 Sodii Boratis.....gr. iv  
 Aq. Rosæ.....f̄viiij

M.

## 1219.

℞ Hydrarg. Chlorid. Mit.....gr. xv  
 Liq. Calcis.....f̄ij

M.

## 1220.

℞ Hydrarg. Chlorid. Corros.....gr. j  
 Liq. Calcis.....f̄viiij

M.

## 1221.

℞ Hydrarg. Chloridi Corros.....gr. iiij  
 Aquæ.....f̄ij  
 Liquoris Calcis.....f̄jiiij

M.

## 1222.

℞ Hydrarg. Chloridi Corros.....gr. iiij  
 Aquæ.....f̄ij  
 Mucilag.....f̄j  
 Liq. Calcis.....f̄ij

M.

## 1223.

℞ Arnicæ.....ʒij  
 Aquæ Bullientis.....Oss

Macera per horas duas et cola.

Dein adde:—

Tincturæ Arnicæ.....f̄jij  
 Tincturæ Cardamomi.....f̄jvj

M.

## 1224.

℞ Aluminis Crudi.....ʒj  
 Plumbi Acetat. Cryst.....ʒv  
 Aquæ Destillatæ.....fʒxiiss

M.

## 1225.

℞ Acidi Borici.....gr.xvj  
 Acidi Salicylici.....gr.ij  
 Glycerini.....ʒxl  
 Aquæ Bullientis.....ad fʒj

M.

## 1226.

℞ Sodii Salicylat.....ʒij  
 Sodii Biborat.....ʒiij  
 Glycerini.....fʒiv  
 Aquæ.....q. s. ad fʒvj

M.

## 1227.

℞ Calomel.,  
 Zinci Chloridi.....āā gr.xij  
 Liquoris Calcis.....fʒiv

M.

## 1228.

℞ Acidi Borici.....gr.xx  
 Mucilag. Acaciæ.....fʒj

M.

## 1229.

℞ Tannic Acid.....gr.xx  
 Mucilage.....:.....fʒj  
 Alcohol.....fʒss

M.

## 1230.

℞ Sodii Biboratis.....gr.xx  
 Aquæ Camphoræ.....fʒiss  
 Mucil. Cydonii Seminis,  
 Aquæ Laurocerasi.....āā fʒss

M.

1231.

℞ Potassii Carbonatis.....ʒij  
 Saponis.....ʒi-ij  
 Alcoholis.....fʒiiij

M.

1232.

℞ Sodii Biborat.....gr.xv  
 Thymol.....gr.viiss  
 Aquæ Destillat.....f℥lxxv

M.

1233.

℞ Sodii Boratis.....ʒvj  
 Morphię Muriatis.....gr.vj  
 Aquæ Rosæ.....fʒviiss

M.

1234.

℞ Sodii Boratis.....ʒij  
 Sodii Bicarbonatis.....ʒij  
 Acidi Carbolici.....gr.xxiv  
 Glycerini.....fʒiv  
 Aquæ.....q. s. ad Oj

Fit solutio.

[Dobell's Solution.]

1235.

℞ Potassii Chloratis.....ʒij  
 Acidi Hydrochlorici Puri.....fʒiv  
 Aquæ.....ad fʒij

M.

1236.

℞ Cocainæ Hydrochloratis.....gr.iss  
 Atropinæ Sulph.....gr.iv  
 Acidi Borici.....gr.ij  
 Aquæ Destill.....fʒj

Fit solutio.

1237.

℞ Hydrarg. Salicylat.....gr.℥  
 Aquæ Destillatæ.....fʒij

M.

1238.

℞ Aquæ Ammoniæ.....f℥j  
 Spir. Camphoræ.....℥ xlv  
 Sodii Chloridi.....℥iv  
 Aquæ.....q. s. ad f℥viiij

M.

[Raspail's Sedative Lotion.]

1239.

℞ Hydrarg. Bichlor. Corros.....1 Gm  
 Spir. Camph.....30 Gm  
 Aquæ Destill.....300 Gm

M. f. lotio.

1240.

℞ Potassii Carbonatis.....℥iij  
 Sodii Chloridi.....℥ij  
 Aquæ Aurantii Flor.....℥ij  
 Aquæ Rosæ.....f℥viiij

M. f. lotio.

1241.

℞ Hydrargyri Chloridi Corrosivi,  
 Ammonii Chloridi.....āā gr.iiij  
 Aquæ Destillatæ.....f℥iss

M. f. solutio et adde:—

Albuminis Ovi.....℥iss  
 Aquæ Destillatæ.....f℥v

Misce, cola, et adde:—

Aquæ Destillatæ.....q. s. ad f℥x

M.

1242.

℞ Acidi Carbolici.....30 Gm  
 Sodæ.....2 Gm  
 Aquæ.....28 Gm

Fit solutio.

[“Phenol Sodique.”]

1243.

℞ Acidi Carbolici.....3j  
 Potassæ.....℥ss  
 Aquæ.....f℥vj

M.

1244.

℞ Calcis Vivæ.....3j  
 Sulphuris Sublimati.....3ij  
 Aquæ.....f̄x  
 M. et coque ad f̄vj.

1245.

℞ Aquæ Ammoniæ.....30 C.c.  
 Olei Gossypii .....70 C.c.  
 M.  
 [U.S.P.]

1246.

℞ Olei Gossypii .....100 C.c.  
 Aquæ Ammonii .....30 C.c.  
 M. f. linim.

1247.

℞ Liqu. Plumbi Subacet.....f̄j  
 Olei Gossypii .....f̄ij  
 M.  
 [U.S.P.]

1248.

℞ Extr. Bellad. Fluidi.....95 C.c.  
 Camphoræ.....5 Gm  
 M. f. linim.  
 [B.P.]

1249.

℞ Camph.....5 Gm  
 Extr. Aconiti Rad. Fl.....100 C.c.  
 Alcohol.....50 C.c.  
 M. f. linim.  
 [B.P.]

1250.

℞ Chloroformi Venalis.....40 C.c.  
 Linim. Saponis.....90 C.c.  
 M. f. linim.  
 [U.S.P.]

1251.

℞ Chloroformi,  
 Linim. Camph. ....āā 60 C.c.  
 M. f. linim.  
 [B.P.]



## 1252.

- ℞ Tinct. Aconiti Rad. ....fēj  
 Chloroformi .....fēj  
 Linim. Saponis... fēvj

M. f. linim.

[N.F.]

## 1253.

- ℞ Tinct. Opii,  
 Linim. Saponis.....āā 50 C.c.

M. f. linim.

[B.P.]

## 1254.

- ℞ Saponis Viridis .....ēj  
 Aquæ .....fēj  
 Camphoræ .....žss  
 Olei Terebinth .....fēvij

M. f. linim.

[B.P.]

## 1255.

- ℞ Olei Terebinth .....fēij  
 Acidi Acet. Glac. ....ēss  
 Linim. Camph. ....fēij

M. f. linim.

[B.P.]

## 1256.

- ℞ Vitellum Ovi Unius,  
 Olei Terebinthinæ.....90 Gm

Conterendo mixtis sensim adduntur,

Acidi Acetici .....10 Gm

Aquæ.....80 Gm

Vel ea quantitas, ut habeas linimentum,

pondere .....200 Gm

Miscentur fortiter conquassando.

[Stokes' Liniment.]

## 1257.

- ℞ Olei Tigllii .....gtt.j  
 Chloroformi .....fēj  
 Glycerini .....fōx

M.

1258.

℞ Olei Sinapis Vol. .... fʒiiss  
 Extr. Mezerei ..... ʒj  
 Camphoræ ..... ʒiij  
 Olei Ricini ..... fʒj  
 Alcohol .... ad fʒviiij

M.

[U.S.P.]

1259.

℞ Ungu. Hydrarg. .... 30 Gm  
 Aquæ Ammoniaë,  
 Linim. Camph. .... āā 30 C.c.

M. f. linim.

[B.P.]

1260.

℞ Olei Crotonis ..... 5 C.c.  
 Olei Cajuputi ..... 20 C.c.  
 Alcohol ..... 20 C.c.

M. f. linim.

[B.P.]

1261.

℞ Camphoræ ..... 40 Gm  
 Olei Lavand ..... 2 C.c.  
 Liquoris Ammon. Fort. .... 80 C.c.  
 Alcohol ..... 240 C.c.

M. f. linim.

[B.P.]

1262.

℞ Saponis Animalis ..... 16 Gm  
 Potassii Iodidi ..... 12 Gm  
 Glycerini ..... 8 C.c.  
 Olei Limonis ..... 1 C.c.  
 Aquæ ..... 80 C.c.

M. f. linim.

[B.P.]

1263.

℞ Acidi Salicylici ..... 30 Gm  
 Olei Olivæ ..... 70 Gm

Digerendo solvitur acidum.

[Becker.]

1264.

℞	Potassæ .....	150 Gm
	Picis Liquidæ .....	300 Gm
	Aquæ .....	q. s. ad 1,000 C.c.

Fiat solutio.

[N.F.]

1265.

℞	Phenol .....	.5 Gm
	Olei Gossypii .....	.95 Gm

M.

[Carbolized Oil.]

1266.

℞	Acidi Carbolici .....	ʒij
	Extr. Opii .....	ʒij
	Olei Olivæ .....	fʒviiij

M.

1267.

℞	Fl. Ext. Ergot,	
	Olive Oil,	
	Carbolic Acid .....	of each, equal parts

Mix.

1268.

℞	Vitelli Ovorum .....	No. ij
	Balsami Copaibæ .....	fʒivss

M. f. emulsio et adde:—

	Olei Olivæ .....	Oj
--	------------------	----

M. f. linimentum.

1269.

℞	Olei Terebinthinæ,	
	Spir. Camphoræ,	
	Aquæ Ammoniaë,	
	Olei Olivæ .....	āā fʒj

M. f. linimentum.

1270.

℞	Tinct. Iodi .....	fʒj
	Aquæ Ammoniaë .....	fʒij
	Olei Terebinth .....	fʒij
	Spir. Camph .....	fʒj

M.

1271.

℞ Iodi.....ij  
 Linim. Camph. Comp.,  
 Linim. Saponis Comp.....āā f̄j

M.

1272.

℞ Tinct. Iodi.....25 C.c.  
 Aquæ Ammonia Fort.....5 C.c.  
 Phenol.....5 drops

M.

1273.

℞ Iodi.....5 Gm  
 Potassii Iodidi.....2 Gm  
 Glycerini.....1 Gm  
 Alcohol.....40 C.c.

M. f. linim.

[B. P.]

**COLLODIA.**

1274.

℞ Iodoformi.....1 Gm  
 Collodii Flexilis.....19 Gm

Fit solutio.

[N. F.]

1275.

℞ Iodi.....1 Gm  
 Collodii Flexilis.....19 Gm

Fit solutio.

[N. F.]

1276.

℞ Olei Tiglii.....2 Gm  
 Collodii Flexilis.....18 Gm

Fit solutio.

[N. F.]

1277.

℞ Ichthyol,  
 Etheris.....āā f̄v  
 Collodii.....f̄x

M.

1278.

℞ Hydrarg. Chloridi Corrosivi.....gr.xvj  
Collodii.....f̄ss  
M.

1279.

℞ Aqua Ammonia,  
Tinct. Iodine,  
Collodion.....āā f̄ss  
M.

# STYPTICS. CAUSTICS AND ESCHAROTICS.

1280.

℞ Acidi Sulphurici.....30 Gm  
Olei Terebinthinæ.....12 Gm  
Alcohol Dil.....50 Gm  
Fiat mistura styptica.

[Warren's Styptic.]

1281.

℞ Liqoris Plumbi Subacet.....f̄ss  
Cupri Sulph.,  
Zinci Sulph.....āā ʒj  
Acidi Acet. Dil.....f̄xiiij

Fit solutio. Filtra.

[Villate's Escharotic.]

1282.

℞ Iodi.....ʒj  
Potassii Iodidi.....ʒij  
Aquæ.....f̄ʒiv

Fit solutio.

[Churchill's Iodine Caustic.]

1283.

℞ Bromi.....ʒj  
Potassii Bromidi.....ʒiv  
Aquæ.....f̄ʒiv

Fit solutio.

[Smith's Bromine Solution.]

1284.

℞ Aluminis Crudi.....ʒj  
Plumbi Acetat. Cryst.....ʒv  
Aquæ Destillat.....f̄ʒxiiss

M. Sig.: "Burow's Fluid."

## PART X.

### SUPPOSITORIES, CATAPLASMS, PLASTERS AND OINTMENTS.

#### SUPPOSITORIES, ETC.

1285.

℞ Butyri Cacao..... 4 Gm  
Fia<sup>t</sup> suppositorium unum.

[Codex.]

1286.

℞ Extr. Bellad..... 100 mGm  
Olei Theobromæ..... 8 Gm  
M. f. suppos. vi.

1287.

℞ Ungu. Hydrarg..... gr. xxx  
Olei Cacao..... ʒj  
M. f. suppos. vi.

[B.P.]

1288.

℞ Morph. Hydrochlor..... gr. ii  
Butyri Cacao..... ʒi ss  
M. f. suppos. vi.

[B.P.]

1289.

℞ Acidi Tannici..... gr. xvii  
Olei Theobromæ..... gr. lxxi  
M. f. suppos. vi.

[B.P.]

1290.

℞ Aloes Pulveris..... 500 mGm  
Olei Theobromæ..... 4 Gm  
M. f. suppos. i.

[B. P.]

1291.

℞ Extr. Krameriae Pulv. . . . . 1 Gm  
Butyri Cacao . . . . . 3 Gm

M. f. suppos. i.

[B.P.]

1292.

℞ Iodoformi . . . . . gr. xviiij  
Olei Theobromi . . . . . gr. lxxij

F. suppos. vi.

[B.P.]

1293.

℞ Chloral . . . . . 5 Gm  
Olei Theobromæ . . . . . 15 Gm

M. f. suppos. x.

1294.

℞ Opii . . . . . gr. iij  
Extr. Bellad. . . . . gr. vj  
Olei Theobromæ . . . . . 3ss

M. f. suppos. vi.

1295.

℞ Acidi Tannici . . . . . 200 mGm  
Extr. Bellad. . . . . 15 mGm  
Olei Cacao . . . . . 2 Gm

M. f. suppositorium.

1296.

℞ Sacch. Saturni . . . . . 2 Gm  
Pulveris Thebaici . . . . . 1 Gm  
Butyri Cacao . . . . . 15 Gm

M. f. suppos. xii.

1297.

℞ Plumbi Acet. . . . . gr. xviiij  
Opii . . . . . gr. vj  
Olei Theobromæ . . . . . ʒj

M. f. suppos. vi.

[B.P.]

1298.

℞ Santonini . . . . . gr. xij  
Olei Theobromæ . . . . . ʒj

M. F. suppos. vi.

1299.

℞ Iodoformi,  
 Chloral.....āā gr. xxx  
 Olei Theobromæ.....q.s.

M. f. suppos. xii.

1300.

℞ Plumbi Acet.....2 Gm  
 Opii Pulv.....1 Gm  
 Bellad. Extr.....150 mGm  
 Olei Theobromæ.....15 Gm

M. f. suppos. xii.

1301.

℞ Iodoformi.....gr. xij  
 Extr. Hyoseyami.....gr. viij  
 Olei Theobromæ.....[vj

M. f. supposit. No. viii.

1302.

℞ Iodoformi.....[j  
 Bals. Peruv.....[i  
 Magnesiae.....[j  
 Olei Theobromæ,  
 Cerae.....āā [iss

M. f. supposit. xii.

1303.

℞ Acidi Carbolici .....gr. vj  
 Saponis Animalis.....gr. x  
 Glyceriti Amyli .....[vj vel q.s.

M. f. suppos. vi.

[ B.P. ]

1304.

℞ Iodoformi .....[j  
 Bismuthi Subnitr. ....[j  
 Chloral .....gr. viij  
 Morph. Sulph.....gr. iij  
 Olei Rosæ .....[x  
 Gelatini,  
 Glycerini.....āā q. s.

M. f. bougia xii.



1305.

℞ Morph. Hydrochlor.....	gr.iiij
Glyceriti Amyli.....	gr.xv
Saponis Animalis .....	gr.l
Amyli .....	q.s.

M. f. suppos. vi.

[B.P.]

1306.

℞ Sodii Sulph. Exsicc. ....	4 Gm
Saponis.....	8 Gm
Mellis .....	q.s.

M. f. suppos. xii.

1307.

℞ Gelatini .....	℥iv
Glycerini .....	℥iiss
Aquæ ....	℥iv
Aquæ.....	q.s.

Fiant supposit. No. xxiv.

[Glycerin Suppositories; B.P.]

1308.

℞ Pulveris Catechu,	
Aluminis .....	āā ℥j
Olei Theobromæ .....	q.s.

Fiant suppositoria No. vi.

1309.

℞ Acidi Tannici.....	gr.xviiij
Glyceriti Amyli.....	gr.xv
Saponis Animalis .....	gr.l
Amyli .....	q.s.

M. f. suppos. vi.

[B.P.]

1310.

℞ Zinci Sulph. ....	gr.vj
Acidi Carbol.....	℥iij
Hydrastis.....	gr.xij
Extr. Bellad.....	gr.xij
Gelatini,	
Glycerini .....	āā q.s.

M. f. bougia xii.

## CATAPLASMS.

1311.

℞ Sinapis Farinæ ..... ℥ij  
 Aquæ Tepidæ ..... ℥ij  
 Lini Farinæ ..... ℥ij  
 Aquæ Ebullientis ..... ℥vj

M. f. cataplasma.

[B.P.]

1312.

℞ Lini Farinæ,  
 Ulmi Farinæ ..... āā p. æq.  
 Aquæ Bullientis ..... q.s.

M. f. cataplasma.

1313.

℞ Lini Farinæ ..... ℥iv  
 Aquæ Ebullientis ..... ℥vii  
 Liqu. Sodæ Chlorin. .... ℥ij

M. f. cataplasma.

[B.P.]

1314.

℞ Conii Foliorum ..... ℥ij  
 Medullæ Panis ..... ℥vj  
 Aquæ ..... Oiss

Coquantur simul, ut fiat cataplasma.

1315.

℞ Pulveris Piperis,  
 Pulveris Zingiberis ..... āā ℥j  
 Sinapis Nigræ Contusæ ..... lb. ss  
 Aquæ Bullientis ..... q.s.

Misce et fiat cataplasma.

## PLASTERS.

1316.

℞ Plumbi Oxidi ..... 50 Gm  
 Olei Olivæ ..... 100 Gm  
 Aquæ ..... 50 C.c. vel q.s.

Fiat emplastrum.

Sec. art. leg.

[Lead Plaster.]

1317.

℞ Extr. Arnicae Rad. .... 25 Gm  
Empl. Resinae .... 50 Gm

M. f. empl.

[U.S.P.]

1318.

℞ Plumbi Iodidi .... 2 Gm  
Empl. Plumbi .... 16 Gm  
Resinae .... 2 Gm

M. f. empl.

[B.P.]

1319.

℞ Resinae .... 4 Gm  
Empl. Plumbi .... 32 Gm  
Saponis Animalis .... 2 Gm

Fiat emplastrum.

[B.P.]

1320.

℞ Opii Pulv. Subtiliss .... 10 Gm  
Empl. Resinae .... 90 Gm

M. f. empl.

[B.P.]

1321.

℞ Galbani,  
Ammoniaci,  
Cerae Flavæ .... 10 Gm  
Empl. Plumbi .... 80 Gm

F. empl.

[B.P.]

1322.

℞ Menthol .... 6 Gm  
Cerae Flavæ .... 3 Gm  
Resinae .... 21 Gm

Fiat emplastrum.

[Menthol Plaster; B.P.]

1323.

℞ Opii,  
Camphoræ .... 10 ss  
Empl. Plumbi .... 1ij

Sit scuto pectori.

1324.

℞ Extr. Hyoscyami.....15 Gm  
 Empl. Plumbi.....40 Gm  
 Empl. Resinæ.....40 Gm  
 M. f. empl. Ext. supra cor. 15×20 cm.

1325.

℞ Oleoresinæ Capsici.....250 mGm  
 Spread on resin plaster 10 cm<sup>2</sup>.

## OINTMENTS.

1326.

℞ Phenol.....3 Gm  
 Unguenti.....27 Gm  
 M.  
 [U. S. P.]

1327.

℞ Balsami Peruv.,  
 Unguenti.....5ā 10Gm  
 M. f. ungu. molle.

1328.

℞ Acidi Tannici.....3 Gm  
 Adipis Benzoinati.....27 Gm  
 M. f. ungu.  
 [U. S. P.]

1329.

℞ Acidi Gallici.....3 Gm  
 Adipis Benzoinati.....27 Gm  
 M. f. ungu.  
 [U. S. P.]

1330.

℞ Chrysarobini.....4 Gm  
 Adipis Benzoinati.....36 Gm  
 M. f. ungu.  
 [U. S. P.]

1331.

℞ Gallæ Pulv.....Ḑiv  
 Opii.....ss  
 Adipis Benzoin.....3j  
 M. f. ungu.  
 [B. P.]

1332.

℞ Barii Iodidi.....gr. iv  
Adipis.....℥j

M.

1333.

℞ Ferri Subsulphatis.....℥ss  
Adipis.....℥j

M. f. ungu.

1334.

℞ Gallæ Pulveris Subt.....3 Gm  
Adipis Benzoin.....27 Gm

M. f. ungu

[U. S. P.]

1335.

℞ Zinci Iodidi.....℥j  
Adipis.....℥j

Fiat unguentum.

1336.

℞ Zinci Oxidi.....℥ij  
Adipis Benzoin.....℥j

M. f. ungu.

[U. S. P.]

1337.

℞ Hydrarg. Ammon.....℥ij  
Adipis Benzoinati.....℥vj

M. f. ungu.

[U. S. P.]

1338.

℞ Calomelanos.....4 Gm  
Adipis Benzoin.....26 Gm

M. f. ungu.

[B. P.]

1339.

℞ Hydrarg. Oxidi Rubri.....℥j  
Butyri Recentis.....℥j  
Terebinth. Venetæ.....℥j  
Olei Olivæ.....℥j

M. f. ungu.

[“ Fresh Butter Ointment.”]

## 1340.

℞ Hydrarg. Iodidi Rubri..... 1 Gm  
 Unguenti..... 29 Gm

M.

[B. P.]

## 1341.

℞ Hydrargyri Biniodidi..... gr.vij  
 Potassii Iodidi..... ʒj  
 Adipis..... ʒj

Fiat unguentum.

## 1342.

℞ Hydrargyri Protiodidi..... gr.vj  
 Morphinæ Acetatis..... gr.viii  
 Adipis..... ʒj

M.

## 1343.

℞ Calomel..... 4 Gm  
 Iodi..... 1 Gm  
 Unguenti..... 30 Gm

M. f. ungu.

## 1344.

℞ Oxidi Hydrarg. Rubri..... 1 Gm  
 Unguenti..... 9 Gm

M.

[U.S.P.]

## 1345.

℞ Calaminæ Præp..... 5 Gm  
 Adipis Benzoin..... 25 Gm

M. f. ungu.

[B. P.]

## 1346.

℞ Cadmii Iodidi..... ʒj  
 Adipis Præparatæ..... ʒj  
 Linimenti Aconiti..... fʒij

M. f. ungu.

## 1347.

℞ Sulph. Præcip..... 9 Gm  
 Adipis Benzoin..... 21 Gm

M. f. ungu.

1348.

℞ Iodoformi.....1 Gm  
 Adipis Benzoinati.....9 Gm

M. f. ungu.

[U.S.P.]

1349.

℞ Plumbi Acet.....1 Gm  
 Adipis Benzoin.....35 Gm

M. f. ungu.

[B.P.]

1350.

℞ Potassii et Antimonii Tartratis.....2 Gm  
 Unguenti.....8 Gm

M.

[B.P.]

1351.

℞ Plumbi Carbonatis.....ij  
 Adipis Benzoin.....ix

M. f. ungu.

[U.S.P.]

1352.

℞ Extr. Stramonii.....gr. l  
 Adipis Benzoin.....ij

M. f. ungu.

[U.S.P.]

1353.

℞ Ext. Bellad. Alcoh.....3 Gm  
 Adipis Benzoinati.....27 Gm

M. f. ungu.

[U.S.P.]

1354.

℞ Extr. Aconiti.....2 Gm  
 Adipis.....28 Gm

M. f. ungu.

1355.

℞ Pulveris Opii,  
 Unguenti Hydrargyri,  
 Saponis Duræ.....āā ʒss

M.

1356.

℞ Aconitinæ.....500 mGm  
 Alcohol.....2 C.c.  
 Adipis Benzoin.....30 Gm  
 M. f. ungu.

[ B.P. ]

1357.

℞ Unguenti Hydrargyri.....5ij  
 Ammonii Chloridi.....5j  
 Misce bene

1358.

℞ Veratrinæ.....1 Gm  
 Adipis Benzoin.....24 Gm  
 M. f. ungu.

1359.

℞ Ungu. Hydr. Nitratis,  
 Adipis.....55 5ss  
 M.

1360.

℞ Extr. Hyoscyami.....3 Gm  
 Acidi Tannici.....3 Gm  
 Unguenti.....24 Gm  
 M.

1361.

℞ Pot. Iodidi.....5 Gm  
 Ungu. Stramonii.....20 Gm  
 M. f. ungu.

1362.

℞ Iodi.....gr. xx  
 Potassii Iodidi.....gr. v  
 Aquæ.....gr. x  
 Adipis Benzoin.....5j  
 M. f. ungu.

[ U.S.P. ]

1363.

℞ Plumbi Iodidi.....5 Gm  
 Extr. Stramonii.....5 Gm  
 Unguenti.....40 Gm  
 M.



## 1364.

℞	Acidi Citrici.....	gr.xv
	Aquæ Lauro-cerasi.....	ʒj
	Olei Rusci.....	gtt.xv
	Ungu. Aquæ Rosæ.....	ʒx

M.

## 1365.

℞	Camphoræ,	
	Chloralis Hydrat.....	āā ʒj
Tere una ad liquorem. dein adde cum tritu: -		
	Unguenti Aquæ Rosæ.....	ʒj

M. . Fiat unguentum

## 1366.

℞	Extr. Stramonii.....	5 Gm
	Opii.....	2 Gm
	Plumbi Acet.....	1 Gm
	Acidi Tannici.....	1 Gm
	Unguenti.....	2l Gm

M. S. Pile Ointment.

## 1367.

℞	Ung. Hydrargyri.....	ʒvj
	Camphoræ.....	gr.xl
	Ext. Belladonnæ.....	ʒij

M. ft. unguent.

## 1368.

℞	Gallæ,	
	Opii,	
	Plumbi Acet.....	āā ʒj
	Ungu. Picis Liqu.,	
	Cerati.....	āā ʒiv

M. f. ungu.

## 1369.

℞	Acidi Borici.....	ʒj
	Lanolini.....	ʒij
	Olei Eucalypti.....	gtt.v
	Ungu. Zinci Oxidi.....	ʒj
	Bismuthi Subnitr.....	ʒj

M.

1370.

℞ Cadmii Iodidi.....̄ss  
 Ætheris..... ʒxl

Tere simul, et adde:—

Adipis.....̄j

Misce et fiat unguentum.

1371.

℞ Chloroformi.....̄ij  
 Zinci Oxidi.....̄ss  
 Olei Olivæ.....̄j  
 Cerati Cetacei.....̄iv

M. ft. unguentum.

1372.

℞ Sulph. Loti.....gr.c  
 Potassii Carb.....gr.l  
 Aquæ.....q.s.  
 Adipis Benzoin.....̄vj

M. f. ungu.

[U. S. P.]

1373.

℞ Hydrarg. Oxidi Flav. ....1 Gm  
 Butyri Recentis.....19 Gm

M. f. ungu.

1374.

℞ Unguenti Belladonnæ.....̄iv  
 Glycerini.....̄iv

M.

1375.

℞ Morphinæ Sulphatis.....gr.xvj  
 Hydrarg. Oleati.....̄ij

M.

1376.

℞ Ungu. Hydrargyri Nitratis.....̄iv  
 Sulphuris.....̄ij  
 Creasoti.....gtt.x  
 Adipis.....̄j ij

M. f. ungu.

1377.

℞ Ichthyol.....3j  
 Lanolini.....3ix

M.

1378.

℞ Ungu. Hydrarg. Nitr..... 3 Gm  
 Acidi Tannici.....3 Gm  
 Extr. Hyoscyami.....3 Gm  
 Lanolini.....21 Gm

Mix.

1379.

℞ Extr. Opii.....3ij  
 Extr. Belladonnæ.....3vj  
 Ungu. Hydrarg.....5ij  
 Lanolini.....5ij

M. f. ungu.

1380.

℞ Barii Chloridi.....gr. xxx  
 Aquæ Destillatæ..... q.s. ut ft. sol.  
 Lanolini.....gr. ccxxv  
 Olei Amygdalæ Dulc..... ℥lxxv

M. f. ungu.

1381.

℞ Calcii Carb. Præcip.....2 Gm  
 Sulph. Sublim.....3 Gm  
 Olei Cadini.....3 Gm  
 Saponis Viridis.....6 Gm  
 Adipis.....6 Gm

M. f. ungu.

[Hebra's Itch Ointment.]

1382.

℞ Phenol.....1 Gm  
 Petrolati.....19 Gm

M. f. ungu.

[B. P.]

1383.

℞ Acidi Borici,  
 Ungu. Petrolei.....aa 3j

M.

1384.

R̄ Olei Eucalypti.....10 Gm  
Petrolati.....20 Gm

M. f. ungu.

[ B.P. ]

1385.

R̄ Acidi Borici.....5 Gm  
Petrolati.....30 Gm

M. f. ungu.

[ B.P. ]

1386.

R̄ Acidi Salicylici... ..1 Gm  
Petrolati.....29 Gm

M. f. ungu.

[ B. P. ]

1387.

R̄ Potassæ Sulphuratæ.....2 Gm  
Petrolati.....30 Gm

M. f. ungu.

[ B.P. ]

1388.

R̄ Sulphuris Iodidi.....2 Gm  
Petrolati.....30 Gm

M. f. ungu.

[ B.P. ]

1389.

R̄ Ungu. Hydrarg. Nitr.....10 Gm  
Petrolati.....20 Gm

M.

[ B.P. ]

1390.

R̄ Elemi.....5 Gm  
Unguenti.....20 Gm

M. f. ungu.

[ B.P. ]

1391.

R̄ Naphthol.....1 Gm  
Petrolati.....20 Gm

M. f. ungu.

1392.

℞ Hydrarg. Oxidi Rubri.....1 Gm  
 Plumbi Acet.....1 Gm  
 Camphoræ.....100 mGm  
 Petrolati.....18 Gm  
 M. f. ungu.

[Codex.]

1393.

℞ Menthol.....gr.xlv  
 Cocainæ.....gr.xv  
 Chloral.....gr.x  
 Vaselini.....3v  
 M. f. ung.

1394.

℞ Cocainæ Hydrochlor.....gr.ij  
 Extr. Belladonnæ.....3j  
 Acidi Tannici.....3ij  
 Ungu. Petrolati.....5j  
 M.

1395.

℞ Sozoiodol.....3ij  
 Zinci Oxidi.....5iv  
 Petrolati.....5iss  
 Glyceriti Amyli.....5j  
 M. f. ungu.

1396.

℞ Acidi Carbolicæ.....gr.xxx  
 Thymol.....gr.x  
 Vaselini.....3j  
 Cerati Simplicis.....3j  
 M.

1397.

℞ Zinci Oleati.....10 Gm  
 Adipis.....20 Gm  
 M. f. ungu.

1398.

℞ Cupri Oleati.....5 Gm  
 Lanolini.....20 Gm  
 M. f. ungu.

1399.

R̄	Olei Amygd. Expressi.....	15 Gm
	Cetacei.....	3 Gm
	Ceræ Albæ.....	5 Gm
	Aquæ Rosæ.....	9 Gm

M. f. ungu. sec. art. leg.

[Cold Cream.]

1400.

R̄	Empl. Fusci Camph.....	20 Gm
	Olei Olivæ.....	10 Gm
	Sevi.....	10 Gm

M. f. ungu.

[Mother's Salve.]

1401.

R̄	Picis Liquidæ,	
	Sevi.....	āā iij

Fiat unguentum.

[U.S.P.]

1402.

R̄	Empl. Plumbi.....	18 Gm
	Olei Olivæ.....	12 Gm
	Olei Lavand.....	400 mGm

M. f. ungu.

[U.S.P.]

1403.

R̄	Chloroformi.....	10 Gm
	Ceræ Albæ.....	4 Gm
	Adipis.....	85 Gm

M. f. ungu.

[Codex.]

1404.

R̄	Emp. Plumbi.....	5ij
	Ung. Hydrargyri.....	5ss
	Olei Cadini.....	ij

M.

1405.

R̄	Zinci Oxidi.....	10 Gm
	Aquæ Rosæ.....	q.s.

M. f. ungu. molle.

1406.

℞ Extr. Mezerei Fluidi.....5 Gm  
Adipis.....16 Gm  
Cerae Flavæ.....2.40 Gm

M. f. ungu. sec. art.

[U.S.P.]

1407.

℞ Tinct. Benzoini.....℥ij  
Olei Lini.....℥iv  
Cerae Flavæ.....℥ij  
Glycerini.....q.s.

M. S. Ointment.

1408.

℞ Resinae.....℥j  
Cerae Albæ.....℥ij  
Adipis.....℥ij  
Zinci Oxidi.....℥vij

M.

1409.

℞ Camphoræ.....15 Gm  
Cerae Albæ.....20 Gm  
Cetacei.....15 Gm  
Olei Lavand.....2 drops  
Olei Amygd. Dulc.....50 Gm

M. f. cerat. dur.

[“Camphor Ice.”]

1410.

℞ Calomel.....℥ij  
Plumbi Acet.....℥j  
Hydrarg. Oxidi Rubri.....℥ss  
Cerae Albæ.....℥iv  
Olei Olivæ.....℥vj ℥ij

M. f. ungu.

[Belleville Ointment.]

1411.

℞ Iodoformi,  
Bals. Peruv.....āā ℥ij  
Glycerini.....℥xiv

M. f. ungu.

1412.

℞ Storacis.....fʒj  
Spiritus Vini Rectificati .....fʒij

Misce, et adde:—

Olei Olivæ.....fʒj

M. f. ungu.

1413.

℞ Olei Amygd. Dulcis .....ʒiiss  
Ceræ Albæ .....ʒiv  
Cetacei .....ʒiss  
Glycerini .....fʒij  
Aque Rosæ .....fʒiss  
Boracis .....gr.xv  
Tragacanthæ .....gr.ix  
Olei Caryoph. ....gtt.j  
Olei Rosæ .....gtt.iiij

M. f. ungu.

[“Glycerin Ointment.”]

1414.

℞ Sabinæ Cont.....20 Gm  
Ceræ Flavæ.....7 Gm  
Adipis Benzoin.....40 Gm

Fiat unguentum.

[B.P.]

1415.

℞ Sulphuris .....30 Gm  
Saponis Viridis.....90 Gm  
Aque Ebullientis.....q.s.

M. f. ungu. molle.

[Ph. Mil. Su.]

1416.

℞ Extr. Opii .....1 Gm  
Glyceriti Amyli .....9 Gm

M. f. ungu.

1417.

℞ Zinci Oxidi .....10 Gm  
Glyceriti Amyli .....20 Gm

M. f. ungu.



1418.

℞ Acidi Tannici ..... 5 Gm  
 Glyceriti Amyli ..... 25 Gm

M. f. ungu.

[Codex.]

1419.

℞ Amyli ..... 10 Gm  
 Glycerini ..... 50 C.c.  
 Aquæ ..... 30 C.c.

Fiat unguentum sec. art. leg.

[B.P.]

1420.

℞ Potassii Iodidi ..... 2 Gm  
 Aquæ ..... 1 Gm  
 Glyceriti Amyli ..... 17 Gm

M. f. ungu.

1421.

℞ Resorcini ..... 1 Gm  
 Glyceriti Amyli ..... 9 Gm

M. f. ungu.

1422.

℞ Plumbi Iodidi ..... gr. xl  
 Glyceriti Amyli ..... gr. cccxl

M. f. ungu.

1423.

℞ Hydrarg. Oxidi Flavi ..... 1 Gm  
 Glyceriti Amyli ..... 9 Gm

M. f. ungu.

1424.

℞ Potassii Iodidi ..... gr. lx  
 Sodii Thiosulphatis ..... gr. v  
 Aquæ Fervidæ ..... ℥ ss  
 Glyceriti Amyli ..... ℥ j

M. f. ungu.

1425.

℞ Ungt. Hydrarg ..... ℥ j

Ft. chart. No. viii.

Put in waxed papers.

1426.

℞ Naphthol  $\beta$ . ..... gr. i  
Sulphuris Præcip ..... ℥iv  
Lanolini,  
Saponis Viridis ..... ʒiij  
Leniter terendo fiat pasta.

## PART XI.

### MISCELLANEOUS PRESCRIPTIONS FOR EXTERNAL APPLICATIONS, ETC.

1427.

℞ Ol. Terebinth.....fʒij  
Pulv. Sapo. Castil.....ʒj  
Aq.....fʒij  
M.

1428.

℞ Calomel.,  
Zinci Chloridi.....ḡḡ gr.vj  
Liquoris Calcis.....fʒij  
M.

1429.

℞ Acidi Chromici.....5 Gm  
Glycerini.....5 Gm  
Alcohol.....5 Gm  
M. S. For external use.

1430.

℞ Strychninæ.....gr.j  
Glycerini.....℥xx  
Aqua.....fʒiv  
M. S. Twenty minims to be used hypodermi-  
cally every 10 or 20 minutes till slight mus-  
cular spasms result. (In case of Snake  
Bite.)

1431.

℞ Chloral Camph.,  
Bismuth. Subnit.....ḡḡ ʒij  
Aqua Rosæ.....ad fʒiv  
M.

1432.

℞ Extracti Belladonnæ.....3j  
 Liquoris Plumbi Subacetatis Diluti ..... Oj  
 Misce et fiat lotio.

1433.

℞ Acidi Carbolici,  
 Alcoholis..... aa f̄ij  
 • Olei Terebinth..... f̄iv  
 Tinct. Iodi..... f̄ij  
 Glycerini..... f̄x  
 M.

1434.

℞ Hydrarg. Chlor. Corros..... gr. ½ i ½  
 Zinci Sulpho-Carbolat..... gr. ii-x  
 Acid. Boric..... ʒj  
 Hydrogen Peroxide..... f̄ij  
 Aq. Destillat..... q.s. ad f̄viii  
 M.

1435.

℞ Strychninæ Sulphat..... gr. j  
 Acid. Nitric. Dil..... f̄ij  
 Aquæ..... f̄xi  
 M.

1436.

℞ Plumbi Acetatis,  
 Ammonii Carbonatis..... aa 3j  
 Tincturæ Opii..... f̄ss  
 Aquæ Rosæ..... f̄vii  
 M.

1437.

℞ Morph. Sulphatis..... gr. vj  
 Sodii Borat..... ʒiv  
 Aq. Camphoræ..... f̄ij  
 M.

1438.

℞ Tincturæ Benzoini Compositæ..... f̄ij  
 Aquæ Bullientis..... Oss  
 M.

1439.

℞ Zinci Oxidi.....ʒij  
Glycerini.....fʒij  
Liquoris Plumbi Subacetatis.....fʒss  
Aquæ Calcis.....q.s. ad fʒvj

M. f. lotio.

1440.

℞ Cocaini Muriatis,  
Morphiæ Muriatis.....āā gr.xij  
Aquæ Destillatæ.....ʒj

M.

1441.

℞ Morphinæ Sulphat.....gr.xvj  
Sulph. (neut.) Atropinæ.....gr.vj  
Aq. Destill.....ʒij

M.

1442.

℞ Eserinæ.....gr.ij  
Aquæ.....fʒj

M.

1443.

℞ Atropiæ.....gr.iv  
Cocaini.....gr.ij  
Acidi Oleici.....ʒij  
Ol. Olivæ.....ʒvj

Dissolve alkaloids in the oleic acid by use of a water-bath, and add to the olive oil previously warmed.

1444.

℞ Liq. Cocaini Mur. (3 per cent.)...ʒvij  
Morphiæ Sulphatis.....gr.xij  
Gossypii Absorbentis.....ʒvij

M.

1445.

℞ Zinci Sulph.....gr.x  
Acid Tannic.....gr.x  
Cocaine Hydrochlor.....gr.x  
Aquæ Pura...ad ʒiv

M.

1446.

℞ Ergotinæ.....3j  
 Glycerini.....fʒj  
 Aquæ Destillatæ.....fʒvi

M.

1447.

℞ Potass. Chlorat.....ʒij  
 Infus. Rhois Glabri....Oj

M.

1448.

℞ Hyoscyamiæ Sulphatis.....gr.j  
 Aquæ Destillatæ.....ʒxi

M.

1449.

℞ Acid. Benzoic.....gr.iiij  
 Acid. Salicylic.....gr.iiij  
 Hydrochlorate Cocaine.....gr.v  
 Aqua Dist.....ʒj

M. by water bath.

1450.

℞ Potass. Chlor.....ʒiiij  
 Acid. Sulphurosi.....ʒiiss  
 Glycerinæ.....ʒj  
 Aqua.....ad ʒiiij

M.

1451.

℞ Calomelanos.....ʒj  
 Tinct. Iodi.....ʒj

M.

1452.

℞ Boracis.....1 Gm  
 Aquæ.....15 C.c.  
 Mucilaginis.....15 C.c.

M.

1453.

℞ Acidi Phenici Deliquesce.....fʒj  
 Aceti Opii.....fʒiiij

M.

1454.

℞ Lini Camphoræ.....f̄viii  
Dr.

1455.

℞ Acidi Salicylici.....gr.vij  
Decocti Eucalypti.....̄xv  
Glycerini.....̄vij  
Spts. Vini Rectif.....̄iiij

M.

1456.

℞ Collodii cum Cantharidi.....f̄ss  
Dr.

1457.

℞ Plumbi Acetat.....̄j  
Acetat. Destillat.....f̄j  
Spt. Vini Methyl.....f̄iiij  
Aquæ.....ad f̄xxj

M. f. lotio.

1458.

℞ Calcis Calcinatæ.....̄iv  
Sulphuris.....̄viiij  
Aquæ.....Ov

M.

(Boil in an earthenware pan, evaporate to three pints, and filter.

1459.

℞ Resorcin.....̄iiss  
Olei Ricini.....̄xixss  
Alcoholis.....̄xxxviiiiss  
Balsami Peruviani.....gr.viiss

M. Ft. lotio.

1460.

℞ Ex. Yerbæ Santæ Fl.,  
Ex. Pinus Canaden. Fl.,  
Ex. Hamamelis Fl.....āā f̄iv  
Glycerinæ.....q. s. ad f̄v

M.

1461.

℞ Acidi Carbol..... $\overline{3}$ ss  
 Aquæ..... $\overline{3}$ iss

M. Apply with a brush.

1462.

℞ Pot. Permang.....3 Gm  
 Glycerini.....50 C.c.  
 Aquæ.....250 C.c.

M. f. gargarisma.

1463.

℞ Glyceriti Iodoformi (10 per cent.)..... $\overline{3}$ ss  
 D.

1464.

℞ Carbonis Bisulphidi.... $\overline{3}$ iv  
 Pulv. Camphoræ.....q.s.

M. f. sol. saturat.

1465.

℞ Iodinii..... $\mathcal{O}$ ij  
 Olei Terebinthinæ..... $\overline{3}$ iv

M.

1466.

℞ Ex. Rhois Glab. Fl.,  
 Ex. Hydrast. Canaden. Fl. .... $\overline{aa}$   $\overline{f\overline{3}}$ j  
 Potass. Chlorat..... $\overline{3}$ as  
 Aquæ.....q. s. ad  $\overline{f\overline{3}}$ vj

M.

1467.

℞ Zinci Sulphatis,  
 Potassii Sulphureti ..... $\overline{aa}$  gr. xxx  
 Alcoholis ..... $\mathfrak{M}$ c  
 Aquæ Rosæ .....q. s. ad ft. $\overline{3}$ ij

M. f. lotio.

1468.

℞ Acid. Tannic.....gr. xv  
 Tr. Iodi.....gtt. ij  
 Glycerinæ ..... $\overline{f\overline{3}}$ ss  
 Aquæ..... $\overline{f\overline{3}}$ vj

M.



## 1469.

- ℞ Chloroformi.....f̄ij  
 Æther. Sulphuri.....f̄ij  
 Ess. Terebinthinæ Rect.....f̄iiss

M.

## 1470.

- ℞ Zinci Chloridi.....gr.iiij  
 Alcohol. Dil. ....j.....f̄viiij

M. S. Gargle and mouth-wash for aphthæ in infants.

## 1471.

- ℞ Tinct. Iodinii.....f̄ij  
 Aquæ Rosæ.....f̄viiij

M. S. Use as a mouth-wash every hour or two.

## 1472.

- ℞ Iodoformi.....f̄ij  
 Glycerini.....f̄iiss

M. Used as in injection in abscess-cavities after evacuating the pus.

## 1473.

- ℞ Ol. Tigli.....gtt.j  
 Glycerinæ.....℥xiij

M.

## 1474.

- ℞ Sulphuris Loti.....f̄ij  
 Spts. Camphoræ.....f̄ss  
 Glycerinæ.....f̄ss  
 Hydrargyri Bisulphidi.....℥ss  
 Pulv. Amyli.....f̄ij  
 Aquæ.....q. s. ad Oj

M. f. lotio.

## 1475.

- ℞ Hydrarg. Chlor. Corros.....gr.ij  
 Potass. Iodid.....gr.iv  
 Aquæ.....℥v

Solve et ad:--

Bromi.....f̄v

M.

## 1476.

- R Tincturæ Iodî ..... f̄ij  
 Acidi Tannici ..... q. s. ad saturandum  
 M.

## 1477.

- R Aquæ Ammoniæ ..... ℥ss  
 Olei Terebinthinæ ..... ℥ij  
 Aquæ ..... ℥x  
 Ft. lotio.

## 1478.

- R Bals. Peruv. .... f̄ij  
 Olei Amygd. .... f̄iiss  
 Mucil. Acaciæ ..... f̄ij  
 Aquæ Rosæ ..... q. s.  
 M. Sig. Apply to the nipples after each nursing.

## 1479.

- R Tinct. Cantharidis ..... ℥iiss  
 Tinct. Capsici ..... ℥xx  
 Glycerini ..... ℥iv  
 Spts. Odoratae ..... ad f̄vj  
 M.

## 1480.

- R Spts. Æther ..... 110  
 Tinct. Benzoin ..... 15  
 M. Sig. Apply once a day.

## 1481.

- R Acidi Carbolici ..... ℥x  
 Acidi Salicylici ..... ℥ij  
 Acidi Benzoici ..... ℥iv  
 Spts. Vini Rectif. .... q. s. ut ft. sol  
 M.

## 1482.

- R Tinct. Aconit ..... f̄ij  
 Tinct. Iodî ..... f̄iij  
 Linim Saponat.,  
 Liq. Ammoniæ ..... aa f̄ij  
 M.

## 1483.

℞	Olei Sinapis .....	f̄ss
	Olei Terebinth.....	f̄iiij
	Camphoræ .....	̄iv
	Liq. Ammon. Fort. ....	f̄iiij
	Tinct. Capsici .....	f̄iv
	Alcoholis .....	q. s. ad f̄vj

M.

## 1484.

℞	Hydrargyri Oxidi Flavi.....	̄iss
	Hydrargyri Chloridi Corrosivi .....	gr. ̄i
	Glycerini Puri .....	f̄xxxv

M.

## 1485.

℞	Pulv. Oryzæ .....	̄iiss
	Plumbi Oxidi,	
	Glycerinæ.....	āā ̄viiss
	Acidi Acetici Dil. ....	f̄xv

M.

(Boil down to ̄xx.)

## 1486.

℞	Collodii Flexilis,	
	Acidi Carbolici Cryst.....	āā ̄ij

M.

Sig.: Apply to the tooth-cavity by means of a probe wrapped on the end with cotton.

## 1487.

℞	Mastiches.....	gr. x
	Acidi Tannici.....	̄j
	Ætheris Sulphurici.....	f̄̄ss

M.

## 1488.

℞	Pulv. Camphoræ,	
	Chloral Hydratis.....	āā gr. xxx
	Cocaini Hydrochloratis.....	gr. vj

M.

1489.

R Chloral,  
Camphoræ.....āā 10 Gm  
M.

1490.

R Hydrargyri Chloridi Corr.....gr. j  
Pulv. Aluminis.....ʒ j  
Pulv. Amyli.....ʒ iss  
Aquæ... fʒvj  
M.

\* 1491.

R Calomel.....ʒij  
Saponis.....ʒij  
Olei Gossypii.....fʒiv  
Aquæ.....fʒj  
M.

1492.

R Cocaini.....gr. x xx  
Boroglyceridi.....fʒij  
M.

1493.

R Quininæ.....ʒj  
Ol. Terebinth.....q.s. ut ft. pasta  
M. S. Apply to the pustule.

1494.

R Acidi Sulphurici,  
Pulv. Carbonis Ligni.....āā ʒss  
M.  
Q. s. ft magma.

1495.

R Potassæ.....ʒv  
Calcis.....ʒvj  
Alcoholis.....q.s. ut fiat magma  
M.

1496.

R Suppositoriæ Opii.....No. j

1497.

R Supposit. Ext. Opii..... āā gr. v No. vj

1498.

℞ Calcis Chlorinatæ,  
Glycerini..... .āā 10 Gm  
M.

1499.

℞ Argenti Nitratis.....gr.xx  
Ammonii Iodidi.....gr.xxx  
Potassii Carb.....ij  
Adipis Benzoin.....ij  
M. f. ungu.

1500.

℞ Acidi Salicylici.....ij  
Emyl. Saponat.....ij  
Empl. Diachyl.....ij  
M. f. unguentum.

1501.

℞ Bismuth. Subnit.....ij  
Ol. Ricin.....fij  
M.

1502.

℞ Hydrarg. Pur.....gr.o  
Ungt. Hydrarg.,  
Sevi Benzoinati.....āā gr.o  
Adipis Benzoinati.....ad fiv  
M.

1503.

℞ Cocaine Muriat.....gr.xx  
Morphinæ Sulph.....gr.v  
Atropiæ Sulph.....gr.iv  
Pulv. Tannin.....gr.xx  
Vaseline.....ij  
Ol. Rosæ.....q.s.  
M.

1504.

℞ Extracti Belladon.....3j  
Ung. Hydrargyri.....3vj  
M. Sig. For inunction to brow.

1505.

- ℞ Hydrargyri Oxidi Flavæ ..... gr.v  
 Zinci Sulphatis..... gr.x  
 Adipis..... ℥j

M. f. ungu.

1506.

- ℞ Cetacei..... ℥j  
 Glycerini..... ℥ij  
 Cerae Albæ..... gr.xv  
 Ol. Amygd. Amaræ..... ℥iij

1507.

- ℞ Iodoformi..... ℥j  
 Cetacei..... ℥j  
 Ext. Conii Alcohol..... gr.xl  
 Acidi Carbolici..... gtt.x
- M. Sig. Spread on lint, and cover the parts therewith. [For burns and scalds.]

## INDEX.

---

	PAGES.
Boli .....	56
Bougies .....	212-213
Capsules .....	4, 54, 55
Cataplasms .....	14, 214
Caustics .....	209
Collodions .....	208-209, 235
Collunaria .....	38, 193
Collyria .....	25, 38
Confections .....	5, 20, 55, 56
Decoctions .....	106-108
Electuaries .....	5, 20, 55, 56
Emulsions .....	9-10, 108-117
Enemata .....	14, 26, 27, 39, 195-197
Escharotics .....	209
External Applications, Miscellaneous, ...	231-242
Gargles .....	26, 36, 37, 193, 234, 236, 237
Glycerites .....	197, 198
Hypodermatic Injections..	192, 193, 231, 233, 234
Infusions .....	12-13, 102-106
Injections .....	38, 39, 193-197, 237
Latinic Prescriptions .....	1-15
Linctus .....	13
Liniments .....	13, 24, 25, 36, 204-208, 231-240
Lotions .....	13, 25, 26, 37, 38, 198-204, 231-240
Masses .....	55, 97-99
Mixtures .....	10-13, 14, 21-24, 32-34, 100-191
Mucilages .....	102

Ointments . . . .	14, 15, 24, 35, 36, 216 230, 241 242
Pastæ . . . . .	57, 58, 240
Pills . . . . .	5-9, 20-21, 29-31, 62 97
Plasters . . . . .	35, 214 216
Poultices . . . . .	214
Powders . . . . .	1-5, 19, 20, 28, 29, 41-54
Species . . . . .	40
Suppositories . . . . .	14, 25, 36, 37, 210 213, 240
Styptics . . . . .	209
Tooth-Powders . . . . .	46, 47
Triturations . . . . .	49
Troches . . . . .	7, 29, 58-61
Doubtful, Incorrect, Improper, Incom- patible and Dangerous Prescriptions . . . . . .	93-97, 151-191, 231-242



## Course of Home Study in Pharmacy . . . .

In one bound book for \$3.00. This book of First Lessons in the Study of Pharmacy has been prepared expressly for the benefit of Drug Clerks, those learning the Drug Business, Prospective College Students of Pharmacy, those preparing for State Board Examinations, and all who desire to pursue a systematic course of Home Reading in Pharmacy, Chemistry and Materia Medica. By Professor OSCAR OLDBERG of the School of Pharmacy of Northwestern University, ("Illinois College of Pharmacy"); author of "Manual of Weights and Measures," "Laboratory Manual of Pharmaceutical Chemistry," "1,500 Prescriptions," and other Pharmaceutical Works; Member of the Committee of Revision and Publication of the Pharmacopœia of the United States (1880-1900), etc.

It is a good-sized book of 540 pages, 8vo, well printed and substantially bound in cloth, illustrated with over 150 cuts.

Thousands are already reading this book, AND IT SHOULD BE FOUND IN EVERY DRUG STORE.

Employers who desire to encourage their Clerks and Apprentices can do so in an effective manner by allowing them reasonable time for useful study, and they would doubtless find that their employes will render more intelligent and valuable service as a direct consequence.

This First Reader in Pharmacy contains precisely what every student in pharmacy must read before he reads other things. To attempt a course of home reading without a book specially prepared for that purpose cannot but prove both laborious and fruitless.

*The Registered Pharmacist* says: "This is the book of books for the beginner in the study of pharmacy. We advise all who want to enter upon a course of study in pharmacy, whether at a college or in the store, to begin with this excellent work. Although written for beginners, and in a remarkably clear and simple style, it contains a great deal more information than one would suppose could be so well presented within the space of six hundred pages. The author has succeeded admirably in his generalizations as well as in the definitions and illustrations given. Readers of this book will, if they have intelligence and read attentively, acquire an exceptionally good idea of the nature of the sciences treated, as well as a correct knowledge of the most important facts and theories which must form the basis of a right pharmaceutical education. If the student cannot learn from this book, he cannot learn at all."

*Prof. Joseph P. Remington*, of the Philadelphia College of Pharmacy, says: "The book will be of great help to those for whom it has been designed."

*Prof. Albert B. Prescott*, Dean of the Department of Pharmacy of Michigan University: "It is of good proportions, is well adapted to its uses, and ought to be largely used."

*Prof. James M. Good*, of the St. Louis College of Pharmacy: "That it fills a long felt want there is no question. It fills it well also, showing throughout abundant evidence of thoroughness and painstaking care. \* \* \* The explanations of the rather difficult science of chemistry seem to me to be clear and easy to comprehend."

*The New England Druggist*: "Prof. Oldberg's 'Home Study in Pharmacy' is a most useful and valuable publication, not alone for the beginner in the art of pharmacy, but it should be found upon the shelves of even those of long service in it. Unlike many of our publications, it is not a reprint of the Pharmacopœia, but its matter is original; or, if not original, it is presented in a new and fresh light that makes even trite things acquire juvenility and interest. It is not too much to say that among the works designed for the study of pharmacy the claims of this book for recognition must be conceded; for its explanations are so clear and its instructions so complete that, with the Pharmacopœia to accompany it, one hardly needs another book to fit him to take rank in his profession. The plan of organizing classes of the readers or students of the book offers great advantages to those in possession of it, for by this means things not clearly understood may be made plain by a competent instructor. *For the true interests of Pharmacy we hope to see this book in the hands of every student of the art.*"

Oldberg's Home Study in Pharmacy is sold by Wholesale Druggists and Booksellers, but if your Bookseller or Wholesale Druggist should not have it, you can get it promptly by mail from the publishers, who will send it (postage prepaid by them) to any address, upon receipt of price, which is invariably \$3.00 net.

In ordering the book from Wholesale Druggists or your Booksellers, inform them of the name and address of the Publishers.

**THE APOTHECARIES' COMPANY**  
**PUBLISHERS**

**Lock Box 820, CHICAGO, ILL.**

# **Pharmaceutical and Chemical Problems and Exercises, with Rules and Explanations..**

By OSCAR OLDBERG, Ph.D., Professor of Pharmacy; Northwestern University.

SECOND EDITION; REVISED AND ENLARGED.

One Volume, 12mo. Cloth. \$1.50, net. Interleaved, \$2.00.

Intended as an Aid to Students, Teachers and Examiners.

---

Containing Several Thousand Problems and Exercises in Weights and Measures, The Metric System, Specific Weight and Volume, Percentage and Proportion, Dilution, Fortification, Mixing, "Parts by Weight," Thermometers, Hydrometers, Chemical Notation, Synthetical and Analytical Problems and Reactions, and Latinic Nomenclature.

---

"It is an exercise book, with nothing to learn by rote or cram. We can therefore most heartily recommend it, *especially for those who have in prospect an examination before a pharmacy board.* It contains questions and problems, the answers to which must be sought in their proper place, or in the majority of cases worked out—there is no key given and there should not be. The exercises cover the subjects of weights and measures, percentages and proportions, specific weight and specific volume, hydrometer and thermometer scales, chemical symbols and formulae, atomic and molecular weight, chemical equations, calculations of product, materials required, etc., in synthetical operations, and, lastly, a unique feature of the work, drill in pharmaceutical nomenclature, Latin and English. *The book is one that meets a real want; even the graduate in pharmacy may find its exercises profitable.*" —*Pharmaceutical Era.*


"It is intended for the use of teachers and students, either for class work or for those who desire to prove, by solving in writing practical exercises, the knowledge obtained from study on their own accord. For the latter purpose the collection is well adapted, and decidedly preferable to similar compilations, containing the answers appended to the questions." —*The Western Druggist.*

"This is an excellent little book, and will be of great service to students, if they will carefully work out the answers and the solutions of the problems. The selection of questions is very judicious and covers the ground very effectively, so far as the curriculum of a school of pharmacy extends." —*The American Druggist.*


---

MAILED POSTPAID ON RECEIPT OF PRICE.

For Sale by **THE APOTHECARIES' COMPANY**  
Lock Box 820, CHICAGO.











QV 044f 1892

61740120R



NLM 05062563 4

NATIONAL LIBRARY OF MEDICINE